Submit I Copy To Appropriate District Office	State of New Mexico	Form C-103			
District 1 – (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.			
1625 N. French Dr., Hobbs, NM 88240 District II – (575) 748-1283	OH CONGERNATION DIVIGION	30-015-33228			
811 S. First St., Artesia, NM 88210 District III – (505) 334-6178	OIL CONSERVATION DIVISION	5. Indicate Type of Lease			
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.	STATE FEE X			
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505	6. State Oil & Gas Lease No.			
87505					
	TICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name			
	DSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A ICATION FOR PERMIT" (FORM C-101) FOR SUCH	Crawford 26			
PROPOSALS.)	8. Well Number #2				
1. Type of Well: Oil Well 2. Name of Operator	Gas Well Other	9. OGRID Number			
Cimarex Energy Co.		162683			
3. Address of Operator		10. Pool name or Wildcat			
600 N. Marienfeld, Suite 600, M	lidland TX 79701	Willow Lake, Bone Spring (West)			
4. Well Location					
Unit Letter B	general section feet from the North line and	1980' feet from the East line			
Section 26	24S Township 26E Range	NMPM Eddy County			
***************************************	11. Elevation (Show whether DR, RKB, RT, GR, et	tc.)			
	3271				
10 (1)	A CALL CALL	D 01 D			
12. Check	Appropriate Box to Indicate Nature of Notice	e, Report or Other Data			
NOTICE OF IN	NTENTION TO: SU	BSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK 🗌					
TEMPORARILY ABANDON		RILLING OPNS. P AND A			
PULL OR ALTER CASING	·	ENT JOB			
DOWNHOLE COMMINGLE  CLOSED-LOOP SYSTEM					
OTHER:	· · · · · · · · · · · · · · · · · · ·	& Test Bone Spring			
13. Describe proposed or comp	pleted operations. (Clearly state all pertinent details, a	and give pertinent dates, including estimated date			
	ork). SEE RULE 19.15.7.14 NMAC. For Multiple C	Completions: Attach wellbore diagram of			
proposed completion or re-	•				
6/24/2019- POH with tubing	g. Tubing Parted.				
6/25/2019- 44 Jts 2 3/8" 4.7#	L80 Tbg Fish tagged at 9667' . L80 Tbg Fish tagged at 9667' . Test casing to 500 psi for 30 min. Good Test.	NM OIL CONSEDVATION			
	one Spring from 7606'- 8512' with 450 shots, .45.	NM OIL CONSERVATION ARTESIA DISTRICT			
7/03/2019- P&A paperwork					
		SEP 1 3 2019			
		!			
		RECEIVED			
		•			
		•			
Spud Date:	Rig Release Date:				
Spud Date.	Rig Release Date.				
I hereby certify that the information	above is true and complete to the best of my knowled	dge and belief.			
1	1				
	Depulatory Analyst	0/11/2010			
SIGNATURE	TITLE Regulatory Analyst	DATE9/11/2019			
Type or print name Amithy Crawfo	ord E-mail address: acrawford@cir	marex.com PHONE: 432-620-1909			
For State Use Only		THORE.			
Commender of the second	Ex Polan Calatier	9 1 . 10			
APPROVED BY:	The Soday TITLE Geolog"ST	DATE 9-/6-19			
Conditions of Approval (if any):	<b>*</b>				

por se

## NM OIL CONSERVATION ARTESIA DISTRICT

SEP 1 3 2019

Form C-102

State of New Mexico Energy, Minerals & Natural Resources Department

Revised August 1, 2011 RECEIMENT one copy to appropriate

OIL CONSERVATION DIVISION

District Office

1220 South St. Francis Dr. Santa Fe, NM 87505

X AMENDED REPORT

1000 Rio Brazos Road, Aztec, NM 87410 Phone: (505) 334-6178 Fax: (505) 334-6170 1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3460 Fax: (505) 476-3462

District I 1625 N. French Dr., Hobbs, NM 88240

811 S. First St., Artesia, NM 88210

District II

District III

Phone: (575) 393-6161 Fax: (575) 393-0720

Phone: (575) 748-1283 Fax: (575) 748-9720

			ELL LC	CATIO	N AND ACK	EAGE DEDICA	ATION PLA	1	
<sup>1</sup> API Number			<sup>2</sup> Pool Code		<sup>3</sup> Pool Name				
30-015-33228		ŀ	96415 Willow Lake, Bone Sprin			ring (West)			
<sup>4</sup> Property Code				<sup>5</sup> Property Name			<sup>6</sup> Well Number		
300597				Crawford 26				#2	
7 OGRID !	No.	<sup>8</sup> Operator Name				<sup>9</sup> Elevation			
162683	3	Cimarex Energy Co. of Colorado					32	:71	
					<sup>10</sup> Surface L	ocation			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
В	26	24S	26E		990'	North	1980	East	Eddy
			<sup>11</sup> Во	ttom Hol	e Location If	Different From	Surface	· - · · · · · · · · · · · · · · · · · ·	
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
į			Ì				i	İ	
12 Dedicated Acres	13 Joint of	r Infill 14 Co	onsolidation (	Code 15 Ore	der No.	·····		J.	
40									
	<u> </u>								

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

(r			
16	,066	1980'	17 OPERATOR CERTIFICATION  I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working
		(	integest, or to a voluntary pooling agreement or a compulsory pooling order heretofage entered by the division.  9/4/2019  Date
		•	Amithy Crawford  Printed Name  acrawford@cimarex.com  E-mail Address
			18SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.
ì			Date of Survey Signature and Seal of Professional Surveyor:
			Certificate Number

Cimarex Energy Co. of Colorado CIMARE KB - 20' above GL Crawford 26 #2 990' FNL & 1980' FEL Sec. 26, T-24-S, R-26-E, Eddy Co., NM API#30-015-33228 09/05/2019 S. Gengler 13-3/8", 48# H-40 csg @ 430' cmtd w/ 650 sx, 1" to surface 9-5/8", 36# J-55 csg @ 3825' cmtd w/ 1150 sx, cmt circ TOC @ 4390' by CBL Bone Springs perfs (7606' - 7648') Bone Springs perfs (8457' - 8512') RBP @ 9650' Top of fish @ 9667' 44 jts 2 3/8" 4.7# L-80 Tbg Baker 1.812" F profile nipple @ 11138' Morrow perfs (11216' - 11822') PBTD @ 11835' 5-1/2" 17# P-110 @ 11840' cmtd w/ 1425 sx TD @ 11840' Printed 9/11/2019