District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

D 4 04/10/2010

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

to Gas Line

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

GAS CAPTURE PLAN

Date	5. <u>04/16/2019</u>						•
	Original Amended - Reason for A	Amendment:_	Operator	& OGRID	No.: XȚO Pe	ermian Operat	ting, LLC. [260737]
	Gas Capture Plan outle completion (new drill,				o reduce we	ll/production	facility flaring/venting for
Note.	Form C-129 must be sub	mitted and app	roved prior to excee	ding 60 days a	llowed by Rul	e (Subsection A	of 19.15.18.12 NMAC).
<u>Wel</u>	l(s)/Production Facilit	y – Name of	facility	•		,	•
The	well(s) that will be loca	ated at the pro	oduction facility a	are shown in	the table bel	ow.	
	Well Name	API.	Well Location	Footages	Expected	Flared or	Comments
İ			(ULSTR)		MCF/D	Vented	
	JRU DI 11 Whitlash		K-17-22S-30E	1990'FSL &	2500	Flared/Sold	CTB to be Connected

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to <u>ETC</u> and will be connected to <u>ETC</u> low/high pressure gathering system located in Lea County, New Mexico. It will require 0' of pipeline to connect the facility to low/high pressure gathering system. <u>XTO Permian Operating, LLC.</u> provides (periodically) to <u>ETC</u> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, <u>XTO Permian Operating, LLC.</u> and <u>ETC</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>ETC</u>'s Processing Plant located in Sec. 33 Twn. 24S, Rng. 37E, Lea County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

1990'FWL

MCF/D

Flowback Strategy

515H

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>ETC's</u> system at that time. Based on current information, it is <u>XTO Permian Operating LLC's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines