## NM OIL CONSERVATION

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico ARTESIA DISTRICT Energy, Minerals and Natural Resources Department 0 2019

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RECEIVED

## GAS CAPTURE PLAN

Date	e: <u>1-8-19</u>		GAS CA	TICKETE	AII		
	Original Amended - Reason for A	Amendment:_	•	& OGRID	No.: <u>Mewbo</u> ı	arne Oil Com	npany - 14744
new	Gas Capture Plan outle completion (new drill, Form C-129 must be sub	recomplete to	o new zone, re-fra	activity.			facility flaring/venting for of 19.15.18.12 NMAC).
	ll(s)/Production Facilit		·	Ç ,	·		
Tha	well(s) that will be loca	ated at the pro	oduction facility a	re chown in	the table bel	OM/	
1110	Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
	Oxbow 23/24 W1MP Fed Com #1H		M-23-25\$-28E		838' FSL & 224' FWL 0	NA	ONLINE AFTER FRAC
Wel plac	e. The gas produced	o a productio from produc	n facility after flotion facility is de	edicated to	Western		as transporter system is in and will be connected to Mexico. It will require
(per be conf	' of pipeline to consider of the foreseeable of the	onnect the fa a e fe future. In a changes to	cility to low/high drilling, completion addition, Mewbord drilling and com	n pressure ga n and estima ourne Oil Co upletion sche	athering syste ted first produced ompany and edules. Gas	em. <u>Mewbor</u> uction date for western from these	urne Oil Company provides or wells that are scheduled to have periodic wells will be processed at
	estern ne gas will be based on co						unty, Texas. The actual flow
Afte flare sanc proc	ed or vented. During flo l, the wells will be turn	wback, the fled to product there are operated	uids and sand con ion facilities. Ga ational issues on _	tent will be i s sales shoul Western	nonitored. We destart as soon at the system	Then the product on as the well	action tanks and gas will be luced fluids contain minimal als start flowing through the action current information, it

## **Alternatives to Reduce Flaring**

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

- Power Generation On lease
  - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
  - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that

- NGL Removal On lease
  - Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines

