Do not use	Y NOTICES AND REPO	RTS ON WELLS	NATION 5. Lease Serial No. NMNM02799	4A
abandoned v	vell. Use form 3160-3 (AP	RTS ON WELLS drill or to re-enter ONSER D) for such proposal prost	6. If Indian, Allotte	e or Tribe Name
SUBMIT I	N TRIPLICATE - Other inst	ructions on page big 21 2	7. If Unit or CA/Ag NM061P3585	reement, Name and/or C537
1. Type of Well	· · · · · · · · · · · · · · · · · · ·	RECEIV	ED 8. Well Name and N MOBIL 22 FED	
Oil Well S Gas Well 2. Name of Operator	Contact:	KAREN CHARLES	9. API Well No.	
VERNOÑ E FAULCONER	NC E-Mail: kcharles@	vefinc.com 3b. Phone No. (include area code)	30-015-21227 10. Field and Pool of	
TYLER, TX 75711		Ph: 903-581-4386 Ext: 233 Fx: 903-581-1515	S CARLSBAE	
4. Location of Well (Footage, Sec	, T., R., M., or Survey Description,)	11. County or Paris	h, State
Sec 25 T23S R26E SENW	1980FNL 1980FWL		EDDY COUN	TY, NM
12. CHECK THE	APPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPORT, OR O	THER DATA
TYPE OF SUBMISSION		TYPE OF	ACTION	
☐ Notice of Intent		🗖 Deepen	Production (Start/Resume)	□ Water Shut-
Subsequent Report	Alter Casing	Hydraulic Fracturing		🗖 Well Integri
	Casing Repair	■ New Construction	□ Recomplete	Other Einal-Abandon
Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal	ticon
testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to 8 <u>913'</u> , tbg free @ 89	sults in a multiple completion or reco ed only after all requirements, includ 19 Rigged up, dug out cellar, H 00'_POH w/ 147 stands of tbg.	mpletion in a new interval, a Form 3 ing reclamation, have been complete ND well head, NU	160-4 must be filed or
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg_fish_@_8840' Cut bg Circulated hole clean w/ 9. <u>9000'.</u> broke circulation w/ 6 <u>BLM updated on well condit</u> Pressured up on perfs to 80	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to <u>8913</u> ', tbg free @ <u>89</u> 0 @ <u>8970'</u> , Fished tbg to <u>896</u> 0 ppg mud. Retrieved 2 feet 50 BBLS H2O. Spotted 30 s tions). 07/02/19 Tagged plug 10 PSI. 07/08/19 RIH to 876	sults in a multiple completion or reco ed only after all requirements, includ 19 Rigged up, dug out cellar, if 00'_POH w/ 147 stands of tbg. 34'. Milled hole over top of fish of collapsed 5 1/2" csg. 07/01. c class H cmt @ 9000-8750'. V g @ 8769'. 07/03/19 Perfd csg 9'. Circulated hole clean w/ 9.0	mpletion in a new interval, a Form 3 ing reclamation, have been complete ND well head, NU Latched on to 8907'. (19 RIH to NOC. (Jim Amos w/ g @ 8714'. Dopg mud.	and the operator has CLAMATION PRO(
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish_@.8840' Cut tbg Circulated hole clean w/ 9.0 9000'. broke circulation w/ 6 BLM updated on well condi Pressure tested csg. held 5 plug @ 8475'. Spotted 25 s sx class C cmt @ 5550-530	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to <u>8913'</u> , tbg free @ <u>89</u> 0 @ <u>8970'</u> . Fished tbg to <u>899</u> 0 @ <u>8970'</u> . Fished tbg to <u>899</u> 0 <u>0 BLS H2O</u> . Spotted 30 s tions). 07/02/19 Tagged plug 00 PSI. 07/08/19 RiH to 876 00 PSI. 07/08/19 RiH to 876 00 PSI. Spotted 25 sx class x class C cmt @ 6594-6366 13'. WOC: Tagged plug @ 5	sults in a multiple completion or reco ed only after all requirements, includ 19 Rigged up, dug out cellar, f 00'_POH w/ 147 stands of tbg. 34'. Milled hole over top of fish of collapsed 5 1/2" csg. 07/01/ x class H cmt @ 9000-8750'. \ 0 @ 8769' 07/03/19 Perfd csg.	mpletion in a new interval, a Form 3 ing reclamation, have been complete ND well head, NU Latched on to 8907'. /19 RIH to NOC. (Jim Amos w/ 0 @ 8714'. Dpg mud. 3541' WOC. Tagged 0 @ 6394'. Spotted 25 isured up on perfs to	CLAMATION PROC ATTACHED
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish.@.8840 Cut to Circulated hole clean w/ 9.0 9000°_broke circulation w/ 0 BLM updated on well condi Pressured up on perfs to 80 Pressure tested csg. held 5 plug @.8475'. Spotted 25 s sx class C cmt @ 5550-531 500 PSI. Spotted 25 sx class 14. 1 hereby certify that the foregoin	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to 8913', tbg free @ 89 0 @ 8970'. Fished tbg to 894 0 pg mud. Retrieved 2 feet 50 BBLS H2O. Spotted 30 s tions). 07/02/19 Tagged plug 00 PSI. 07/08/19 RIH to 876 00 PSI	Ar4328 verified by the BLM Wel FAULCONER INC, sent to the sing by DEBORAH MCKINNEY of the BLM Wel Conter State and the BLM Wel Ar4328 verified by the BLM Wel CALL State Ar4328 verified by the BLM Wel CALL State Ar4328 verified by the BLM Wel CALL State Conter State Cont	mpletion in a new interval, a Form 3 ing reclamation, have been complete ND well head, NU Latched on to 8907'. (19 BLH to WOC. (Jim Amos w/ 2 @ 8714'. Dpg mud. 3541' WOC. Tagged 2 @ 6394'. Spotted 25 isured up on perfs to D95'. Perf d csg @ C C Accepted I Information System c Carlsbad on 07/22/2019 (19DLM0573SE)	160-4 must be filed or d and the operator has CLAMATION PRO(ATTACHED ECLAMAT UE 1-12-21 8/2-6/19 for record NN
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish.@.8840 Cut to Circulated hole clean w/ 9.0 9000°_broke circulation w/ 0 BLM updated on well condi Pressured up on perfs to 80 Pressure tested csg. held 5 plug @.8475'. Spotted 25 s sx class C cmt @ 5550-531 500 PSI. Spotted 25 sx class 14. 1 hereby certify that the foregoin	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to <u>8913'</u> , tbg free @ <u>89</u> 0 @ <u>8970'</u> , Fished Tbg to <u>894</u> 0 <u>0 BELS H2O</u> . <u>Spotted 30 s</u> tions). 07/02/19 Tagged plug 00 PSI. <u>07/08/19 RIH to 876</u> 00 PSI. <u>07/08/19 RIH to 876 00 PSI. <u>07/08</u></u>	Ar4328 verified by the BLM Wel FAULCONER INC, sent to the sing by DEBORAH MCKINNEY of the BLM Wel Conter State and the BLM Wel Ar4328 verified by the BLM Wel CALL State Ar4328 verified by the BLM Wel CALL State Ar4328 verified by the BLM Wel CALL State Conter State Cont	mpletion in a new interval, a Form 3 ing reclamation, have been complete ND well head, NU Latched on to 8907'. (19 BLH to WOC. (Jim Amos w/ 2 @ 8714'. Dpg mud. 3541' WOC. Tagged 2 @ 6394'. Spotted 25 isured up on perfs to D95'. Perf d csg @ C C Accepted I Information System c Carlsbad on 07/22/2019 (19DLM0573SE)	160-4 must be filed or d and the operator has CLAMATION PRO(ATTACHED ECLAMAT UE 1-12-21 8/2-6/19 for record NN
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish.@.8840' Cut the Circulated hole clean w/ 9.0 9000'_broke circulation w/ 0 BLM updated on well condi Pressured up on perfs to 80 Pressure tested csg. held 55 plug @.8475'. Spotted 25 s sx class C cmt @ 5550-530 500 PSI. Spotted 25 sx class 14. I hereby certify that the foregoin Name (Printed/Typed) KAREN	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to 8913', tbg free @ 89 0 @ 8970'. Fished tbg to 894 0 pg mud. Retrieved 2 feet 50 BBLS H2O. Spotted 30 s tions). 07/02/19 Tagged plug 00 PSI. 07/08/19 RIH to 876 00 PSI	Ar4328 verified by the BLM Wel FAULCONER INC, sent to the sing by DEBORAH MCKINNEY of the BLM Wel Conter State and the BLM Wel Ar4328 verified by the BLM Wel CALL State Ar4328 verified by the BLM Wel CALL State Ar4328 verified by the BLM Wel CALL State Conter State Cont	Information System Carlsbad on 07/22/2019 (19DLM0573SE) CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL Carlsbad CTION ANAL CARLSCOM CARLSCO	160-4 must be filed or d and the operator has CLAMATION PRO(ATTACHED ECLAMAT UE 1-12-21 8/2-6/19 for record NN
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish.@.8840' Cut the Circulated hole clean w/ 9.0 9000'_broke circulation w/ 0 BLM updated on well condi Pressured up on perfs to 80 Pressure tested csg. held 55 plug @.8475'. Spotted 25 s sx class C cmt @ 5550-530 500 PSI. Spotted 25 sx class 14. I hereby certify that the foregoin Name (Printed/Typed) KAREN	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to 8913', tbg free @ 89 0 @ 8970', Fished Tbg to 896 0 ppg mud. Retrieved 2 feed 0 ppg mud. Retrieved 2 feed 30 BBLS H2O. Spotted 30 s itons). 07/02/19 Tagged plug 00 PSI. 07/08/19 RiH to 876 00 PSI. 07/08/19 RiH to 876 00 PSI. Spotted 25 sx class x class C cmt @ 6594-6366 13' WOC: Tagged plug @ 5 is C cmt @ 5340-5093'. WC g is true and correct. Electronic Submission # For VERNON imitted to AFMSS for process 1 CHARLES ic Submission)	aults in a multiple completion or reco ed only after all requirements, includ 19 Rigged up, dug out cellar, f 00'_POH w/ 147 stands of tbg. 34'. Milled hole over top of fish of collapsed 5 1/2" csg. 07/01, x class H cmt @ 9000-8750'. Y g @ 8769'. 07/03/19 Perfd csg 9'. Circulated hole clean w/ 9. H cmt w/ 2% CACL @ 8769-6 '. WOC. 07/09/19 Tagged plug 350'. Perfd csg @ 5340'. Pres C 07/10/19 Tagged plug @ 50 474328 verified by the BLM Well E FAULCONER INC, sent to the sing by DEBORAH MCKINNEY of Title PRODU	Information System Carlsbad on 07/22/2019 (19DLM0573SE) CTION AVACOST CTION A	160-4 must be filed or d and the operator has CLAMATION PRO(ATTACHED ECLAMAT UE 1-12-21 8/2-6/19 for record NN
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish.@.8840 Cut the Circulated hole clean w/ 9.0 9000. broke circulation w/ 0 BLM updated on well condi Pressured up on perfs to 80 Pressure tested csg. held 5 plug @.8475'. Spotted 25 s sx class C cmt @ 5550-530 500 PSI. Spotted 25 sx class 14. Thereby certify that the foregoin Name (Printed/Typed) KAREN Signature (Electron	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to 8913', tbg free @ 89 0 @ 8970', Fished Tbg to 896 0 ppg mud. Retrieved 2 feed 0 ppg mud. Retrieved 2 feed 30 BBLS H2O. Spotted 30 s itons). 07/02/19 Tagged plug 00 PSI. 07/08/19 RiH to 876 00 PSI. 07/08/19 RiH to 876 00 PSI. Spotted 25 sx class x class C cmt @ 6594-6366 13' WOC: Tagged plug @ 5 is C cmt @ 5340-5093'. WC g is true and correct. Electronic Submission # For VERNON imitted to AFMSS for process 1 CHARLES ic Submission)	Artazes verified by the BLM Well FAULCONER INC, sent to the ing by DEBORAH MCKINNEY of True PRODU	Information System Carlsbad on 07/22/2019 (19DLM0573SE) CTION ANAC S CTION ANAC S	1160-4 must be filed or d and the operator has CLAMATION PRO(ATTACHED ECLAMAT UE 1-12-21 8/26/19 for record NN
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish.@.8840' Cut the Circulated hole clean w/ 9.0 9000'_broke circulation w/ 0 BLM updated on well condi Pressured up on perfs to 80 Pressure tested csg. held 55 plug @.8475'. Spotted 25 s sx class C cmt @ 5550-530 500 PSI. Spotted 25 sx class 14. I hereby certify that the foregoin Name (Printed/Typed) KAREN	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to 8913', tbg free @ 89 0 @ 8970', Fished Tbg to 896 0 ppg mud. Retrieved 2 feet 0 PSL SH2O. Spotted 30 s tions). 07/02/19 Tagged plug 00 PSI. 07/08/19 RIH to 876 00 PSI. 07/08/19 RIH to 876 00 PSI. 07/08/19 RIH to 876 00 PSI. Spotted 25 sx class x class C cmt @ 6594-6366 13', WOC: Tagged plug @ 5 is C cmt @ 5340-5093'. WC g is true and correct. Electronic Submission # For VERNON mitted to AFMSS for process I CHARLES ic Submission) THIS SPACE FC	sults in a multiple completion or reco ed only after all requirements, includ 19 Rigged up, dug out cellar, f 00' POH w/ 147 stands of tbg, 34'. Milled hole over top of fish of collapsed 5 1/2" csg. 07/01/ x class H cmt @ 9000-8750' . y @ 8769'. 07/03/19 Perf'd csg 9'. Circulated hole clean w/ 9.0 H cmt w/ 2% CACL @ 8769-6 . WOC. 07/09/19 Tagged plug 350'. Perf'd csg @ 5340'. Pres C 07/10/19 Tagged plug @ 50 474328 verified by the BLM Wel FAULCONER INC, sent to the sing by DEBORAH MCKINNEY of Title PRODU Date 07/19/20 DR FEDERAL OR STATE (Title	Information System Carlsbad on 07/22/2019 (19DLM0573SE) CTION ANAL 2 2	CLAMATION PROC ATTACHED ECLAMATION PROC ATTACHED ECLAMATION PROC ECLAMATION PROC UE 1-12-21 8/26/19 For record NN
Attach the Bond under which the following completion of the invol testing has been completed. Final determined that the site is ready for 06/14/19 Moved plugging e BOP. Tried to free packer. (RIH w/ wireline & free point to tbg.fish_@.8840' Cut tbg Circulated hole clean w/ 90 9000'. broke circulation w/ 60 BLM updated on well condi Pressure dup on perfs to 80 Pressure tested csg. held 55 plug @ 8475'. Spotted 25 s sx class C cmt @ 5550-533 500 PSI. Spotted 25 sx class 14. Thereby certify that the foregoin Name (Printed/Typed) KAREN Signature (Electron Approved By Conditions of approval, if any, are attac certify that the applicant holds legal or	ved operations. If the operation re Abandonment Notices must be fil or final inspection. quipment to location. 06/17/ 06/18/19-06/28/19 tool to <u>8913'</u> , tbg free @ <u>89</u> @ <u>8970'</u> , Fished Tbg to <u>896</u> <u>0 @ 8970'</u> , Fished Tbg to <u>896</u> <u>0 @ PSL 97/02/19</u> Tagged plug <u>0 PSL 07/08/19 RIH to 876</u> <u>00 PSL 07/08/19 RIH to 876</u> <u>10 PSL 07/08/19 RIH to 876 <u>10 PSL 07/08/19 RIH to 876 <u>1</u></u></u></u></u></u></u></u></u>	sults in a multiple completion or reco ed only after all requirements, includ 19 Rigged up, dug out cellar, f 00'_POH w/ 147 stands of tbg, 34'. Milled hole over top of fish of collapsed 5 1/2" csg. 07/01/ x class H cmt @ 9000-8750' . y @ 8769'. 07/03/19 Perf'd csg 9'. Circulated hole clean w/ 9.0 H cmt w/ 2% CACL @ 8769-6 . WOC. 07/09/19 Tagged plug 350'. Perf'd csg @ 5340'. Pres C 07/10/19 Tagged plug @ 50 Ar4328 verified by the BLM Wel FAULCONER INC, sent to the sing by DEBORAH MCKINNEY of Title PRODU Date 07/19/20 DR FEDERAL OR STATE (Information System Carlsbad on 07/22/2019 (19DLM0573SE) CTION ANAL CARLSBAD FIEL CARLSBAD F	1160-4 must be filed or ed and the operator has CLAMATION PROU ATTACHED ECLAMAT UE 1-12-21 8/26/19 100 record NN DR RECORD 2019 145 Je MANAGEMENT D OFFICE

27	
X	

Additional data for EC transaction #474328 that would not fit on the form

32. Additional remarks, continued

<u>1988'. Squeezed 60 sx class C cmt @ 1988-1868'. WOC. Tagged plug @ 1877'. Perfd csg @ 1620'.</u> Squeezed 60 sx class C cmt @ 1620-1500'. WOC. 07/11/19 Tagged plug @ 1465'. Perfd csg @ 1000'. Squeezed 60 sx class C cmt @ 1000-900'. WOC. Tagged plug @ 872'. Perfd csg @ 2000 07/42/49 Squeezed 60 sx class C cmt @ 1000-900'. WOC. Tagged plug @ 505'. Perfd csg @ 60'. Squeezed 50 sx class C cmt @ 60' & chculated to surface. ND BOP. Rigged down & moved off. 07/16/19 Moved in backhoe & welder, dug out cellar, cut off well head, & Gabriel Beneway w/ NM OCD verified cmt to surface. Welded on "Above Ground Dry Hole Marker". Backfilled cellar, cut off deadmen, cleaned location and moved off.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612