	PARTMENT OF THE I JREAU OF LAND MANA	GEMENT VOD AILE	5. I	OMB NO. 1004-0137 Expires: January 31, 2018 Lease Serial No.	
Do not use this	NOTICES AND REPO s form for proposals to l. Use form 3160-3 (AP	drill or to re-enter an		NMNM81953	
abandoned well	I. Use form 3160-3 (AP)	D) for such proposals.	0. 1	f Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				f Unit or CA/Agreement, Name and/	
1. Type of Well S Oil Well Gas Well Other			8. V	8. Well Name and No. GLOW WORM ALX FEDERAL 19H	
2. Name of Operator Contact: KAY MADDOX EOG Y RESOURCES INC E-Mail: kay_maddox@eogresources.com				API Well No. 30-015-37515-00-S1	
3a. Address3b. Phone No. (include area code)104 S 4TH STREET ARTESIA, NM 88210Ph: 432-686-3658				Field and Pool or Exploratory Area OS MEDANOS-DELAWARE	
4. Location of Well (Footage, Sec., T.,)	11.	County or Parish, State		
Sec 3 T23S R31E SWSE 30F5		Ē	EDDY COUNTY, NM		
12. CHECK THE AP	PROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REF	PORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				
□ Notice of Intent	Acidize	Deepen	Production (S	Start/Resume) 🔲 Water Shu	
-	□ Alter Casing	Hydraulic Fracturing	Reclamation	🗖 Well Integ	
Subsequent Report	Casing Repair	□ New Construction	Recomplete	🗖 Other	
Final Abandonment Notice	Change Plans	🛛 Plug and Abandon	Temporarily	Abandon	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Ab determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 SET 5 1/2" CIBP (k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ 7615'	the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ IG THE FOLLOWING PROCE	Required subseque impletion in a new in ing reclamation, hav EDURE:	depths of all pertinent markers and z ent reports must be filed within 30 da iterval, a Form 3160-4 must be filed of re been completed and the operator has RECLAMATION PROCE ATTACHED	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Aba determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET 5 1/2" CIBP (</u> 08/06/2019 <u>CIRC WELL W/MI</u> CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019 <u>PERF</u> @ 634', TS HELD SPOT 375 SXS FROM 4	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ 7615' LE SPOT 25 SXS CL H.C OC @ 5936', SPOT 30 S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAGT	the Bond No. on file with BLM/BIA sults in a multiple completion or recc ed only after all requirements, includ IG THE FOLLOWING PROCI CMT @ 7615', SPOT 30 SXS (S CMT @ 4400', ERF @ 75', TST TO 500 PSI	Required subseque mpletion in a new in ing reclamation, hav EDURE: <u>CL_C</u>	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed of te been completed and the operator ha RECLAMATION PROCE ATTACHED RECLAMAT	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Aba determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET 5 1/2" CIBP (</u> 08/06/2019 <u>CIRC WELL W/MI</u> CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019 PERF @ 634', TS	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ 7615' LE SPOT 25 SXS_CL_H_C DC @ 5936', SPOT 30_S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG.T. C.CMT 126'-TO_SUREA	the Bond No. on file with BLM/BIA sults in a multiple completion or recc ed only after all requirements, includ IG THE FOLLOWING PROCI CMT @ 7615', SPOT 30 SXS (S CMT @ 4400', ERF @ 75', TST TO 500 PSI	Required subseque mpletion in a new in ing reclamation, hav EDURE: <u>CL_C</u> MOILCONS ARTESIA P	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed of re been completed and the operator ha RECLAMATION PROCE ATTACHED RECLAMAT	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Abs determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET 5 1/2" CIBP (</u> 08/06/2019 <u>CIRC WELL W/MI</u> CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019 <u>PERF @ 634'</u> , TS HELD SPOT 375 SXS EROM 4 (08/08/2019) SPOT 15 SXS CL	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ Z615' LE SPOT 25 SXS CL H.C 2C @ 5936', SPOT 30 S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T C-CMT 126'-TO SUREA ANDONED	the Bond No. on file with BLM/BIA sults in a multiple completion or rece ed only after all requirements, includ NG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S.CMT @ 4400', ERE @ 75', TST TO 500 PSI, OC @ 285' CE, VERIFIED CEMENT CE, VERIFIED CEMENT	AUG 2	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed re been completed and the operator ha RECLAMATION PROCE ATTACHED RECLAMAT SERVATOR 2-9-2 ISTRICT 1 2019	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Ab determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET 5 1/2" CIBP (</u> 08/06/2019 <u>CIRC WELL W/MI</u> CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019 <u>PERF @ 634'</u> , TS <u>HELD SPOT 375 SXS EROM 4</u> 08/08/2019 <u>SPOT 15 SXS CL</u> WELL IS PLUGGED AND ABA	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ Z615' LE SPOT 25 SXS_CL_H_C QC @ 5936', SPOT 30_S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T -C-CMT 126'-TO_SUREA NDONED GCC Acceptive and correct.	the Bond No. on file with BLM/BIA sults in a multiple completion or rece ed only after all requirements, includ IG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S CMT @ 4400', ERE @ 75', TST TO 500 PSI, OC @ 285' CE, VERIFIED CEMENT CE, VERIFIED CEMENT	AUG 2	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed of te been completed and the operator has RECLAMATION PROCE ATTACHED RECLAMAT ISTRICT 1 2019	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Ab determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET 5 1/2" CIBP (</u> 08/06/2019 <u>CIRC WELL W/MI</u> CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019, PERF @ 634', TS HELD SPOT 375 SXS EROM 4 (08/08/2019) SPOT 15 SXS CL WELL IS PLUGGED AND ABA	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ Z615' LE SPOT 25 SXS_CL_H_C QC @ 5936', SPOT 30_S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T -C-CMT 126'-TO_SUREA NDONED GCC Acceptive and correct.	the Bond No. on file with BLM/BIA sults in a multiple completion or rece ed only after all requirements, includ IG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S CMT @ 4400', ERE @ 75', TST TO 500 PSI, OC @ 285' CE, VERIFIED CEMENT CE, VERIFIED CEMENT	AUG 2	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed of te been completed and the operator has RECLAMATION PROCE ATTACHED RECLAMAT ISTRICT 1 2019	
Attach the Bond under which the word following completion of the involved testing has been completed. Final Abs determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 SET 5 1/2" CIBP (08/06/2019 CIRC WELL W/MI CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019, PERF @ 634', TS HELD.SPOT 375 SXS EBOM 4 (08/08/2019) SPOT 15 SXS CL WELL IS PLUGGED AND ABA	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ Z615' LE SPOT 25 SXS_CL_H_C QC @ 5936', SPOT 30_S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T -C-CMT 126'-TO_SUREA NDONED GCC Acceptive and correct.	the Bond No. on file with BLM/BIA sults in a multiple completion or rece ed only after all requirements, includ NG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S.CMT @ 4400', ERE @ 75', TST TO 500 PSI, OC @ 285' CE, VERIFIED CEMENT	AUG 2	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed of re been completed and the operator ha RECLAMATION PROCE ATTACHED RECLAMAT RECLAMAT ISTRICT 1 2019 INCLAMAT	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Ab determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET 5 1/2" CIBP (</u> 08/06/2019 <u>CIRC WELL W/MI</u> CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019. PERF @ 634', TS <u>HELD SPOT 375 SXS EROM 4</u> 08/08/2019 <u>SPOT 15 SXS CL</u> WELL IS PLUGGED AND ABA	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ Z645' [E SPOT 25 SXS_CL_H_C [C @ 5936', SPOT 30_S) T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T -C_CMT 126'-TO_SUREA NDONED GC Accept true and correct. Electronic Submission # For EOG Y F tted to AFMSS for process DOX	the Bond No. on file with BLM/BIA sults in a multiple completion or rece ed only after all requirements, includ NG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S.CMT @ 4400', ERE @ 75', TST TO 500 PSI, OC @ 285' CE, VERIFIED CEMENT	ATORY SPECIA	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed of re been completed and the operator ha RECLAMATION PROCE ATTACHED RECLAMAT RECLAMAT ISTRICT 1 2019 INCLAMAT	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Abs determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET.5.1/2" CIBP.(0</u> 08/06/2019 <u>CIRC WELL W/MI CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019 <u>PERF @ 634', TS' HELD.SPOT 375 SXS EROM 4</u> 08/08/2019 <u>SPOT 15 SXS CL</u> WELL IS PLUGGED AND ABA</u>	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ 7615' LE SPOT 25 SXS_CL_H_C QC @ 5936', SPOT 30_S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T C_CMT 126'_TO_SUREA ANDONED GC Acceptive true and correct. Electronic Submission # For EOG Y fitted to AFMSS for process DOX	the Bond No. on file with BLM/BIA sults in a multiple completion or rece ed only after all requirements, includ IG THE FOLLOWING PROCH MT @ 7615', SPOT 30 SXS (S.CMT @ 4400', ERE @ 75', TST TO 500 PSI, QC @ 285' CE, VERIFIED CEMENT	ATORY SPECIA MORE 2 CL C CL C ARTESIA D AUG 2 CL C ARTESIA D AUG 2 CL C ARTESIA D AUG 2 CL C ATORY SPECIA D19 OFFICE USE	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed re been completed and the operator has RECLAMATION PROCE ATTACHED RECLAMAT RECLAMAT ISTRICT 1 2019 ISTRICT AUG 1 6 2019 AUG 1 6 2019	
Attach the Bond under which the word following completion of the involved testing has been completed. Final Abs determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 SET 5 1/2" CIBP (08/06/2019 CIRC WELL W/MI CMT_@ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019. PERF @ 634', TS' HELD.SPOT 375 SXS EROM 4 08/08/2019 SPOT 15 SXS CL WELL IS PLUGGED AND ABA	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ 7615' LE SPOT 25 SXS_CL_H_C QC @ 5936', SPOT 30_S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T C_CMT 126'_TO_SUREA ANDONED GC Acceptive true and correct. Electronic Submission # For EOG Y fitted to AFMSS for process DOX	the Bond No. on file with BLM/BIA sults in a multiple completion or recc ed only after all requirements, includ IG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S.CMT @ 4400', ERE @ 75', TST TO 500 PSI, QC @ 285' CE, VERIFIED CEMENT CE, VERIFIED CEMENT CE	ATORY SPECIA MORE 2 CL C CL C ARTESIA D AUG 2 CL C ARTESIA D AUG 2 CL C ARTESIA D AUG 2 CL C ATORY SPECIA D19 OFFICE USE	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed re been completed and the operator has RECLAMATION PROCE ATTACHED RECLAMATION PROCE ATTACHED RECLAMATION PROCE ATTACHED RECLAMATION PROCE ATTACHED ISTRICT 1 2019 AUG 1 6 2019 DUREALLOF TANDAMALANCE	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Abs determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 <u>SET.5.1/2" CIBP.(0</u> 08/06/2019 <u>CIRC WELL W/MI CMT @ 6210', WOC, TAG TO WOC, TAG TOC @ 4115' 08/07/2019 <u>PERF @ 634', TS' HELD SPOT 375 SXS EROM 4</u> 08/08/2019 <u>SPOT 15 SXS CL</u> WELL IS PLUGGED AND ABA</u>	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ 7615' LE SPOT 25 SXS_CL_H_C QC @ 5936', SPOT 30_S2 T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T C_CMT 126'-TO_SUREA ANDONED GC Accept true and correct. Electronic Submission # For EOG Y F ted to AFMSS for process DOX Ubmission) THIS SPACE FC	the Bond No. on file with BLM/BIA sults in a multiple completion or recc ed only after all requirements, includ IG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S.CMT @ 4400', ERE @ 75', TST TO 500 PSI, OC @ 285' CE, VERIFIED CEMENT CE, VERIFIED CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT CEMENT C	ATORY SPECIA MORE 2 CL C CL C ARTESIA D AUG 2 CL C ARTESIA D AUG 2 CL C ARTESIA D AUG 2 CL C ATORY SPECIA D19 OFFICE USE	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed re been completed and the operator has RECLAMATION PROCE ATTACHED RECLAMAT RECLAMAT ISTRICT 1 2019 ISTRICT AUG 1 6 2019 AUG 1 6 2019	
Attach the Bond under which the worl following completion of the involved testing has been completed. Final Abs determined that the site is ready for fir EOG PLUGGED AND ABAND 08/02/2019 SET 5 1/2" CIBP.(08/06/2019 CIRC WELL W/MI CMT_@ 6210', WOC. TAG TO WOC. TAG TOC @ 4115' 08/07/2019 PERF @ 634', TS HELD SPOT 375 SXS EROM 4 08/08/2019 SPOT 15 SXS CL WELL IS PLUGGED AND ABA 14. I hereby certify that the foregoing is the Name (Printed/Typed) KAY MADE Signature (Electronic St Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equi	k will be performed or provide operations. If the operation re- andonment Notices must be fil nal inspection. ONED THIS WELL USIN @ 7645' LE SPOT 25 SXS CL H.C QC @ 5936', SPOT 30 SX T TO 500 PSI, HELD, PF 4115-323', WOC, TAG T C.CMT 126'-TO SUREA NDONED GC C Accept true and correct. Electronic Submission # For EOG Y F ted to AFMSS for process DOX Ubmission) THIS SPACE FC	the Bond No. on file with BLM/BIA sults in a multiple completion or recc ed only after all requirements, includ IG THE FOLLOWING PROCH CMT @ 7615', SPOT 30 SXS (S.CMT @ 4400', ERE @ 75', TST TO 500 PSI, QC @ 285' CE, VERIFIED CEMENT (S.CMT COMPLETED CEMENT) (S.CMT COMPLE	ATORY SPECIA	ent reports must be filed within 30 da terval, a Form 3160-4 must be filed of te been completed and the operator has RECLAMATION PROCE ATTACHED RECLAMAT RECLAMAT ISTRICT 1 2019 ISTRICT 1 2019 AUG 1 6 2019 DUREAU OF LAND MANAGEME CARLSBAD FIELD DEGE	

.

ې	\prec
	a

620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blin.gov/nin

TAKE + FUDE

IN / ME AIC



Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1-
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.

6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.

.7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612