	UNITED STATES PARTMENT OF THE INT UREAU OF LAND MANAG		tosia	FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018	
SUNDRY	NOTICES AND REPOR	TS ON WELLS	J. Lease	Serial No. C060999	
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.		6. If Indi	6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Uni	7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well	<u> </u>	<u>.</u>	8. Well N MCIN	Name and No. ITYRE B 3	
2. Name of Operator	Contact: D	ELILAH FLORES	9. API V	Vell No.	
COG OPERATING LLC 3a. Address	E-Mail: dflores2@co	ncho.com 3b. Phone No. (include area code)		15-22444-00-S1 I and Pool or Exploratory Area	
600 W ILLINOIS AVENUE MIDLAND, TX 79701		Ph: 575-748-6946		YBURG	
4. Location of Well (Footage, Sec., T			·	nty or Parish, State	
Sec 20 T17S R30E NWSW 16	650FSL 990FWL	•	EDD	Y COUNTY, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES) T	O INDICATE NATURE O	F NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION		
□ Notice of Intent	C Acidize	Deepen	Production (Start/	(Resume) 🔲 Water Shut-Off	
Subsequent Report	□ Alter Casing	Hydraulic Fracturing	□ Reclamation	U Well Integrity	
☐ Final Abandonment Notice	Casing Repair Change Plans	New Construction	Recomplete	• Other	
	Convert to Injection	Plug and Abandon Plug Back	<ul> <li>Temporarily Abar</li> <li>Water Disposal</li> </ul>	ndon	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 03/18/19 MIRU plugging equin head, NU BOP. POH w/ tbg tested 5 1/2" csq, held 800 PS	operations. If the operation result andonment Notices must be filed inal inspection. opent. Removed horse's he 3/19/19 Set. 5 1/2" CIBF I. Spotted 25 sx class C cm	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. E @ 1600'. <u>Circulated hole v</u> it w/ 2% CACL @ 1600-135	mpletion in a new interva ing reclamation, have bee Oug out cellar. ND we v/ MLF. Pressure 3'. WOC. Tagged	RECLAMATION PROCEI	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 03/18/19 MIRU plugging equir	operations. If the operation result andonment Notices must be filed inal inspection. <u>oment. Removed horse's he</u> <u>3/19/19 Set. 5 1/2" CIBF</u> I. Spotled 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE down & moved off 03/20	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. D P @ 1600'. <u>Circulated hole w</u> it w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p BOP. Squeezed 200 sx cla V19 Moved in backhoe and	mpletion in a new interva ing reclamation, have bee oug out cellar. ND we wind MLF. Pressure <u>3. WOC. Tagged</u> olug @ 851'. Perf d ce ass C cmt @ 530' welder. dug ouf	h, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCED ATTACHED SG RECLAMATI( DUE <u>9-/9-'/9</u>	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rioged	operations. If the operation result andonment Notices must be filed inal inspection. <u>oment. Removed horse's he</u> <u>3/19/19 Set. 5 1/2" CIBF</u> I. Spotled 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE down & moved off 03/20	ts in a multiple completion or reco only after all requirements, include ad, POH w/ rods & pump. D @ 1600'. <u>Circulated hole w</u> of w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p D BOP. Squeezed 200 sx cla D BOP	mpletion in a new interva ing reclamation, have bee oug out cellar. ND we v/ MLF. Pressure <u>3' WOC. Tagged</u> olug @ 851'. Perf'd cs ass C cmt @ 530' welder, dug out elded on "Below hoved off.	I, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCEI ATTACHED	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rioged	operations. If the operation result andonment Notices must be filed inal inspection. <u>oment. Removed horse's he</u> <u>3/19/19 Set. 5 1/2" CIBF</u> I. Spotled 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE down & moved off 03/20	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. D P @ 1600'. <u>Circulated hole w</u> it w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p BOP. Squeezed 200 sx cla V19 Moved in backhoe and	mpletion in a new interva ing reclamation, have bee oug out cellar. ND we v/ MLF. Pressure <u>3' WOC. Tagged</u> olug @ 851'. Perf'd cs ass C cmt @ 530' welder, dug out elded on "Below hoved off.	h, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCED ATTACHED SG RECLAMATI( DUE <u>9-/9-'/9</u>	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rioged	operations. If the operation resul andonment Notices must be filed inal inspection. <u>oment. Removed horse's he</u> <u>3/19/19 Set. 5 1/2" CIBF</u> I. Spotled 25 sx class C cm lass C cmt w/ 2% CACL @ ate, broke circulation, & NE d down & moved off. 03/20 atrick McKelvey w/ BLM ve skfilled cellar, cut off deadm	ts in a multiple completion or reco only after all requirements, includ- ead, POH w/ rods & pump. D <u>P @ 1600'. Circulated hole w</u> of w/2% CACL @ 1600-135 1098-851'. WOC. Tagged p D BOP. Squeezed 200 sx cla D/19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record	mpletion in a new interva ing reclamation, have bee oug out cellar. ND we v/ MLF. Pressure <u>3' WOC. Tagged</u> olu <u>g @ 851'. Perf d cs ass C cmt @ 530' welder, dug out</u> elded on "Below hoved off. <u>6 / 1 9</u> • NMOCD	h, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCED ATTACHED SG RECLAMATIC DUE <u>9-/9-'/9</u> RECEMED SEP 2 3 2019	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbgO tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and P Ground Dry Hole Marker". Bac	operations. If the operation resul andonment Notices must be filed inal inspection. oment. Removed horse's he <u>3/19/19 Set. 5 1/2" CIBF</u> I. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ ate, broke circulation, & NE d down & moved off. 03/20 atrick McKelvey w/ BLM ve skfilled cellar, cut off deadm true and correct. Electronic Submission #48 For COG OPI hitted to AFMSS for processi	ts in a multiple completion or reco only after all requirements, includ ad, POH w/ rods & pump. E <u>0 @ 1600'. Circulated hole w</u> it w/ 2% CACL @ 1600-135 <u>1098-851'. WOC. Tagged p</u> <u>0 BOP. Squeezed 200 sx cla</u> <u>19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record</u>	mpletion in a new interva ing reclamation, have bee VI MLF. Pressure <u>3' WOC. Tagged</u> blug @ 851'. Perfd co ass C cmt @ 530' welder, dug out elded on "Below hoved off. <u>6 // 9</u> NMOCD	h, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCEI ATTACHED S RECLAMATIO DUE <u>9-19-'19</u> RECENED SEP 2 3 2019	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg0 tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and P Ground Dry Hole Marker". Bac	operations. If the operation resul andonment Notices must be filed inal inspection. oment. Removed horse's he <u>3/19/19 Set. 5 1/2" CIBF</u> I. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ ate, broke circulation, & NE d down & moved off. 03/20 atrick McKelvey w/ BLM ve skfilled cellar, cut off deadm true and correct. Electronic Submission #48 For COG OPI hitted to AFMSS for processi	ts in a multiple completion or reco only after all requirements, includ ad, POH w/ rods & pump. E <u>0 @ 1600'. Circulated hole w</u> it w/ 2% CACL @ 1600-135 <u>1098-851'. WOC. Tagged p</u> <u>0 BOP. Squeezed 200 sx cla</u> <u>19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record</u>	mpletion in a new interva ing reclamation, have bee VI MLF. Pressure <u>3' WOC. Tagged</u> blug @ 851'. Perfd ce ass C cmt @ 530' welder, dug out elded on "Below hoved off. <u>6 / 1 9</u> • NMOCD	h, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCEI ATTACHED SG RECLAMATIO DUE <u>9-/9-//9</u> RECEINED SEP 2 3 2019	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbgO tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and P Ground Dry Hole Marker". Bac	operations. If the operation resul andonment Notices must be filed inal inspection. oment. Removed horse's he <u>3/19/19 Set. 5 1/2" CIBF</u> I. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE down & moved off. 03/20 atrick McKelvey w/ BLM ve skfilled cellar, cut off deadm true and correct. Electronic Submission #48 For COG OPI nitted to AFMSS for processi FLORES	ts in a multiple completion or reco only after all requirements, includ ad, POH w/ rods & pump. E <u>0 @ 1600'. Circulated hole w</u> it w/ 2% CACL @ 1600-135 <u>1098-851'. WOC. Tagged p</u> <u>0 BOP. Squeezed 200 sx cla</u> <u>19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record</u>	mpletion in a new interva ing reclamation, have bee VI gout cellar. ND we VILF. Pressure VOC. Tagged blug @ 851'. Perfd ce ass C cmt @ 530' welder, dug out elded on "Below hoved off. VI 9 NMOCD	h, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCEI ATTACHED S RECLAMATIO DUE <u>9-19-'19</u> RECENED SEP 2 3 2019	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg(0) tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and <u>P</u> Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name( <i>Printed/Typed</i> ) DELILAH	operations. If the operation resul andonment Notices must be filed inal inspection. oment. Removed horse's he 3/19/19 Set. 5 1/2" CIBF 1. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE d down & moved off. 03/2C d down &	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. E <u>0 @ 1600'. Circulated hole w</u> it w/ 2% CACL @ 1600-135 <u>1098-851'. WOC. Tagged p</u> <u>0 BOP. Squeezed 200 sx cla</u> <u>10 Squeezeezeezeezeezeezeezee</u>	mpletion in a new interva ing reclamation, have bee VMLF. Pressure VOC. Tagged blug @ 851'. Perfd cs ass C cmt @ 530' welder, dug out alded on "Below hoved off. VINCOD	A a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCES ATTACHED SP RECLAMATION PROCES DUE RECEINED SEP 2 3 2019 DISTRICT//-ARTESIAO.C.D NED FOR RECORD	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg(0) tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and <u>P</u> Ground Dry Hole Marker". Bac 14. I hereby certify that the foregoing is Name( <i>Printed/Typed</i> ) DELILAH	operations. If the operation resul andonment Notices must be filed inal inspection. oment. Removed horse's he 3/19/19 Set. 5 1/2" CIBF 1. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE d down & moved off. 03/2C d down &	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. D P @ 1600'. <u>Circulated hole w</u> it w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p D BOP. Squeezed 200 sx cla //19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record	mpletion in a new interva ing reclamation, have bee VI MLF. Pressure <u>3' WOC. Tagged</u> blug @ 851'. Perfd cc ass C cmt @ 530' elded on "Below hoved off. <u>6 / 1 9</u> • NMOCD I Information System urisbad on 09/06/2019 (19JAG) ATORY TEA (1016) DISPICE USE	h, a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCEI ATTACHED SP RECLAMATIO DUE9-/9-'/9 RECEINED SEP 2 3 2019 DISTRICT//-ARTESIAO.C.D NED FOR RECORD SEP 2 219 DISTRICT//-ARTESIAO.C.D NED FOR RECORD	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 03/18/19 MIRU plugging equit head, NU BOP. POH w/ tbg 0 tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx 0 @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and P Ground Dry Hole Marker". Bac 14. Thereby certify that the foregoing is Comm Name (Printed/Typed) DELILAH Signature (Electronic S Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equ	operations. If the operation result andonment Notices must be filed inal inspection. oment. Removed horse's he 3/19/19 Set. 5 1/2" CIBF 1. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE 1 down & moved off. 03/20 1 down & moved off. 03/20 1 down & cellar, cut off deadm true and correct. Electronic Submission #48 For COG OPI nitted to AFMSS for processi FLORES Submission) THIS SPACE FOR 1. Approval of this notice does not itable title to those rights in the su	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. D P @ 1600'. Circulated hole w it w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p D BOP. Squeezed 200 sx cia D BOP. Squeezed 200 sx cia D BOP. Squeezed 200 sx cia ng by Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record 2129 verified by the BLM Well RATING LLC, sent to the Ca ng by DEBORAH MCKINNEY Title REGUL/ Date 09/05/20 C FEDERAL OR STATE ( Title	mpletion in a new interva ing reclamation, have bee VI MLF. Pressure <u>3' WOC. Tagged</u> blug @ 851'. Perfd cc ass C cmt @ 530' elded on "Below hoved off. <u>6 / 1 9</u> • NMOCD I Information System urisbad on 09/06/2019 (19JAG) ATORY TEA (1016) DISPICE USE	A a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCES ATTACHED S RECLAMATION PROCES NECLAMATION PROCES RECLAMATION PROCES NECLAMATION PROCES NECLAMATION PROCES RECLAMATION PROCES SEP 2 3 2019 DISTRICT//-ARTESIAO.C.D NED FOR RECORD SEP 2 319	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg 0 tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection n & circulated to surface. Rigged cellar, cut off well head, and P Ground Dry Hole Marker". Bac 14. Thereby certify that the foregoing is Name (Printed/Typed) DELILAH Signature (Electronic S 	operations. If the operation result andonment Notices must be filed inal inspection. oment. Removed horse's he 3/19/19 Set. 5 1/2" CIBF 1. Spotled 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE down & moved off. 03/20 atrick McKelvey w/ BLM ve skilled cellar, cut off deadm true and correct. Electronic Submission #48 For COG OP nitted to AFMSS for processi FLORES Submission) THIS SPACE FOR 1. Approval of this notice does no itable title to those rights in the su ct operations thereon. U.S.C. Section 1212, make it a cm	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. D P @ 1600'. Circulated hole w it w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p D BOP. Squeezed 200 sx cla //19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record 2129 verified by the BLM Well RATING LLC, sent to the Ca ng by DEBORAH MCKINNEY Title REGUL/ Date 09/05/20 R FEDERAL OR STATE ( Title Title Title Maternation bject lease Office	mpletion in a new interva ing reclamation, have bee VMLF. Pressure <u>3' WOC. Tagged</u> blug @ 851'. Perfd cc ass C cmt @ 530' elded on "Below hoved off. <u>6 / 1 9</u> • NMOCD Information System wrisbad on 09/06/2019 (19JAG) ATORY TEACULE D19 DFFICE USE	A a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCES ATTACHED S RECLAMATION PROCES NECLAMATION PROCES RECLAMATION PROCES NECLAMATION PROCES SEP 2-19-19 RECEINED SEP 2-32019 DISTRICT/ARTESIAO.C.D NED FOR RECORD SEP 2-2019 SEP 2-2019 SEP 2-2019 SEP 2-2019 SEP 2-2019	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg 0 tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and P Ground Dry Hole Marker". Bac 14. Thereby certify that the foregoing is Name ( <i>Printed/Typed</i> ) DELILAH Signature (Electronic S 	operations. If the operation result andonment Notices must be filed inal inspection. oment. Removed horse's he 3/19/19 Set. 5 1/2" CIBF 1. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE down & moved off. 03/20 atrick McKelvey w/ BLM ve skilled cellar, cut off deadm For COG OPI nitted to AFMSS for processi FLORES submission) THIS SPACE FOR 1. Approval of this notice does not itable title to those rights in the st ct operations thereon. U.S.C. Section 1212, make it a critatements or representations as to	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. D P @ 1600'. Circulated hole w it w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p D BOP. Squeezed 200 sx cla //19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record 2129 verified by the BLM Well RATING LLC, sent to the Ca ng by DEBORAH MCKINNEY Title REGUL/ Date 09/05/20 R FEDERAL OR STATE ( Title Title Date 09/05/20	mpletion in a new interva ing reclamation, have bee VMLF. Pressure <u>3' WOC. Tagged</u> blug @ 851'. Perf d cs ass C cmt @ 530' welder, dug out alded on "Below hoved off. <u>6 / 1 9</u> • NMOCD Information System willsbad on 09/06/2019 (19JA9) ATORY TEACULEA D19 DFFICE USE	A a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCES ATTACHED S RECLAMATION PROCES ATTACHED S RECLAMATION PROCES NECLAMATION PROCES RECLAMATION PROCES S RECLAMATION PROCES S S S S S S S S S S S S S	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 03/18/19 MIRU plugging equip head, NU BOP. POH w/ tbg 0 tested 5 1/2" csg, held 800 PS plug @ 1353'. Spotted 25 sx c @ 530'. Established injection i & circulated to surface. Rigged cellar, cut off well head, and P Ground Dry Hole Marker". Bac 14. Thereby certify that the foregoing is Name ( <i>Printed/Typed</i> ) DELILAH Signature (Electronic S 	operations. If the operation result andonment Notices must be filed inal inspection. oment. Removed horse's he 3/19/19 Set. 5 1/2" CIBF 1. Spotted 25 sx class C cm lass C cmt w/ 2% CACL @ rate, broke circulation, & NE down & moved off. 03/20 atrick McKelvey w/ BLM ve skilled cellar, cut off deadm For COG OPI nitted to AFMSS for processi FLORES submission) THIS SPACE FOR 1. Approval of this notice does not itable title to those rights in the st ct operations thereon. U.S.C. Section 1212, make it a critatements or representations as to	ts in a multiple completion or reco only after all requirements, includ ead, POH w/ rods & pump. D P @ 1600'. Circulated hole w it w/ 2% CACL @ 1600-135 1098-851'. WOC. Tagged p D BOP. Squeezed 200 sx cla //19 Moved in backhoe and rified cement to surface. We en, cleaned location, and n CCC 9/2 Accepted for record 2129 verified by the BLM Well RATING LLC, sent to the Ca ng by DEBORAH MCKINNEY Title REGUL/ Date 09/05/20 R FEDERAL OR STATE ( Title Title Title Maternation bject lease Office	mpletion in a new interva ing reclamation, have bee VMLF. Pressure <u>3' WOC. Tagged</u> blug @ 851'. Perf d cs ass C cmt @ 530' welder, dug out alded on "Below hoved off. <u>6 / 1 9</u> • NMOCD Information System willsbad on 09/06/2019 (19JA9) ATORY TEACULEA D19 DFFICE USE	A a Form 3160-4 must be filed once n completed and the operator has RECLAMATION PROCES ATTACHED S RECLAMATION PROCES ATTACHED S RECLAMATION PROCES NECLAMATION PROCES RECLAMATION PROCES S RECLAMATION PROCES S S S S S S S S S S S S S	

;

1 CALCELON CLOCKED

TAKE PRIDE

INAMERICA



BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm

In Reply Refer To: 1310

## **Reclamation Objectives and Procedures**

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.

3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.

4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

## Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612