

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.
30-005-63561

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

Sterne BCS Com

8. Well No.

1

9. Pool name or Wildcat
Precambrian

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other ☐

2. Name of Operator

Yates Petroleum Corporation

3. Address of Operator

105 S. 4th Street Artesia, NM 88210

4. Well Location

Unit Letter M : 660 feet from the South line and 660 feet from the West line

Section 11 Township 6S Range 26E NMPM Chaves County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3773' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: Completion operation ☒

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/10/03 - TOC 3170' CBL. Perforate Silurian 5738'-5748' (22), 5754'-5764' (22), 5768'-5772' (10) for a total of 54 holes.

6/11/03 - Acidize Silurian with 1000g 20% IC acid.

6/13-15/03 - Acidize with 400g 20% IC acid and 60 balls.

6/18/03 - Set CIBP at 5730' and cap with 35' cement. Perforate Strawn 5638'-5642' (16), 5644'-5650' (24), 5654'-5659' (20), 5668'-5674' (24), 5678'-5684' (24) for a total 108 holes.

6/19/03 - Acidize Strawn with 2500g 7-1/2% IC acid and 164 balls.

6/24/03 - Set CIBP at 5630' and cap with 35' cement. Perforate Cisco 5264'-5270' with 24 holes.

6/25/03 - Acidize Cisco with 700g 15% IC acid and 36 balls.

6/27-29/03 - Set CIBP at 5260' and cap with 20' cement. Perforate Wolfcamp 5152'-5161' (54), 5224'-5232' (48).

6/30/03 - Acidize 5224'-5232' with 1000g 7-1/2% IC acid and 72 balls. Acidize 5152'-5161' with 1000g 7-1/2% IC acid and 81 balls.

7/7/03 - Frac Wolfcamp 5152'-5232' with 20,000g 65Q CO2 foam and 80,000# 20/40 Ottawa sand.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jim Huerta TITLE Regulatory Compliance Supervisor DATE July 10, 2003

Type or print name Jim Huerta

Telephone No. 505-748-1471

(This space for State use)

APPROVED BY Jim W. Green

TITLE District Supervisor

DATE JUL 11 2003

Conditions of approval, if any: