STATES PETHE INTERIOR D MANAGEMENT D REPORTS ON WE Dosals to drill or to it 60-3 (APD) for such Other instructions on page 2 Other Contact: Diame Gilbre E-Mail: diame.gilbreatt 3b. Phone No (in 432-818-110) escription) PRIATE BOX(ES) TO INDIC Ing Deepen ing Hydrau epair New Co horizontally, give subsurface provide the Bond No. on file on results in a multiple compil only after all requirements, inc Maisp @ 5080'. Tag TOC @ (disp @ 3023'. Calculated	re-enter an proposals. 2 Path h@apachecorp.com include area code) 03 CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF CATE NATUR	OM Expire 5. Lease Serial No. NMNM0557371 6. If Indian, Allottee or 8910138010 8 Well Name and No. Empire ABO J 18 9. API Well No. 30-015-00706-00- 10. Field and Pool or Ex Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316	nent, Name and/or No S / ploratory Area tate R DATA Water Shut-Off Well Integrity Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDURI ATTACHED
PF THE INTERIOR D MANAGEMENT D REPORTS ON WE Dosals to drill or to it 200-3 (APD) for such Dther instructions on page 2 Other Contact: Diame Gilbre E-Mail: diame.gilbreatt 3b. Phone No (m 432-818-110 escription) PRIATE BOX(ES) TO INDIG Ing Hydrau epair New Co hans X Plug and o Injection Plug and only after all requirements, includent and multiple completer and multiple completer and solution in the provide the Bond No. on file on results in a multiple completer and solution in the provide the Bond No. on file on the solution in a multiple completer and solution in the provide the Bond No. on file on the solution in a multiple completer and solution in the provide the Bond No. on file on the solution in a multiple completer and solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide the Bond No. on file on the solution in the provide th	re-enter an proposals. 2 Path h@apachecorp.com include area code) 03 CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF CATE NATUR	Expir 5. Lease Serial No. NMNM0557371 6 If Indian, Allottee or 7 If Unit of CA/Agreen 8910138010 8 Well Name and No. Empire ABO J 18 9. API Well Na. n 30-015-00706-00- 10 Field and Pool or Es Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of nured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6.6 (S MLF.	es' January 31. 2018 Tribe Name nent, Name and/or No
D MANAGEMENT D REPORTS ON WE Dosals to drill or to i 60-3 (APD) for such Dther instructions on page 2 Other Contact: Dianne Gilbre E-Mail: dianne.gilbreatt 3b. Phone No (in 432-818-110 escription) PRIATE BOX(ES) TO INDIC preserved and the second s	re-enter an proposals. 2 Path h@apachecorp.com include area code) 03 CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF CATE NATUR	NMNM0557371 6 If Indian, Allottee or 8 If Indian, Allottee or 8910138010 8 Well Name and No. Empire ABO J 18 9. API Well No. 30-015-00706-00- 10 Field and Pool or Ex Empire ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Recomplete Temporarily Abandon Water Disposal ting date of any proposed work and true vertical depths of pured subsequent reports must 6 6 (S M L F.	nent, Name and/or No S / ploratory Area tate R DATA Water Shut-Off Well Integrity Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDURI ATTACHED
Dosals to drill or to in 160-3 (APD) for such 160-3 (APD) for such Dither instructions on page 2 Other Contact: Dianne Gilbre E-Mail: dianne.gilbreatt 3b. Phone No (m 432-818-110 escription) PRIATE BOX(ES) TO INDIG ing Deepen ing Hydrau epair New Co ians X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compil only after all requirements, i Co 5080'. Tag TOC @ /disp @ 3023'. Calculated	re-enter an proposals. 2 Path h@apachecorp.com include area code) 03 CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF CATE NATUR	6 If Indian, Allottee or 8910138010 8 Well Name and No. Empire ABO J 18 9. API Well No. 10 Field and Pool or Ex- Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work ared and true vertical depths of pured subsequent reports must f an true vertical depths of pured subsequent reports must f an true vertical depths of pured subsequent reports must f an a new interval, a Form 316 f, have been completed and the 6 6 (S M L F.	nent, Name and/or No S / ploratory Area tate R DATA Water Shut-Off Well Integrity Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDURI ATTACHED
Dosals to drill or to in 160-3 (APD) for such 160-3 (APD) for such Dither instructions on page 2 Other Contact: Dianne Gilbre E-Mail: dianne.gilbreatt 3b. Phone No (m 432-818-110 escription) PRIATE BOX(ES) TO INDIG ing Deepen ing Hydrau epair New Co ians X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compil only after all requirements, i Co 5080'. Tag TOC @ /disp @ 3023'. Calculated	re-enter an proposals. 2 Path h@apachecorp.com include area code) 03 CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF CATE NATUR	7 If IJnit of CA/Agreen 8910138010 8 8 Well Name and No. Empire ABO J 18 9. API Well No. n 30-015-00706-00. 10 Field and Pool or Ex Empire-ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHER F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal tring date of any proposed work and true vertical depths of pured subsequent reports must of any active and the vertical depths of the subsequent reports must of any back of any proposed work and the been completed and the be	nent, Name and/or No S / ploratory Area tate R DATA Water Shut-Off Well Integrity Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDUR ATTACHED
60-3 (APD) for such Dither instructions on page 2 Other Contact: Dianne Gilbre E-Mail: dianne.gilbreatt 3b. Phone No (in 432-818-110 escription) PRIATE BOX(ES) TO INDIG ing Deepen ing Hydrau epair New Co Ians Yelug and o Injection Plug and only after all requirements, include the Bond No. on file Only after all requirements, i Image: Substriate the Bond No. on file Only after all requirements, i Image: Substriate the Bond No. Tag TOC (Image: Substriate the Bond No. Substriate the Bond Substriate the Bond No. Sub	a proposals. 2 2 2 2 2 2 2 2 2 2 2 2 2	8910138010 8 Well Name and No. Empire ABO J 18 9. API Well No. n	S / cploratory Area tate R DATA Water Shut-Off Well Integrity Other c and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDUR ATTACHED
Other Contact: Dianne Gilbre E-Mail: dianne.gilbreatt 3b. Phone No (m. 432-818-110 escription) PRIATE BOX(ES) TO INDIG ing Deepen ing Hydrau epair New Co ians X Plug an o Injection Plug Bastate all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple comple only after all requirements, i Co 5 4 6 0 1 10 10 10 10 10 10 10 10 10 10 10 10	CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF TYPE O CATE NATURE OF CATE NATURE OF TYPE O CATE NATURE OF CATE N	8910138010 8 Well Name and No. Empire ABO J 18 9. API Well No. n	S / cploratory Area tate R DATA Water Shut-Off Well Integrity Other c and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDUR ATTACHED
Contact: Dianne Gilbre E-Mail: dianne.gilbreatt 3b. Phone No (m 432-818-110 escription) PRIATE BOX(ES) TO INDIG Deepen ing Deepen ing Hydrau epair New Co hans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, i Constant Source (Constant) only after all requirements, i Constant Source (Constant) only after all requirements, i Constant Source (Constant)	h@apachecorp.cor include area code) 03 CATE NATURE OF TYPE O In Control Contro	8 Well Name and No. Empire ABO J 18 9 API Well No. 30-015-00706-00- 10 Field and Pool or Es Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6 6 (S M L F.	tate Tate Tate
Contact: Dianne Gilbre E-Mail: dianne.gilbreatt 3b. Phone No (m 432-818-110 escription) PRIATE BOX(ES) TO INDIG Deepen ing Deepen ing Hydrau epair New Co hans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, i Constant Source (Constant) only after all requirements, i Constant Source (Constant) only after all requirements, i Constant Source (Constant)	h@apachecorp.cor include area code) 03 CATE NATURE OF TYPE O In Control Contro	Empire ABO J 18 9. API Well No. 30-015-00706-00- 10 Field and Pool or Ex- Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE FACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work- red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6.6 (S M L F.	tate Tate Tate
E-Mail: dianne.gilbreatt 3b. Phone No (m 432-818-110 escription) PRIATE BOX(ES) TO INDIO PRIATE BOX(ES) TO INDIO PRIATE BOX(ES) TO INDIO Deepen ing Deepen ing Hydrau epair New Co hans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, i Cu Sul Cu Cu disp @ 3023'. Calculated	h@apachecorp.cor include area code) 03 CATE NATURE OF TYPE O In Control Contro	n 30-015-00706-00- 10 Field and Pool or Es Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of yured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6 6 (S MLF.	tate tate Tate Tate Tate Tate Tate Tate
3b. Phone No (in 432-818-110) escription) PRIATE BOX(ES) TO INDIG ing Deepen ing Hydrau cpair New Co lans o Injection Plug an o Injection Plug and o Injection Plug for all pertinent details, incl horizontally, give subsurface provide the Bond No. on file only after all requirements, i Co 5 4 6 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CATE NATURE OF TYPE O n lic Fracturing onstruction ack cluding estimated star cluding estimated star cluding reclamation including reclamation including reclamation including reclamation including reclamation	10 Field and Pool or Ex Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work and true vertical depths of nin a new interval, a Form 316 n, have been completed and the 6 6 (S MLF.	tate tate Tate Tate Tate Tate Tate Tate
432-818-110 escription) PRIATE BOX(ES) TO INDIG PRIATE BOX(ES) TO INDIG Deepen ing Deepen ing Hydrau epair New Co hans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, i Cu Sul Cu Cu Vdisp @ 5080'. Tag TOC @ Vdisp @ 3023'. Calculated	CATE NATURE OF TYPE O n onstruction ack cluding estimated star e locations and measu e locations and measu e locations and measu e locations and measu cluding reclamation including reclamation including reclamation including reclamation	Empire- ABO 11. Country or Parish, S Eddy County, NM NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work and true vertical depths of pured subsequent reports must uned and true vertical depths of an a new interval, a Form 316 n, have been completed and the 66 (S MLF.	tate CR DATA UNITY Water Shut-Off Well Integrity Other Cand approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDUR ATTACHED
PRIATE BOX(ES) TO INDIC PRIATE BOX(ES) TO INDIC Deepen ing Deepen Hydrau epair New Co lans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, incl Misp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	TYPE O lic Fracturing onstruction ad Abandon ack cluding estimated star clocations and measure with BLM/BIA Rec letion or recompletion including reclamation including reclamation including solution including soluti	Eddy County, NM NOTICE, REPORT OR OTHE FACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of unred subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6 6 (S M L F.	CR DATA Water Shut-Off Well Integrity Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
ing Deepen ing Hydrau epair New Ce lans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, incl Misp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	TYPE O lic Fracturing onstruction ad Abandon ack cluding estimated star clocations and measure with BLM/BIA Rec letion or recompletion including reclamation including reclamation including solution including soluti	NOTICE, REPORT OR OTHE F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6 6 (5 M L F.	Water Shut-Off Well Integrity Other all pertinent markers and zones. Attach be filed within 30 days following 60-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
ing Deepen ing Hydrau epair New Ce lans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, incl Misp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	TYPE O lic Fracturing onstruction ad Abandon ack cluding estimated star clocations and measure with BLM/BIA Rec letion or recompletion including reclamation including reclamation including solution including soluti	F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6615 MLF.	Water Shut-Off Well Integrity Other all pertinent markers and zones. Attach be filed within 30 days following 60-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
ing Deepen ing Hydrau epair New Ce lans X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, incl Misp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	TYPE O lic Fracturing onstruction ad Abandon ack cluding estimated star clocations and measure with BLM/BIA Rec letion or recompletion including reclamation including reclamation including solution including soluti	F ACTION Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6615 MLF.	Water Shut-Off Well Integrity Other all pertinent markers and zones. Attach be filed within 30 days following 60-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
ing Hydrau epair New Co lans Plug an o Injection Plug Bz state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compil only after all requirements, incl disp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	alic Fracturing onstruction ad Abandon ack cluding estimated star e locations and measu e locations and measu e locations and measu e locations and measu e locations and measu including reclamation including reclamation including reclamation including scenario	Production (Start/Resume) Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of juired subsequent reports must in a new interval, a Form 316 n, have been completed and the 666 (SMLF.	Well Integrity Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
ing Hydrau epair New Co lans Plug an o Injection Plug Bz state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compil only after all requirements, incl disp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	lic Fracturing onstruction ad Abandon ack cluding estimated star clocations and measu with BLM/BIA Rec letion or recompletion including reclamation including reclamation	Reclamation Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6615 MLF.	Well Integrity Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
epair New Co lans New Co lans Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple completed only after all requirements, incl lonly after all requirements, incl disp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	onstruction ad Abandon ack \square luding estimated star to control to the star t	Recomplete Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 6615 MLF.	Other and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 60-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
Ians X Plug an o Injection Plug Ba state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl lonly after all requirements, if (disp @ 5080'. Tag TOC @ /disp @ 3023'. Calculated	ack cluding estimated star cluding estimated star cluding estimated star cluding estimated star cluding estimated star including recompletion including reclamation including reclamation 2 5085'.	Temporarily Abandon Water Disposal ting date of any proposed work red and true vertical depths of pured subsequent reports must n in a new interval, a Form 316 n, have been completed and the 66615 MLF.	and approximate duration thereof If all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been coperator has detennined that the site RECLAMATION PROCEDUR ATTACHED
o Injection Plug Ba state all pertinent details, inc horizontally, give subsurface provide the Bond No. on file on results in a multiple compl l only after all requirements, i C ムイ とつ! C disp @ 5080'. Tag TOC @	ack luding estimated star clocations and measu with BLM/BIA Rec letion or recompletion including reclamation inc. w(20 2 5085'.	Water Disposal ting date of any proposed work and true vertical depths of juried subsequent reports must in a new interval, a Form 316 h, have been completed and the 666 (SMLF.	all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
state all pertinent details, incl horizontally, give subsurface provide the Bond No. on file on results in a multiple compl only after all requirements, i Com 54 60 ! Com Vdisp @ 5080'. Tag TOC @	lluding estimated star e locations and measu with BLM/BIA Rec letion or recompletion including reclamation $M \sim W \langle Q_U \rangle$ 3 5085'.	ting date of any proposed work red and true vertical depths of juired subsequent reports must n in a new interval, a Form 316 n, have been completed and the 66(5 m L F.	all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
horizontally, give subsurface provide the Bond No. on file on results in a multiple compi- l only after all requirements, i C エイ しつ! C /disp @ 5080'. Tag TOC @	e locations and measu with BLM/BIA Rec letion or recompletion including reclamation $LTC = W \left(20 \right)$ 2 5085'.	ired and true vertical depths of guired subsequent reports must n in a new interval, a Form 316 n, have been completed and the 66615 MLF.	all pertinent markers and zones. Attach be filed within 30 days following 0-4 must be filed once testing has been e operator has detennined that the site RECLAMATION PROCEDUR ATTACHED
	C 11	945' tag toc @ 976', Perf @	250' Pump surf via 4 1/2" csg
<u>/8" csg (surface valve) w/ 7</u> complete.	$\frac{75 \text{ sx class c cmt}}{14}$	unchors. C	utaremove.
ole marke	er. Back	c drag loca	tion.
2.4/19 cord - NMOCD	M	W OIL CONSERVA Artesia district OCT 17 2019	TIORRECLAMATIO DUE_3-20-'20
Name (Printed/Typed)		an a	na mener men versen anderen mener het konstrum vers gestand men die der eine konstruktion ist eine einen die se
т	Fille Agent	RECEIVEDO	
D	Date 9/2019	AU	
SPACE FOR FEDER	RAL OR STATE	OFICE USE	OCT 8 2019
	Title		Americanay LIE
ose rights in the subject lease	NT I		HREAU OF LAND MANAGEMENT Carlsbad Field Office
wrwy/l.		d willfully to make to any depa	artment or agency of the United States
	this notice does not warrant chose rights in the subject leas	Title Agent Date 9/2019 E SPACE FOR FEDERAL OR STATE Title Title Title Title Title Office 212, make it a crime for any person knowingly and	Name (Primed/Typed) Title Agent RECEIVE Date 9/2019 SPACE FOR FEDERAL OR STATE OFICE USE Title Title Title Office



united states Department of the Interior

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

<u>ң</u> Ф

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612

.

.

.

.

۰,

⁴≥ . . .