Form 3160-5 (June 2015)

Approved By

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**



FORM APPROVED OMB NO. 1004-0137

Expires:		
Lease Serial No.		

SUNDRY NOTICES AND REPORTS ON WELLED V 1	8 2019
Do not use this form for proposals to drill or to re-enter an	O_LO IS
abandoned well. Use form 3160-3 (APD) for such proposals	

SUBMIT IN TRIPLICATE - Other instructions on page 2 1. Type of Well Gas Well Other	Do not use this form for proposals to drill or to re-enter an			019	NMNM82845			
Type of Well Gas Well Other S. Well Name and No. POLO AOP FED 3	Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name			
2. Name of Operation 2. Name of Operation 2. Name of Operation 3. Address 4. Contact: TINA HUERTA EOG RESOURCES INCORPORATEDE-Mail: tine_Inverte@eogresources.com 3. Address MIDLAND, TX 79702 4. Location of Well (*Footage, Sec. T. R. M., or Survey Description) Sec 10 T19S R25E SWSW 660FSL 660FWL 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent				7.	7. If Unit or CA/Agreement, Name and/or No.			
2. Name of Operator EOG RESOURCES INCORPORATEDE-Mait tina_Inuerta@eogresources.com 30-015-28169-00-S1 31. Phone No. (include area code) Ph: 575-748-4168 30-015-28169-00-S1 31. Country or Parish, State EDDY COUNTY, NM 30-015-28169-00-S1 31. Country or Parish, State EDDY COUNTY, NM 30-015-28169-00-S1 31. Country or Parish, State EDDY COUNTY, NM 30-015-28169-00-S1 31. Country or Parish, State EDDY COUNTY, NM 31. Country or Parish, State EDDY COUNTY, NM 31. Country or Parish, State EDDY COUNTY, NM 30-015-28169-00-S1 31. Country or Parish, State EDDY COUNTY, NM 31. Country or Par		ther		8.				
3b. Address MIDLAND, TX 79702 4. Location of Well (Footage, Sec., T. R. M., or Survey Description) 5cc 10 T19S R25E SWSW 660FSL 660FWL 11. County or Parish, State EDDY COUNTY, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Alter Casing Hydraulic Fracturing Reclamation Water Shut-Off Subsequent Report Casing Repair New Construction Recomplete Other Final Abandonment Notice Change Plans Plug and Abandon Temporarily Abandon Gonvert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond Mon on file with BLM/BAIA. Required supern reports must be filed other esting labe been completed. Pland Abandoment Notices must be filed once testing labe been completed in the work will be performed or provide the Bond No. on file with BLM/BAIA. Required supern reports must be filed other esting labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe been completed. Pland Abandoment Notices must be filed once testing labe to the compl	2. Name of Operator	Contact	TINA HUERTA	9.				
MIDLAND, TX 79702 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) Sec 10 T19S R25E SWSW 660FSL 660FWL 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent	· · · · · · · · · · · · · · · · · · ·	ORATEDE-Mail: tina_nuerta						
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 10 T19S R25E SWSW 660FSL 660FWL 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent				10				
12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION Notice of Intent		T. P. M. or Survey Description		1,	Court In 1st	Cu		
TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent		• •		11				
TYPE OF SUBMISSION Notice of Intent	Sec 10 1195 R25E SWSW 6	660FSL 660FWL			EDDY COUNTY, NM			
Notice of Intent	12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, RE	EPORT, OR OTI	HER DATA		
Alter Casing Hydraulic Fracturing Reclamation Well Integrity Subsequent Report Casing Repair New Construction Recomplete Other Other	TYPE OF SUBMISSION		ТҮРЕ О	ACTION				
Alter Casing Hydraulic Fracturing Reclamation Well Integrity Casing Repair New Construction Recomplete Other Other	□ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production	(Start/Resume)	☐ Water Shut	-Off	
Casing Repair New Constitution Recomplete Other	_	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamatio	n	■ Well Integr	ity	
Convert to Injection Plug Back Water Disposal	Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete		Other		
13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof if the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 9/30/19 - MIRU and POOH with production equipment. NU BOP. 10/2/19 - Set a 7 inch CIBP at 4152 ft. Tagged CIBP. Circulated 165 bbls water with 42 sx salt water get as plugging mud. Spotted a 25 sx Class C cement plug on top of CIBP to 4003 ft calc TOC. Spotted a 30 sx Class C cement plug from 2374 ft. 2195 ft calc TOC. WOC. Tagged TOC. at 3568 ft. Spotted a 30 sx Class C cement plug from 2374 ft. 2195 ft calc TOC. Tagged TOC at 2796 ft. Spotted a 30 sx Class C cement plug from 863 ft. 684 ft.calc TOC. Tagged TOC at 296 ft. Witnessed by Omar Algomar with Carlsbad BLM. Circulated 30 sx Class C cement flord 86 ft. up to surface. Topped off with cement. 10/23/19 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. 14. I hereby certify that the foregoing is true and correct. Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORFORATED, sent to the Carlsbad Committed to AFMSS for processing by DEBO RAH MCKINNEY on 11/06/2019 (19DLM0519SE) Name (Printed/Typed) TINA HUERTA Title REGULATORY SPE OF THE DECOR	☐ Final Abandonment Notice	☐ Change Plans	Plug and Abandon	□ Temporaril	rarily Abandon			
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection. 9/30/19 - MIRU and POOH with production equipment. NU BOP. 10/2/19 - Set a 7 inch. CIBP_at 4152 ft. Tagged CIBP_Circulated 165 bbls water with 42 sx salt water gel as plugging mud. Spotted a 25 sx Class C cement plug on top of CIBP to 4003 ft calc TOC. Spotted a 30 sx Class C cement plug from 3725 ft.; 3546 ft fcalc TOC. 10/3/19 - Tagged TOC. at 3568 ft. Spotted a 30 sx Class C cement plug from 2374 ft. 2195 ft calc TOC. WOC. 10/7/19 - Tagged TOC at 2478 ft. Spotted a 30 sx Class C cement plug from 853 ft - 684 ft calc TOC. Tagged TOC at 707 ft. Spotted a 30 sx Class C cement plug from 455 ft - 276 ft calc TOC. Tagged TOC at 707 ft. Spotted a 30 sx Class C cement plug from 455 ft - 276 ft calc TOC. Tagged TOC at 707 ft. Spotted a 30 sx Class C cement plug from 455 ft. 276 ft calc TOC. Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORHORATED, sent to the Carlsbad Committed to AFMSS for processing by DEBO RAH MCKINNEY on 11/06/2019 (19DLM0519SE) Name (Printed/Typed) TINA HUERTA Title REGULATORY SPE TED FOR RECOR		Convert to Injection	□ Plug Back	□ Water Disp	osal	•		
ATTACHED 10/2/19 - Set a 7 inch CIBP at 4152 ft. Tagged CIBP. Circulated 165 bbls water with 42 sx salt water gel as plugging mud. Spotted a 25 sx Class C cement plug on top of CIBP to 4003 ft calc TOC. Spotted a 30 sx Class C cement plug from 3725 ft. 3546 ft calc TOC. 10/3/19 - Tagged TOC.at.3568 ft. Spotted a 30 sx Class C cement plug from 2374 ft. 2195 ft calc TOC. WOC. Tagged TOC at 2178 ft. Spotted a 40 sx Class C cement plug from 1231 ft. 993 ft calc TOC. WOC. 10/7/19 - Tagged TOC at 1009 ft. Spotted a 30 sx Class C cement plug from 863 ft. 684 ft.calc TOC. 10/8/19 - Tagged TOC at 296 ft. Witnessed by Omar Alomar with Carlsbad BLM. Circulated 30 sx Class C cement from 96 ft.up to surface. Topped off with cement. 10/23/19 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. 14. I hereby certify that the foregoing is true and correct. Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORFORATED, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 11/06/2019 (19DLM0519SE) Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECARED FOR RECOR	If the proposal is to deepen direction Attach the Bond under which the war following completion of the involve testing has been completed. Final A	nally or recomplete horizontally, ork will be performed or provide and operations. If the operation resolution resolutions to the abandonment Notices must be file	give subsurface locations and measu the Bond No. on file with BLM/BIA ults in a multiple completion or reco	red and true vertic Required subsection in a new	al depths of all perti- quent reports must be interval, a Form 316	nent markers and zo e filed within 30 day 60-4 must be filed o	nes. 'S nce	
TOC. WOC. Tagged TOC at 2478 ft. Spotted a-40 sx Class C cement plug from 1231 ft - 993 ft calc TOC. WOC. 10/7/19 - Tagged TOC at 1009 ft. Spotted a 30 sx Class C cement plug from 863 ft - 684 ft. calc TOC. Tagged TOC at 707 ft. Spotted a 30 sx Class C cement plug from 455 ft - 276 ft calc TOC. 10/8/19 - Tagged TOC at 296 ft. Witnessed by Omar Alomar with Carlsbad BLM. Circulated 30 sx Class C cement from 96 ft up to surface. Topped off with cement. 10/23/19 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 11/06/2019 (19DLM0519SE) Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECIAL TOR.	10/2/19 - Set a 7 inch CIBP a water gel as plugging mud. S Spotted a 30 sx Class C.cem	at 4152 ft. T <u>agged CIBP. C</u> spotted a 25 sx Class C cer sent plug from 3725 ft - 354	rculated 165 bbls water with a ment plug on top of CIBP to 4 6 ft calc TOC.	003 ft calc TO	D	ATTACHED		
Tagged TOC at 707 ft. Spotted a 30 sx Class C cement plug from 455 ft - 276 ft calc TOC. [10/8/19] Tagged TOC at 296 ft. Witnessed by Omar Alomar with Carlsbad BLM. Circulated 30 sx Class C cement from 96 ft up to surface. Topped off with cement. 10/23/19 - Cut off wellhead and installed dry hole marker. Cut off anchors and cleaned location. [14. I hereby certify that the foregoing is true and correct. [15. Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORPORATED, sent to the Carlsbad [16. Committed to AFMSS for processing by DEBO RAH MCKINNEY on 11/06/2019 (19DLM0519SE)] [17. Name (Printed/Typed)] TINA HUERTA [18. Title] REGULATORY SPECOR	TOC. WOC. Tagged TOC-at- TOC. WOC. 10/7/19 - Tagged TOC-at-100	2178 ft. Spotted a-40-sx G	ass-C-cement plug from 1231 C cement plug from 863 ft -	l ft - 993 ft calc	DI	JE 4-8-	'מת'	
14. I hereby certify that the foregoing is true and correct. Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORFORATED, sent to the Carlsbad Committed to AFMSS for processing by DEBO RAH MCKINNEY on 11/06/2019 (19DLM0519SE) Title REGULATORY SPECIAL REGULATORY SPECIA	Lagged TOC at 707 ft. Spotte	ed a 30 sx Class C_cement	plug from 455 ft - 276 ft calc	TQC.	lace I), a		
14. I hereby certify that the foregoing is true and correct. Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORFORATED, sent to the Carlsbad Committed to AFMSS for processing by DEBO RAH MCKINNEY on 11/06/2019 (19DLM0519SE) Title REGULATORY SPECIAL REGULATORY SPECIA	C cement from 96 ft up to sur	face. Topped off with cem-	ent.	ed location.	CC 100 Fee	sold WMOCD	•	
Electronic Submission #491204 verified by the BLM Well Information System For EOG RESOURCES INCORPORATED, sent to the Carlsbad Committed to AFMSS for processing by DEBORAH MCKINNEY on 11/06/2019 (19DLM0519SE) Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECIAL TORY SPECIAL TITLE REGULATORY SPECIAL TORY SPECIA					Accepted .			
Name (Printed/Typed) TINA HUERTA Title REGULATORY SPECIAL TORY SPECIAL		Electronic Submission #4 For EOG RESOUR	CES INCORFORATED, sent to	the Carlsbad				
ACCEPTED FOR RECOR		•			1.0±			
	Name (Frintea/Typea) TINA HU	EKIA	Title REGUL		YCCEPTED	FOR RECO)RD	
Signature (Electronic Submission) Date 11/05/2019	Signature (Electronic	Submission)	Date 11/05/20	010				
THIS SPACE FOR FEDERAL OR STATE OFFICE LISE NOV 6 2019	Organizate (Electronic				NOV	6 2019	 -	

which would entitle the applicant to conduct operations thereon. Office Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

(Instructions on page 2)
** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED **

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease



BURFAU OF LAND MANAGEMENT CARLSBAD FIELD OFFICE


Additional data for EC transaction #491204 that would not fit on the form

32. Additional remarks, continued

WELL IS PLUGGED AND ABANDONED.



Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/mn



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas Operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

nave a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612