

RECEIVED

Form 3160-3  
(June 2015)

FORM APPROVED  
OMB No. 1004-0137  
Expires: January 31, 2018

UNITED STATES **DEC 09 2019**  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT **DISTRICT 7 - ARTESIA O.C.D.**  
**APPLICATION FOR PERMIT TO DRILL OR REENTER**

|  |   |  |
|--|---|--|
| 1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER   |   | 5. Lease Serial No.<br>NMNM032636  |
| 1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other  |   | 6. If Indian, Allottee or Tribe Name                                     |
| 1c. Type of Completion: <input type="checkbox"/> Hydraulic Fracturing <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone   |   | 7. If Unit or CA Agreement, Name and No.                                 |
| 2. Name of Operator<br>NOVO OIL AND GAS NORTHERN DELAWARE LLC  |   | 8. Lease Name and Well No.<br>GOONCH FED COM 04<br>232H<br><b>326517</b> |
| 3a. Address<br>1001 West Wilshire Boulevard Suite 206 Oklahoma City OK   | 3b. Phone No. (include area code)<br>(405)404-0414  | 9. API Well No.<br><b>30-015-46515</b>                                   |
| 4. Location of Well (Report location clearly and in accordance with any State requirements. *)<br>At surface SWSW / 1080 FSL / 1180 FWL / LAT 32.3301063 / LONG -104.0971432<br>At proposed prod. zone LOT 4 / 130 FNL / 1254 FWL / LAT 32.3415664 / LONG -104.0964221 |   | 10. Field and Pool, or Exploratory<br>BILBREY BASIN BONE SPRING, SOUTH   |
| 11. Sec., T. R. M. or Blk. and Survey or Area<br>SEC 4 / T23S / R28E / NMP   |   | 11. Sec., T. R. M. or Blk. and Survey or Area                            |
| 14. Distance in miles and direction from nearest town or post office*<br>3 miles   | 12. County or Parish<br>EDDY                        | 13. State<br>NM  |
| 15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)<br>1022 feet   | 16. No of acres in lease<br>1040.32                 | 17. Spacing Unit dedicated to this well<br>320                           |
| 18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.<br>20 feet  | 19. Proposed Depth<br>10269 feet / 15370 feet       | 20. BLM/BIA Bond No. in file<br>FED: NMB001536                           |
| 21. Elevations (Show whether DF, KDB, RT, GL, etc.)<br>3014 feet   | 22. Approximate date work will start*<br>11/01/2019 | 23. Estimated duration<br>90 days  |

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, and the Hydraulic Fracturing rule per 43 CFR 3162.3-3 (as applicable)

- |  |   |
|--|---|
| 1. Well plat certified by a registered surveyor.   | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan.  | 5. Operator certification.  |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be requested by the BLM.            |

|  |   |                    |
|--|---|--------------------|
| 25. Signature<br>(Electronic Submission)           | Name (Printed/Typed)<br>Brian Wood / Ph: (505)466-8120        | Date<br>08/03/2019 |
| Title<br>President                                 |   |                    |
| Approved by (Signature)<br>(Electronic Submission) | Name (Printed/Typed)<br>Christopher Walls / Ph: (575)234-2234 | Date<br>11/20/2019 |
| Title<br>Petroleum Engineer                        |   |                    |

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**APPROVED WITH CONDITIONS**  
Approval Date: 11/20/2019

## INSTRUCTIONS

**GENERAL:** This form is designed for submitting proposals to perform certain well operations, as indicated on Federal and Indian lands and leases for action by appropriate Federal agencies, pursuant to applicable Federal laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from local Federal offices.

**ITEM 1:** If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable Federal regulations concerning subsequent work proposals or reports on the well.

**ITEM 4:** Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local Federal offices for specific instructions.

**ITEM 14:** Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on the reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal agency offices.

**ITEMS 15 AND 18:** If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective productive zone.

**ITEM 22:** Consult applicable Federal regulations, or appropriate officials, concerning approval of the proposal before operations are started.

**ITEM 24:** If the proposal will involve hydraulic fracturing operations, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

## NOTICES

The Privacy Act of 1974 and regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

**AUTHORITY:** 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR 3160

**PRINCIPAL PURPOSES:** The information will be used to: (1) process and evaluate your application for a permit to drill a new oil, gas, or service well or to reenter a plugged and abandoned well; and (2) document, for administrative use, information for the management, disposal and use of National Resource Lands and resources including (a) analyzing your proposal to discover and extract the Federal or Indian resources encountered; (b) reviewing procedures and equipment and the projected impact on the land involved; and (c) evaluating the effects of the proposed operation on the surface and subsurface water and other environmental impacts.

**ROUTINE USE:** Information from the record and/or the record will be transferred to appropriate Federal, State, and local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecution, in connection with congressional inquiries and for regulatory responsibilities.

**EFFECT OF NOT PROVIDING INFORMATION:** Filing of this application and disclosure of the information is mandatory only if you elect to initiate a drilling or reentry operation on an oil and gas lease.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM connects this information to an evaluation of the technical, safety, and environmental factors involved with drilling for oil and/or gas on Federal and Indian oil and gas leases. This information will be used to analyze and approve applications. Response to this request is mandatory only if the operator elects to initiate drilling or reentry operations on an oil and gas lease. The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Connection Clearance Officer (WO-630), 1849 C Street, N.W., Mail Stop 401 LS, Washington, D.C. 20240.

## Additional Operator Remarks

### Location of Well

1. SHL: SWSW / 1080 FSL / 1180 FWL / TWSP: 23S / RANGE: 28E / SECTION: 4 / LAT: 32.3301063 / LONG: -104.0971432 ( TVD: 0 feet, MD: 0 feet )  
PPP: SWSW / 70 FSL / 1164 FWL / TWSP: 23S / RANGE: 28E / SECTION: 4 / LAT: 32.327561 / LONG: -104.096876 ( TVD: 9714 feet, MD: 9818 feet )  
PPP: SWNW / 2640 FSL / 1164 FWL / TWSP: 23S / RANGE: 28E / SECTION: 4 / LAT: 32.334653 / LONG: -104.096716 ( TVD: 10269 feet, MD: 12850 feet )  
BHL: LOT 4 / 130 FNL / 1254 FWL / TWSP: 23S / RANGE: 28E / SECTION: 4 / LAT: 32.3415664 / LONG: -104.0964221 ( TVD: 10269 feet, MD: 15370 feet )

### BLM Point of Contact

Name:

Title:

Phone:

Email:

## **Review and Appeal Rights**

A person contesting a decision shall request a State Director review. This request must be filed within 20 working days of receipt of the Notice with the appropriate State Director (see 43 CFR 3165.3). The State Director review decision may be appealed to the Interior Board of Land Appeals, 801 North Quincy Street, Suite 300, Arlington, VA 22203 (see 43 CFR 3165.4). Contact the above listed Bureau of Land Management office for further information.

**PECOS DISTRICT  
DRILLING CONDITIONS OF APPROVAL**

|                         |  |
|-------------------------|--|
| <b>OPERATOR'S NAME:</b> | <b>NOVO OIL AND GAS</b>                  |
| <b>LEASE NO.:</b>       | <b>NMNM018038</b>                        |
| <b>LOCATION:</b>        | <b>Section 4, T.23 S., R.28 E., NMPM</b> |
| <b>COUNTY:</b>          | <b>Eddy County, New Mexico</b>           |

|                              |                               |
|------------------------------|-------------------------------|
| <b>WELL NAME &amp; NO.:</b>  | <b>Goonch FED COM 04 232H</b> |
| <b>SURFACE HOLE FOOTAGE:</b> | <b>1080'S &amp; 1180'W</b>    |
| <b>BOTTOM HOLE FOOTAGE:</b>  | <b>130'N &amp; 1254'W</b>     |



|                      |   |  |                                     |
|----------------------|---|--|-------------------------------------|
| H2S                  | <input checked="" type="radio"/> Yes    | <input type="radio"/> No                   |                                     |
| Potash               | <input checked="" type="radio"/> None   | <input type="radio"/> Secretary            | <input type="radio"/> R-111-P       |
| Cave/Karst Potential | <input type="radio"/> Low               | <input checked="" type="radio"/> Medium    | <input type="radio"/> High          |
| Cave/Karst Potential | <input type="radio"/> Critical          |  |                                     |
| Variance             | <input type="radio"/> None              | <input checked="" type="radio"/> Flex Hose | <input type="radio"/> Other         |
| Wellhead             | <input type="radio"/> Conventional      | <input checked="" type="radio"/> Multibowl | <input type="radio"/> Both          |
| Other                | <input type="checkbox"/> 4 String Area  | <input type="checkbox"/> Capitan Reef      | <input type="checkbox"/> WIPP       |
| Other                | <input type="checkbox"/> Fluid Filled   | <input type="checkbox"/> Cement Squeeze    | <input type="checkbox"/> Pilot Hole |
| Special Requirements | <input type="checkbox"/> Water Disposal | <input checked="" type="checkbox"/> COM    | <input type="checkbox"/> Unit       |

**A. HYDROGEN SULFIDE**

A Hydrogen Sulfide (H2S) Drilling Plan shall be activated 500 feet prior to drilling into the **North East Loving** formation. As a result, the Hydrogen Sulfide area must meet Onshore Order 6 requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, please provide measured values and formations to the BLM.

**B. CASING**

1. The **13-3/8** inch surface casing shall be set at approximately **214** feet (a minimum of **70 feet (Eddy County)** into the Rustler Anhydrite and above the salt) and cemented to the surface.
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.

- b. Wait on cement (WOC) time for a primary cement job will be a minimum of **8 hours** or 500 pounds compressive strength, whichever is greater. (This is to include the lead cement)
  - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - d. If cement falls back, remedial cementing will be done prior to drilling out that string.
2. The **9 5/8** inch intermediate casing shall be set at approximately **6,500** feet. The minimum required fill of cement behind the **9-5/8** inch intermediate casing is:
- Cement to surface. If cement does not circulate see B.1.a, c-d above. **Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to cave/karst or potash.**
- ❖ In Medium Cave/Karst Areas if cement does not circulate to surface on the first two casing strings, the cement on the 3rd casing string must come to surface.
3. The minimum required fill of cement behind the **5-1/2** inch production casing is:
- Cement should tie-back at least **200 feet** into previous casing string. Operator shall provide method of verification. **Excess cement calculates to 1%, additional cement might be required.**

### C. PRESSURE CONTROL

1. Variance approved to use flex line from BOP to choke manifold. Manufacturer's specification to be readily available. No external damage to flex line. Flex line to be installed as straight as possible (no hard bends).<sup>2</sup>
2. Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be **5000 (5M)** psi.
  - a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
  - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
  - c. Manufacturer representative shall install the test plug for the initial BOP test.
  - d. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.

- e. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.

#### **D. SPECIAL REQUIREMENT (S)**

##### **Communitization Agreement**

- The operator will submit a Communitization Agreement to the Carlsbad Field Office, 620 E Greene St. Carlsbad, New Mexico 88220, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition; the well sign shall include the surface and bottom hole lease numbers. When the Communitization Agreement number is known, it shall also be on the sign.

**JJP10162019**

## **GENERAL REQUIREMENTS**

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

Eddy County

Call the Carlsbad Field Office, 620 East Greene St., Carlsbad, NM 88220,  
(575) 361-2822

Lea County

Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240, (575)  
393-3612

1. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval.
  - a. In the event the operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after

installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other well(s).

- b. When the operator proposes to set surface casing with Spudder Rig
  - Notify the BLM when moving in and removing the Spudder Rig.
  - Notify the BLM when moving in the 2<sup>nd</sup> Rig. Rig to be moved in within 90 days of notification that Spudder Rig has left the location.
  - BOP/BOPE test to be conducted per Onshore Oil and Gas Order No. 2 as soon as 2nd Rig is rigged up on well.
2. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works are located, this does not include the dog house or stairway area.
3. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well – vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report.

#### A. CASING

1. Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.
2. Wait on cement (WOC) for Potash Areas: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi for all cement blends, 2) until cement has been in place at least 24 hours. WOC time will be recorded in the driller's log. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.
3. Wait on cement (WOC) for Water Basin: After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for

details regarding lead cement slurry requirements. The casing integrity test can be done (prior to the cement setting up) immediately after bumping the plug.

4. Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.
5. No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.
6. On that portion of any well approved for a 5M BOPE system or greater, a pressure integrity test of each casing shoe shall be performed. Formation at the shoe shall be tested to a minimum of the mud weight equivalent anticipated to control the formation pressure to the next casing depth or at total depth of the well. This test shall be performed before drilling more than 20 feet of new hole.
7. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.
8. Whenever a casing string is cemented in the R-111-P potash area, the NMOCD requirements shall be followed.

#### B. PRESSURE CONTROL

1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in Onshore Oil and Gas Order No. 2 and API RP 53 Sec. 17.
2. If a variance is approved for a flexible hose to be installed from the BOP to the choke manifold, the following requirements apply: The flex line must meet the requirements of API 16C. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.
3. 5M or higher system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.
4. If the operator has proposed a multi-bowl wellhead assembly in the APD. The following requirements must be met:

- a. Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.
  - b. If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.
  - c. Manufacturer representative shall install the test plug for the initial BOP test.
  - d. Whenever any seal subject to test pressure is broken, all the tests in OOGO2.III.A.2.i must be followed.
  - e. If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.
5. The appropriate BLM office shall be notified a minimum of 4 hours in advance for a representative to witness the tests.
- a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead when specified), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
  - b. In potash areas, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. For all casing strings, casing cut-off and BOP installation can be initiated at twelve hours after bumping the plug. However, **no tests** shall commence until the cement has had a minimum of 24 hours setup time, except the casing pressure test can be initiated immediately after bumping the plug (only applies to single stage cement jobs).
  - c. The tests shall be done by an independent service company utilizing a test plug not a cup or J-packer. The operator also has the option of utilizing an independent tester to test without a plug (i.e. against the casing) pursuant to Onshore Order 2 with the pressure not to exceed 70% of the burst rating for the casing. Any test against the casing must meet the WOC time for water basin (8 hours) or potash (24 hours) or 500 pounds compressive strength, whichever is greater, prior to initiating the test (see casing segment as lead cement may be critical item).

- d. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- e. The results of the test shall be reported to the appropriate BLM office.
- f. All tests are required to be recorded on a calibrated test chart. A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.
- g. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- h. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the Wolfcamp formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per Onshore Order No. 2.

#### C. DRILLING MUD

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the Wolfcamp formation, and shall be used until production casing is run and cemented.

#### D. WASTE MATERIAL AND FLUIDS

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.





APD ID: 10400045327

Submission Date: 08/03/2019

Highlighted data reflects the most recent changes

Operator Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Well Name: GOONCH FED COM 04

Well Number: 232H

Show Final Text

Well Type: CONVENTIONAL GAS WELL

Well Work Type: Drill

Section 1 - General

APD ID: 10400045327

Tie to previous NOS? N

Submission Date: 08/03/2019

BLM Office: CARLSBAD

User: Brian Wood

Title: President

Federal/Indian APD: FED

Is the first lease penetrated for production Federal or Indian? FED

Lease number: NMNM032636

Lease Acres: 1040.32

Surface access agreement in place?

Allotted?

Reservation:

Agreement in place? NO

Federal or Indian agreement:

Agreement number:

Agreement name:

Keep application confidential? N

Permitting Agent? YES

APD Operator: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Operator letter of designation:

Operator Info

Operator Organization Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Operator Address: 1001 West Wilshire Boulevard Suite 206

Zip: 73116

Operator PO Box:

Operator City: Oklahoma City State: OK

Operator Phone: (405)404-0414

Operator Internet Address:

Section 2 - Well Information

Well in Master Development Plan? NO

Master Development Plan name:

Well in Master SUPO? NO

Master SUPO name:

Well in Master Drilling Plan? NO

Master Drilling Plan name:

Well Name: GOONCH FED COM 04

Well Number: 232H

Well API Number:

Field/Pool or Exploratory? Field and Pool

Field Name: BILBREY BASIN  
BONE SPRING, SOUTH

Pool Name:

Is the proposed well in an area containing other mineral resources? USEABLE WATER NATURAL GAS OIL

Operator Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Well Name: GOONCH FED COM 04

Well Number: 232H

Is the proposed well in an area containing other mineral resources? USEABLE WATER,NATURAL GAS,OIL

Is the proposed well in a Helium production area? N Use Existing Well Pad? N New surface disturbance?

Type of Well Pad: MULTIPLE WELL

Multiple Well Pad Name: GOONCH FED COM 04

Number: 131H (Pad G)

Well Class: HORIZONTAL

Number of Legs: 1

Well Work Type: Drill

Well Type: CONVENTIONAL GAS WELL

Describe Well Type:

Well sub-Type: INJECTION - STORAGE

Describe sub-type:

Distance to town: 3 Miles

Distance to nearest well: 20 FT

Distance to lease line: 1022 FT

Reservoir well spacing assigned acres Measurement: 320 Acres

Well plat: Goonch\_04\_232H\_Plat\_GasCap\_Plan\_20190803131753.pdf

Well work start Date: 11/01/2019

Duration: 90 DAYS

Section 3 - Well Location Table

Survey Type: RECTANGULAR

Describe Survey Type:

Datum: NAD83

Vertical Datum: NAVD88

Survey number: 12797

Reference Datum: GROUND LEVEL

| Wellbore   | NS-Foot | NS Indicator | EW-Foot | EW Indicator | Twsp | Range | Section | Aliquot/Lot/Tract | Latitude   | Longitude    | County | State       | Meridian    | Lease Type | Lease Number | Elevation | MD    | TVD   | Will this well produce |
|------------|---------|--------------|---------|--------------|------|-------|---------|-------------------|------------|--------------|--------|-------------|-------------|------------|--------------|-----------|-------|-------|------------------------|
| SHL Leg #1 | 1080    | FSL          | 1180    | FWL          | 23S  | 28E   | 4       | Aliquot SWS W     | 32.3301063 | -104.0971432 | EDD Y  | NEW MEXI CO | NEW MEXI CO | F          | FEE          | 3014      | 0     | 0     | Y                      |
| KOP Leg #1 | 70      | FSL          | 1164    | FWL          | 23S  | 28E   | 4       | Aliquot SWS W     | 32.327561  | -104.096876  | EDD Y  | NEW MEXI CO | FIRS T PRIN | F          | FEE          | -6777     | 9895  | 9791  | Y                      |
| PPP Leg    | 2640    | FSL          | 1164    | FWL          | 23S  | 28E   | 4       | Aliquot SWN       | 32.334653  | -104.0967    | EDD Y  | NEW MEXI    | NEW MEXI    | F          | NMNM 018038  | -725      | 12850 | 10269 | Y                      |

Operator Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Well Name: GOONCH FED COM 04

Well Number: 232H

| Wellbore     | NS-Foot | NS Indicator | EW-Foot | EW Indicator | Twsp | Range | Section | Aliquot/Lot/Tract | Latitude   | Longitude    | County | State      | Meridian   | Lease Type | Lease Number | Elevation | MD    | TVD   | Will this well produce |
|--------------|---------|--------------|---------|--------------|------|-------|---------|-------------------|------------|--------------|--------|------------|------------|------------|--------------|-----------|-------|-------|------------------------|
| PPP Leg #1-2 | 70      | FSL          | 1164    | FWL          | 23S  | 28E   | 4       | Aliquot SWS W     | 32.327561  | -104.096876  | EDD Y  | NEW MEXICO | FIRST PRIN | F          | FEE          | -6700     | 9818  | 9714  | Y                      |
| EXIT Leg #1  | 130     | FNL          | 1254    | FWL          | 23S  | 28E   | 4       | Lot 4             | 32.3415664 | -104.0964221 | EDD Y  | NEW MEXICO | NEW MEXICO | F          | NMNM 032636  | -7255     | 15370 | 10269 | Y                      |
| BHL Leg #1   | 130     | FNL          | 1254    | FWL          | 23S  | 28E   | 4       | Lot 4             | 32.3415664 | -104.0964221 | EDD Y  | NEW MEXICO | NEW MEXICO | F          | NMNM 032636  | -7255     | 15370 | 10269 | Y                      |



APD ID: 10400045327

Submission Date: 08/03/2019

Highlighted data reflects the most recent changes

Operator Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Well Name: GOONCH FED COM 04

Well Number: 232H

Show Final Text

Well Type: CONVENTIONAL GAS WELL

Well Work Type: Drill

Section 1 - Geologic Formations

| Formation ID | Formation Name  | Elevation | True Vertical Depth | Measured Depth | Lithologies         | Mineral Resources | Producing Formation |
|--------------|-----------------|-----------|---------------------|----------------|---------------------|-------------------|---------------------|
| 1            | QUATERNARY      | 3014      | 0                   | 0              | OTHER: None         | USEABLE WATER     | N                   |
| 2            | RUSTLER         | 2914      | 100                 | 100            | ANHYDRITE           | NONE              | N                   |
| 3            | CASTILE         | 2044      | 970                 | 970            | GYPSUM              | NONE              | N                   |
| 4            | LAMAR           | 541       | 2473                | 2476           | LIMESTONE           | NONE              | N                   |
| 5            | BELL CANYON     | 475       | 2539                | 2542           | SANDSTONE           | NATURAL GAS OIL   | N                   |
| 6            | CHERRY CANYON   | -600      | 3614                | 3641           | SANDSTONE           | NATURAL GAS OIL   | N                   |
| 7            | BRUSHY CANYON   | -1613     | 4627                | 4676           | SANDSTONE           | NATURAL GAS OIL   | N                   |
| 8            | BONE SPRING     | -3056     | 6070                | 6152           | LIMESTONE           | NATURAL GAS OIL   | N                   |
| 9            | AVALON SAND     | -3564     | 6578                | 6671           | OTHER: Shale        | NATURAL GAS OIL   | N                   |
| 10           | BONE SPRING 1ST | -4023     | 7037                | 7149           | SANDSTONE           | NATURAL GAS OIL   | N                   |
| 11           | BONE SPRING 2ND | -4236     | 7250                | 7354           | OTHER: Carbonate    | OIL               | N                   |
| 12           | BONE SPRING 2ND | -4771     | 7785                | 7889           | SANDSTONE           | NATURAL GAS OIL   | N                   |
| 13           | BONE SPRING 3RD | -5068     | 8082                | 8186           | OTHER: Carbonate    | NATURAL GAS OIL   | N                   |
| 14           | BONE SPRING 3RD | -6002     | 9016                | 9120           | SANDSTONE           | NATURAL GAS OIL   | N                   |
| 15           | WOLFCAMP        | -6345     | 9359                | 9463           | OTHER: XY Carbonate | NATURAL GAS OIL   | N                   |
| 16           | WOLFCAMP        | -6495     | 9509                | 9613           | OTHER: A Carbonate  | NATURAL GAS OIL   | N                   |
| 17           | WOLFCAMP        | -6700     | 9714                | 9818           | OTHER: B Carbonate  | OIL               | Y                   |

Operator Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Well Name: GOONCH FED COM 04

Well Number: 232H

## Section 2 - Blowout Prevention

Pressure Rating (PSI): 5M

Rating Depth: 12000

**Equipment:** A 13.625 5,000-psi BOP system will be installed on a multi-bowl (speed head) wellhead with a 13.625 flanged casing spool. Top flange of casing spool will be set in a cellar below ground level. BOP system will consist of a single pipe ram on the bottom, mud cross, double pipe ram with blind rams on bottom and pipe rams on top, and annular preventer. Blowout preventer will be installed on top of the 13.375 surface casing and will remain installed to TD of the well.

**Requesting Variance? YES**

**Variance request:** Variance is requested to use a co-flex hose between the BOP system and choke manifold. A typical co-flex pressure test certificate is attached. An equipment specific co-flex pressure test certificate will be on site when testing the BOP.

**Testing Procedure:** BOP system will be isolated with a test plug and tested by an independent tester to 250-psi low and 5000-psi high for 10 minutes. All casing strings will be tested in accordance with Onshore Order 2.III.B.1:h

**Choke Diagram Attachment:**

Goonch\_04\_232H\_Choke\_20190923130607.pdf

**BOP Diagram Attachment:**

Goonch\_04\_232H\_BOP\_20190923130622.pdf

## Section 3 - Casing

| Casing ID | String Type  | Hole Size | Csg Size | Condition | Standard | Tapered String | Top Set MD | Bottom Set MD | Top Set TVD | Bottom Set TVD | Top Set MSL | Bottom Set MSL | Calculated casing length MD | Grade  | Weight | Joint Type      | Collapse SF | Burst SF | Joint SF Type | Joint SF | Body SF Type | Body SF |
|-----------|--------------|-----------|----------|-----------|----------|----------------|------------|---------------|-------------|----------------|-------------|----------------|-----------------------------|--------|--------|-----------------|-------------|----------|---------------|----------|--------------|---------|
| 1         | SURFACE      | 17.5      | 13.375   | NEW       | API      | N              | 0          | 694           | 0           | 694            | 3014        | 2320           | 694                         | J-55   | 54.5   | BUTT            | 1.125       | 1.125    | DRY           | 1.6      | DRY          | 1.6     |
| 2         | INTERMEDIATE | 12.25     | 9.625    | NEW       | API      | N              | 0          | 8900          | 0           | 8796           | 3014        | -5782          | 8900                        | HCL-80 | 43.5   | BUTT            | 1.125       | 1.125    | DRY           | 1.6      | DRY          | 1.6     |
| 3         | PRODUCTION   | 8.5       | 5.5      | NEW       | API      | N              | 0          | 15370         | 0           | 10269          | 3014        | -7255          | 15370                       | P-110  | 20     | OTHER - TMK DQX | 1.125       | 1.125    | DRY           | 1.6      | DRY          | 1.6     |

Casing Attachments

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Casing Attachments**

---

**Casing ID:** 1      **String Type:** SURFACE

**Inspection Document:**

**Spec Document:**

**Tapered String Spec:**

**Casing Design Assumptions and Worksheet(s):**

Goonch\_04\_232H\_Casing\_Design\_Assumptions\_20190803134216.pdf

---

**Casing ID:** 2      **String Type:** INTERMEDIATE

**Inspection Document:**

**Spec Document:**

**Tapered String Spec:**

**Casing Design Assumptions and Worksheet(s):**

Goonch\_04\_232H\_Casing\_Design\_Assumptions\_20190803134323.pdf

---

**Casing ID:** 3      **String Type:** PRODUCTION

**Inspection Document:**

**Spec Document:**

**Tapered String Spec:**

**Casing Design Assumptions and Worksheet(s):**

Goonch\_04\_232H\_Casing\_Design\_Assumptions\_20190803134431.pdf

5.50in\_TMK\_UP\_DQX\_20190923130659.pdf

---

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

| String Type  | Lead/Tail | Stage Tool Depth | Top MD | Bottom MD | Quantity(sx) | Yield | Density | Cu-Ft | Excess% | Cement type  | Additives                   |
|--------------|-----------|------------------|--------|-----------|--------------|-------|---------|-------|---------|--------------|-----------------------------|
| SURFACE      | Lead      |                  | 0      | 0         | 0            | 0     | 0       | 0     | 0       | None         | None                        |
| SURFACE      | Tail      |                  | 0      | 694       | 595          | 1.62  | 13.8    | 963   |         | Class C      | gel + accelerator + LCM     |
| PRODUCTION   | Lead      |                  | 0      | 0         | 0            | 0     | 0       | 0     | 0       | None         | None                        |
| PRODUCTION   | Tail      |                  | 8400   | 15370     | 1014         | 1.89  | 13      | 1916  | 20      | Class H      | fluid loss + retarder + LCM |
| INTERMEDIATE | Lead      | 4000             | 0      | 4000      | 542          | 2.27  | 11.9    | 1235  | 20      | Class C or H | fluid loss + retarder + LCM |
| INTERMEDIATE | Tail      |                  | 4000   | 8900      | 200          | 1.34  | 14.8    | 268   | 20      | Class C or H | fluid loss + retarder + LCM |
| INTERMEDIATE | Lead      | 4000             | 0      | 4000      | 690          | 2.27  | 11.9    | 1573  | 20      | Class C or H | fluid loss + retarder + LCM |
| INTERMEDIATE | Tail      |                  | 4000   | 8900      | 200          | 1.34  | 14.8    | 268   | 20      | Class C or H | fluid loss + retarder + LCM |

**Section 5 - Circulating Medium**

**Mud System Type:** Closed

**Will an air or gas system be Used?** NO

**Description of the equipment for the circulating system in accordance with Onshore Order #2:**

**Diagram of the equipment for the circulating system in accordance with Onshore Order #2:**

**Describe what will be on location to control well or mitigate other conditions:** All necessary mud products (barite, bentonite, LCM) to control weight and fluid loss will be on site at all times. Mud program may change due to hole conditions.

**Describe the mud monitoring system utilized:** An electronic PVT mud system will monitor flow rate, pump pressure, stroke rate, and volume.

**Circulating Medium Table**

| Top Depth | Bottom Depth | Mud Type      | Min Weight (lbs/gal) | Max Weight (lbs/gal) | Density (lbs/cu ft) | Gel Strength (lbs/100 sqft) | PH | Viscosity (CP) | Salinity (ppm) | Filtration (cc) | Additional Characteristics |
|-----------|--------------|---------------|----------------------|----------------------|---------------------|-----------------------------|----|----------------|----------------|-----------------|----------------------------|
| 0         | 694          | OTHER : Fresh | 8.3                  | 8.3                  |                     |                             |    |                |                |                 |                            |

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

| Top Depth | Bottom Depth | Mud Type                      | Min Weight (lbs/gal) | Max Weight (lbs/gal) | Density (lbs/cu ft) | Gel Strength (lbs/100 sqft) | PH | Viscosity (CP) | Salinity (ppm) | Filtration (cc) | Additional Characteristics |
|-----------|--------------|-------------------------------|----------------------|----------------------|---------------------|-----------------------------|----|----------------|----------------|-----------------|----------------------------|
| 694       | 8900         | OTHER : Brine Diesel Emulsion | 8.8                  | 9.2                  |                     |                             |    |                |                |                 |                            |
| 8900      | 15370        | OIL-BASED MUD                 | 8.8                  | 12.5                 |                     |                             |    |                |                |                 |                            |

### Section 6 - Test, Logging, Coring

**List of production tests including testing procedures, equipment and safety measures:**

A 2-person mud logging program will be used from 3000 to TD.

GR log will be acquired by MWD tools from the intermediate casing to TD.

**List of open and cased hole logs run in the well:**

GAMMA RAY LOG,

**Coring operation description for the well:**

No core or drill stem test is planned.

### Section 7 - Pressure

**Anticipated Bottom Hole Pressure:** 5484

**Anticipated Surface Pressure:** 3224

**Anticipated Bottom Hole Temperature(F):** 165

**Anticipated abnormal pressures, temperatures, or potential geologic hazards?** NO

**Describe:**

**Contingency Plans geohazards description:**

**Contingency Plans geohazards attachment:**

**Hydrogen Sulfide drilling operations plan required?** YES

**Hydrogen sulfide drilling operations plan:**

Goonch\_04\_232H\_H2S\_Plan\_20190803135101.pdf

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

## Section 8 - Other Information

**Proposed horizontal/directional/multi-lateral plan submission:**

Goonch\_04\_232H\_Horizontal\_Drill\_Plan\_20190803135133.pdf

**Other proposed operations facets description:**

**Other proposed operations facets attachment:**

Goonch\_04\_232H\_Speedhead\_Specs\_20190803135205.pdf

Goonch\_04\_232H\_Anti\_Collision\_Report\_20190803135224.pdf

Goonch\_04\_232H\_CoFlex\_Certs\_20190923130737.pdf

Goonch\_04\_232H\_Drill\_Plan\_20190923130746.pdf


**Other Variance attachment:**

Goonch\_04\_232H\_Casing\_Variance\_Request\_20190803135312.pdf

Goonch\_04\_232H\_Alternative\_Casing\_Spec\_Request\_20190923130759.pdf

**5M CHOKE MANIFOLD SCHEMATIC**


| ITEM | SIZE | PRESSURE | DESCRIPTION |
|------|------|----------|-------------|
|      |      |          |             |
|      |      |          |             |
|      |      |          |             |
|      |      |          |             |
|      |      |          |             |
|      |      |          |             |
|      |      |          |             |
|      |      |          |             |





5M BLOWOUT PREVENTER SCHEMATIC

| BLOWOUT PREVENTOR COMPONENTS |         |           |                       |
|------------------------------|---------|-----------|-----------------------|
| ITEM                         | SIZE    | PRESSURE  | DESCRIPTION           |
| A                            | 13-5/8" | 5,000 psi | Rotating Head + Valve |
| B                            | 13-5/8" | 5,000 psi | Annular Preventer     |
| C                            | 13-5/8" | 5,000 psi | Pipe Rams             |
| D                            | 13-5/8" | 5,000 psi | Blind Rams            |
| E                            | 13-5/8" | 5,000 psi | Mud Cross             |
| F                            | 13-5/8" | 5,000 psi | Pipe Rams             |



| KILL LINE |      |           |             |
|-----------|------|-----------|-------------|
| ITEM      | SIZE | PRESSURE  | DESCRIPTION |
| 1         | 2"   | 5,000 psi | Gate Valve  |
| 2         | 2"   | 5,000 psi | Gate Valve  |
| 3         | 2"   | 5,000 psi | Check Valve |
|           |      |           |             |
|           |      |           |             |

| CHOKE LINE |      |           |             |
|------------|------|-----------|-------------|
| ITEM       | SIZE | PRESSURE  | DESCRIPTION |
| 4          | 3"   | 5,000 psi | Gate Valve  |
| 5          | 3"   | 5,000 psi | HCR Valve   |
|            |      |           |             |
|            |      |           |             |

## Goonch Fed Com 04 232H 3-string Casing Design Assumptions

### Surface Casing

Collapse:  $DF_C = 1.125$

- a. Full Internal Evacuation: Collapse force is equal to mud gradient (0.433 psi/ft) in which the casing will be run and internal evacuation of casing.
- b. Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.718 psi/ft) in which the casing will be run and internal force equivalent to fresh water displacement gradient (0.433 psi/ft).

Burst:  $DF_B = 1.125$

- a. Casing Pressure Test: According to BLM Onshore Order No. 2 with 0.22 psi/ft or 1500 psi, whichever is greater but not to exceed 70% of the minimum internal yield.

Tensile:  $DF_T = 1.60$

- a. Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8727 in water (8.33 ppg).

### Intermediate Casing

Collapse:  $DF_C = 1.125$

- a. Full Internal Evacuation: Collapse force is equal to mud gradient (0.531 psi/ft) in which the casing will be run and internal evacuation of casing.
- b. Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.626 psi/ft) in which the casing will be run and internal force equivalent to the displacement of fluid gradient.

Burst:  $DF_B = 1.125$

- a. Casing Pressure Test: According to BLM Onshore Order No. 2 with 0.22 psi/ft or 1500 psi, whichever is greater but to exceed 70% of the minimum internal yield.
- b. Gas Kick: Internal burst load of a 50 bbl gas kick at the casing with drill pipe in the hole. External force will be 10.2 ppg brine water gradient (0.531 psi/ft) and internal force will be with 10.0 ppg brine water gradient (0.521 psi/ft) with gas kick.

Tensile:  $DF_T = 1.60$

- a. Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8441 in brine water (10.2 ppg).

### Production Casing

Collapse:  $DF_C = 1.125$

- a. Full Internal Evacuation: Collapse force is equal to mud gradient (0.531 psi/ft) in which the casing will be run and internal evacuation of casing.
- b. Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.688 psi/ft) in which the casing will be run and internal force equivalent to fresh water displacement gradient (0.433 psi/ft).

Burst:  $DF_B = 1.125$

- a. Pressure Test: Pressure test will be to 80% of Internal Yield Pressure of casing intended for fracture stimulation.

Tensile:  $DF_T = 1.60$

- a. Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8472 in oil-based mud (10.0 ppg).

## Goonch Fed Com 04 232H 3-string Casing Design Assumptions

### Surface Casing

Collapse:  $DF_C = 1.125$

- a. Full Internal Evacuation: Collapse force is equal to mud gradient (0.433 psi/ft) in which the casing will be run and internal evacuation of casing.
- b. Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.718 psi/ft) in which the casing will be run and internal force equivalent to fresh water displacement gradient (0.433 psi/ft).

Burst:  $DF_B = 1.125$

- a. Casing Pressure Test: According to BLM Onshore Order No. 2 with 0.22 psi/ft or 1500 psi, whichever is greater but not to exceed 70% of the minimum internal yield.

Tensile:  $DF_T = 1.60$

- a. Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8727 in water (8.33 ppg).

### Intermediate Casing

Collapse:  $DF_C = 1.125$

- a. Full Internal Evacuation: Collapse force is equal to mud gradient (0.531 psi/ft) in which the casing will be run and internal evacuation of casing.
- b. Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.626 psi/ft) in which the casing will be run and internal force equivalent to the displacement of fluid gradient.

Burst:  $DF_B = 1.125$

- a. Casing Pressure Test: According to BLM Onshore Order No. 2 with 0.22 psi/ft or 1500 psi, whichever is greater but to exceed 70% of the minimum internal yield.
- b. Gas Kick: Internal burst load of a 50 bbl gas kick at the casing with drill pipe in the hole. External force will be 10.2 ppg brine water gradient (0.531 psi/ft) and internal force will be with 10.0 ppg brine water gradient (0.521 psi/ft) with gas kick.

Tensile:  $DF_T = 1.60$

- a. Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8441 in brine water (10.2 ppg).

### Production Casing

Collapse:  $DF_C = 1.125$

- a. Full Internal Evacuation: Collapse force is equal to mud gradient (0.531 psi/ft) in which the casing will be run and internal evacuation of casing.
- b. Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.688 psi/ft) in which the casing will be run and internal force equivalent to fresh water displacement gradient (0.433 psi/ft).

Burst:  $DF_B = 1.125$

- a. Pressure Test: Pressure test will be to 80% of Internal Yield Pressure of casing intended for fracture stimulation.

Tensile:  $DF_T = 1.60$

- a. Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8472 in oil-based mud (10.0 ppg).

## Goonch Fed Com 04 232H 3-string Casing Design Assumptions

### Surface Casing

- Collapse:  $DF_c = 1.125$
- Full Internal Evacuation: Collapse force is equal to mud gradient (0.433 psi/ft) in which the casing will be run and internal evacuation of casing.
  - Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.718 psi/ft) in which the casing will be run and internal force equivalent to fresh water displacement gradient (0.433 psi/ft).
- Burst:  $DF_b = 1.125$
- Casing Pressure Test: According to BLM Onshore Order No. 2 with 0.22 psi/ft or 1500 psi, whichever is greater but not to exceed 70% of the minimum internal yield.
- Tensile:  $DF_t = 1.60$
- Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8727 in water (8.33 ppg).

### Intermediate Casing

- Collapse:  $DF_c = 1.125$
- Full Internal Evacuation: Collapse force is equal to mud gradient (0.531 psi/ft) in which the casing will be run and internal evacuation of casing.
  - Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.626 psi/ft) in which the casing will be run and internal force equivalent to the displacement of fluid gradient.
- Burst:  $DF_b = 1.125$
- Casing Pressure Test: According to BLM Onshore Order No. 2 with 0.22 psi/ft or 1500 psi, whichever is greater but to exceed 70% of the minimum internal yield.
  - Gas Kick: Internal burst load of a 50 bbl gas kick at the casing with drill pipe in the hole. External force will be 10.2 ppg brine water gradient (0.531 psi/ft) and internal force will be with 10.0 ppg brine water gradient (0.521 psi/ft) with gas kick.
- Tensile:  $DF_t = 1.60$
- Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8441 in brine water (10.2 ppg).

### Production Casing

- Collapse:  $DF_c = 1.125$
- Full Internal Evacuation: Collapse force is equal to mud gradient (0.531 psi/ft) in which the casing will be run and internal evacuation of casing.
  - Cementing: Collapse force is equal net force of the planned cement slurry gradient (0.688 psi/ft) in which the casing will be run and internal force equivalent to fresh water displacement gradient (0.433 psi/ft).
- Burst:  $DF_b = 1.125$
- Pressure Test: Pressure test will be to 80% of Internal Yield Pressure of casing intended for fracture stimulation.
- Tensile:  $DF_t = 1.60$
- Overpull: A tensile force of 100,000 lbs over string weight with a buoyancy factor of 0.8472 in oil-based mud (10.0 ppg).

### TUBULAR PARAMETERS

|                        |          |
|------------------------|----------|
| Nominal OD, (inch)     | 5.500    |
| Wall Thickness, (inch) | 0.361    |
| Pipe Grade             | P110     |
| Coupling               | Regular  |
| Coupling Grade         | P110     |
| Drift                  | Standard |

### CONNECTION PARAMETERS



|                                       |        |
|---------------------------------------|--------|
| Connection OD (inch)                  | 6.050  |
| Connection ID, (inch)                 | 4.778  |
| Make-Up Loss, (inch)                  | 4.122  |
| Connection Critical Area, (sq inch)   | 8.722  |
| Yield Strength in Tension, (klbs)     | 641    |
| Yield Strength in Compression, (klbs) | 641    |
| Tension Efficiency                    | 100%   |
| Compression Efficiency                | 100%   |
| Min. Internal Yield Pressure, (psi)   | 12 640 |
| Collapse Pressure, (psi)              | 11 110 |
| Uniaxial Bending (deg/100ft)          | 92.0   |

### MAKE-UP TORQUES

|                                 |        |
|---------------------------------|--------|
| Minimum Make-Up Torque, (ft-lb) | 11 600 |
| Optimum Make-Up Torque, (ft-lb) | 12 900 |
| Maximum Make-Up Torque, (ft-lb) | 14 100 |
| Operating Torque, (ft-lb)       | 17 500 |
| Yield Torque, (ft-lb)           | 20 600 |

### PIPE BODY PROPERTIES

|                                     |         |
|-------------------------------------|---------|
| PE Weight, (lbs/ft)                 | 19.81   |
| Nominal Weight, (lbs/ft)            | 20.00   |
| Nominal ID, (inch)                  | 4.778   |
| Drift Diameter, (inch)              | 4.653   |
| Nominal Pipe Body Area, (sq inch)   | 5.828   |
| Yield Strength in Tension, (klbs)   | 641     |
| Min. Internal Yield Pressure, (psi) | 12 640  |
| Collapse Pressure, (psi)            | 11 110  |
| Minimum Yield Strength, (psi)       | 110 000 |
| Minimum Tensile Strength, (psi)     | 125 000 |



NOTE: The content of this Technical Data Sheet is for general information only and does not guarantee performance or imply fitness for a particular purpose, which only a competent drilling professional can determine considering the specific installation and operation parameters. This information supersedes all prior versions for this connection. Information that is printed or downloaded is no longer controlled by TMK and might not be the latest information. Anyone using the information herein does so at their own risk. To verify that you have the latest technical information, please contact FAD TMK Technical Sales in Russia (Tel: +7 (495) 775-76-00, Email: techsales@tmk-group.com) and TMK IPSCO in North America (Tel: +1 (281)949-1044, Email: techsales@tmk-ipSCO.com).



## H<sub>2</sub>S Drilling Operations Plan

- a. All personnel will be trained in H<sub>2</sub>S working conditions as required by Onshore Order 6 before drilling out of the surface casing.
- b. Two briefing areas will be established. Each will be at least 150' from the wellhead, perpendicular from one another, and easily entered and exited. See H<sub>2</sub>S page 5 for more details.
- c. H<sub>2</sub>S Safety Equipment/Systems:
  - i. Well Control Equipment
    - Flare line will be  $\geq 150'$  from the wellhead and ignited by a pilot light.
    - Beware of SO<sub>2</sub> created by flaring.
    - Choke manifold will include a remotely operated choke.
    - Mud gas separator
  - ii. Protective Equipment for Essential Personnel
    - Every person on site will be required to wear a personal H<sub>2</sub>S and SO<sub>2</sub> monitor at all times while on site. Monitors will not be worn on hard hats. Monitors will be worn on the front of the chest.
    - One self-contained breathing apparatus (SCBA) 30-minute rescue pack will be at each briefing area. Two 30-minute SCBA packs will be stored in the safety trailer.
    - Four work/escape packs will be on the rig floor. Each pack will have a long enough hose to allow unimpaired work activity.
    - Four emergency escape packs will be in the doghouse for emergency evacuation.
    - Hand signals will be used when wearing protective breathing apparatus.
    - Stokes litter or stretcher
    - Two full OSHA compliant body harnesses
    - A 100-foot long x 5/8" OSHA compliant rope
    - One 20-pound ABC fire extinguisher

iii. H<sub>2</sub>S Detection & Monitoring Equipment

- Every person on site will be required to wear a personal H<sub>2</sub>S and SO<sub>2</sub> monitor at all times while on site. Monitors will not be worn on hard hats. Monitors will be worn on the front of the chest.
- A stationary detector with three sensors will be in the doghouse.
- Sensors will be installed on the rig floor, bell nipple, and at the end of the flow line or where drilling fluids are discharged.
- Visual alarm will be triggered at 10 ppm.
- Audible alarm will be triggered at 10 ppm.
- Calibration will occur at least every 30 days. Gas sample tubes will be kept in the safety trailer.

iv. Visual Warning System

- Color-coded H<sub>2</sub>S condition sign will be set at the entrance to the pad.
- Color-coded condition flag will be installed to indicate current H<sub>2</sub>S conditions.
- Two wind socks will be installed that will be visible from all sides.

v. Mud Program

- A water based mud with a pH of  $\geq 10$  will be maintained to control corrosion, H<sub>2</sub>S gas returns to the surface, and minimize sulfide stress cracking and embrittlement.
- Drilling mud containing H<sub>2</sub>S gas will be degassed at an optimum location for the rig configuration.
- This gas will be piped into the flare system.
- Enough mud additives will be on location to scavenge and/or neutralize H<sub>2</sub>S where formation pressures are unknown.

vi. Metallurgy

- All equipment that has the potential to be exposed to H<sub>2</sub>S will be suitable for H<sub>2</sub>S service.
- Equipment that will meet these metallurgical standards include the drill string, casing, wellhead, BOP assembly, casing head and spool, rotating head, kill lines, choke, choke manifold and lines, valves, mud-gas separators, DST tools, test units, tubing, flanges, and other related equipment (elastomer packings and seals).

vii. Communication from well site

- Cell phones and/or two-way radios will be used to communicate from the well site.

d. A remote-controlled choke, mud-gas separator, and a rotating head will be installed before drilling or testing any formation expected to contain H<sub>2</sub>S.

Company Personnel to be Notified

Kurt Shipley, Vice-President - Operations                      Office: (405) 609-1596

Local & County Agencies

Loving Fire Department    911 or (575) 745-3600

Eddy County Sheriff (Carlsbad)                                      911 (575) 887-7551

Eddy County Emergency Management (Carlsbad)              (575) 887-9511

Carlsbad Medical Center Hospital                                  (575) 887-4100

Eddy County South Road Department (Carlsbad)              (575) 885-4835

State Agencies

NM State Police (Carlsbad)    (575) 885-3138

NM Oil Conservation (Artesia)                                      (575) 748-1283

NM Oil Conservation (Santa Fe)                                      (505) 476-3440

NM Dept. of Transportation (Roswell)                              (575) 637-7201

Federal Agencies

BLM Carlsbad Field Office    (575) 234-5972

National Response Center    (800) 424-8802

US EPA Region 6 (Dallas)    (800) 887-6063

(214) 665-6444

Residents within 3/4 mile

none

Air Evacuation

Med Flight Air Ambulance (Albuquerque) (800) 842-4431


Lifeguard (Albuquerque) (888) 866-7256

Veterinarians

Desert Willow Veterinary Services (Carlsbad) (575) 885-3399

Animal Care Center (Carlsbad) (575) 885-5352

# PLAN VIEW



flare >150'  
from well head  
flare line straight

- A - GOONCH FED COM 04 131H
- B - GOONCH FED COM 04 211H
- C - GOONCH FED COM 04 221H
- D - GOONCH FED COM 04 231H
- E - GOONCH FED COM 04 132H
- F - GOONCH FED COM 04 212H
- G - GOONCH FED COM 04 222H
- H - GOONCH FED COM 04 232H


secondary briefing area  
from well head &  
exit

windsocks on rig floor  
& at mud tanks

laydown  
(V-door)  
to South

prevailing wind  
from South

NOVO OIL & GAS NORTHERN DELAWARE, LLC  
GRADING PLAN AND CROSS SECTIONS  
FOR GOONCH FED COM 04 232H  
SECTION 4, TOWNSHIP 23 SOUTH,  
RANGE 28 EAST, N.M.P.M.  
EDDY COUNTY, STATE OF NEW MEXICO



warning sign  
& windsock

| FILL          | NET                 |
|---------------|---------------------|
| 11692 CU. YD. | 3331 CU. YD. (FILL) |

ARK QUANTITIES ARE ESTIMATED

APRIL 3, 2019


IRON SURVEYING, INC. 301 SOUTH CANAL CARLSBAD, NEW MEXICO

SHEET 1-2  
SURVEY NO. 7134



**PROJECT DETAILS: Eddy County, NM**

Geodetic System: US State Plane 1983  
 Datum: North American Datum 1983  
 Ellipsoid: GRS 1980  
 Zone: New Mexico Eastern Zone  
 North Reference: Grid  
 System Datum: Mean Sea Level  
 To convert a True Direction to a Grid Direction, Subtract 0.13°  
 To convert a Magnetic Direction to a True Direction, Add 6.99° East  
 To convert a Magnetic Direction to a Grid Direction, Add 6.87°



Azimuths to Grid North:  
 True North: 0.13°  
 Magnetic North: 6.87°  
 Magnetic Field:  
 Strength: 47745.7nT  
 Dip Angle: 60.05°  
 Date: 06/06/2019  
 Model: IGRF2015



**WELL DETAILS: Goonch Fed Com 04 232H**

| GL 3013.6 | +25  | KB @ 3038.60usft |                               |                  |                  |
|-----------|------|------------------|-------------------------------|------------------|------------------|
| +N/S      | +E/W | GL 3013.6        | +25 <th>KB @ 3038.60usft</th> | KB @ 3038.60usft |                  |
| 0.00      | 0.00 | 483905.20        | 614290.17                     | 32° 19' 48.383 N | 104° 5' 49.716 W |

**SECTION DETAILS**

| MD         | Incl  | Azi    | TVD      | +N/S     | +E/W   | Dleg  | TFace  | VSect    | Annotation                        |
|------------|-------|--------|----------|----------|--------|-------|--------|----------|-----------------------------------|
| 0.00       | 0.00  | 0.00   | 0.00     | 0.00     | 0.00   | 0.00  | 0.00   | 0.00     |                                   |
| 2.2000.00  | 0.00  | 0.00   | 2000.00  | 0.00     | 0.00   | 0.00  | 0.00   | 0.00     | Start Build 2.00                  |
| 3.2600.00  | 12.00 | 175.00 | 2595.62  | -62.36   | 5.46   | 2.00  | 175.00 | -62.00   | Start 4375.00 hold at 2600.00 MD  |
| 4.6975.00  | 12.00 | 175.00 | 6875.02  | -968.52  | 84.73  | 0.00  | 0.00   | -962.92  | Start Drop -2.00                  |
| 5.7575.00  | 0.00  | 0.00   | 7470.64  | -1030.88 | 90.19  | 2.00  | 180.00 | -1024.92 | Start 2320.07 hold at 7575.00 MD  |
| 6.9895.07  | 0.00  | 0.00   | 9790.71  | -1030.88 | 90.19  | 0.00  | 0.00   | -1024.92 | Start Build 12.00                 |
| 7.10644.98 | 89.99 | -1.36  | 10268.18 | -553.63  | 101.51 | 12.00 | 1.36   | -547.72  | Start 4724.52 hold at 10644.98 MD |
| 8.15369.51 | 89.99 | -1.36  | 10269.00 | -4169.56 | 213.51 | 0.00  | 0.00   | -4175.02 | TD at 15369.51                    |

Start Build 2.00  
 Start 4375.00 hold at 2600.00 MD  
 Start Drop -2.00  
 Start 2320.07 hold at 7575.00 MD  
 Start Build 12.00  
 Start 4724.52 hold at 10644.98 MD  
 TD at 15369.51  
 Goonch Fed Com 04-232H PBHL



# Hawkeye Directional Planning Report



|                          |  |                                     |                                   |
|--------------------------|--|-------------------------------------|-----------------------------------|
| <b>Database Company:</b> | HED_Compass_DSN<br>Novo Oil & Gas, LLC | <b>Local Co-ordinate Reference:</b> | Well Goonch Fed Com 04 232H       |
| <b>Project:</b>          | Eddy County, NM                        | <b>TVD Reference:</b>               | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Site:</b>             | SEC 4 - T23S - R28E                    | <b>MD Reference:</b>                | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Well:</b>             | Goonch Fed Com 04 232H                 | <b>North Reference:</b>             | Grid                              |
| <b>Wellbore:</b>         | OH                                     | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Design:</b>           | Plan #1                                |                                     |                                   |

|                    |                           |                      |                |
|--------------------|---------------------------|----------------------|----------------|
| <b>Project:</b>    | Eddy County, NM           |                      |                |
| <b>Map System:</b> | US State Plane 1983       | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983 |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone   |                      |                |

|                              |                     |                               |                                    |
|------------------------------|---------------------|-------------------------------|------------------------------------|
| <b>Site:</b>                 | SEC 4 - T23S - R28E |                               |                                    |
| <b>Site Position:</b>        | <b>Northing:</b>    | 483,964.87 usft               | <b>Latitude:</b> 32° 19' 48.977 N  |
| <b>From:</b> Map             | <b>Easting:</b>     | 614,092.09 usft               | <b>Longitude:</b> 104° 5' 52.023 W |
| <b>Position Uncertainty:</b> | 0.00 usft           | <b>Slot Radius:</b> 13.200 in | <b>Grid Convergence:</b> 0.13°     |

|                              |                        |                            |                                    |
|------------------------------|------------------------|----------------------------|------------------------------------|
| <b>Well:</b>                 | Goonch Fed Com 04 232H |                            |                                    |
| <b>Well Position</b>         | <b>+N/-S</b>           | -59.67 usft                | <b>Northing:</b> 483,905.20 usft   |
|                              | <b>+E/-W</b>           | 198.08 usft                | <b>Easting:</b> 614,290.17 usft    |
| <b>Position Uncertainty:</b> | 0.00 usft              | <b>Wellhead Elevation:</b> | <b>Ground Level:</b> 3,013.60 usft |
|                              |                        |                            | <b>Latitude:</b> 32° 19' 48.383 N  |
|                              |                        |                            | <b>Longitude:</b> 104° 5' 49.716 W |

|                  |    |
|------------------|----|
| <b>Wellbore:</b> | OH |
|------------------|----|

| Magnetics | Model Name | Sample Date | Declination (°) | Dip Angle (°) | Field Strength (nT) |
|-----------|------------|-------------|-----------------|---------------|---------------------|
|           | IGRF2015   | 06/06/19    | 6.99            | 60.05         | 47,745.69468084     |

|                |         |
|----------------|---------|
| <b>Design:</b> | Plan #1 |
|----------------|---------|

|                     |                           |
|---------------------|---------------------------|
| <b>Audit Notes:</b> |                           |
| <b>Version:</b>     | <b>Phase:</b> PLAN        |
|                     | <b>Tie On Depth:</b> 0.00 |

| Vertical Section: | Depth From (TVD) (usft) | +N/-S (usft) | +E/-W (usft) | Direction (°) |
|-------------------|-------------------------|--------------|--------------|---------------|
|                   | 0.00                    | 0.00         | 0.00         | 2.93          |

| Plan Survey Tool Program |                 | Date:             |           |                     |  |
|--------------------------|-----------------|-------------------|-----------|---------------------|--|
| Depth From (usft)        | Depth To (usft) | Survey (Wellbore) | Tool Name | Remarks             |  |
| 0.00                     | 15,389.51       | Plan #1 (OH)      | MWD       | OWSG MWD - Standard |  |

| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) | TFO (°) | Target            |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-----------------------|----------------------|---------------------|---------|-------------------|
| 0.00                  | 0.00            | 0.00        | 0.00                  | 0.00         | 0.00         | 0.00                  | 0.00                 | 0.00                | 0.00    |                   |
| 2,000.00              | 0.00            | 0.00        | 2,000.00              | 0.00         | 0.00         | 0.00                  | 0.00                 | 0.00                | 0.00    |                   |
| 2,600.00              | 12.00           | 175.00      | 2,595.62              | -62.36       | 5.46         | 2.00                  | 2.00                 | 0.00                | 175.00  |                   |
| 6,975.00              | 12.00           | 175.00      | 6,875.02              | -968.52      | 84.73        | 0.00                  | 0.00                 | 0.00                | 0.00    |                   |
| 7,575.00              | 0.00            | 0.00        | 7,470.64              | -1,030.88    | 90.19        | 2.00                  | -2.00                | 0.00                | 180.00  |                   |
| 9,895.07              | 0.00            | 0.00        | 9,790.71              | -1,030.88    | 90.19        | 0.00                  | 0.00                 | 0.00                | 0.00    |                   |
| 10,644.98             | 89.99           | 136         | 10,268.18             | -553.63      | 101.51       | 12.00                 | 12.00                | 0.00                | 1.36    |                   |
| 15,369.51             | 89.99           | 136         | 10,269.00             | -4,169.56    | 213.51       | 0.00                  | 0.00                 | 0.00                | 0.00    | Goonch Fed Com 04 |

# Hawkeye Directional Planning Report



|                  |                        |                                     |                                   |
|------------------|------------------------|-------------------------------------|-----------------------------------|
| <b>Database:</b> | HED Compass DSN        | <b>Local Co-ordinate Reference:</b> | Well Goonch Fed Com 04 232H       |
| <b>Company:</b>  | Novo Oil & Gas, LLC    | <b>TVD Reference:</b>               | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Project:</b>  | Eddy County, NM        | <b>MD Reference:</b>                | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Site:</b>     | SEC 4 - T23S - R28E    | <b>North Reference:</b>             | Grid                              |
| <b>Well:</b>     | Goonch Fed Com 04 232H | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Wellbore:</b> | OH                     |                                     |                                   |
| <b>Design:</b>   | Plan #1                |                                     |                                   |

| Planned Survey                          |                 |             |                       |              |              |                         |                       |                      |                     |      |
|---|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-----------------------|----------------------|---------------------|------|
| Measured Depth (usft)                   | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |      |
| 0.00                                    | 0.00            | 0.00        | 0.00                  | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 100.00                                  | 0.00            | 0.00        | 100.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 200.00                                  | 0.00            | 0.00        | 200.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 300.00                                  | 0.00            | 0.00        | 300.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 400.00                                  | 0.00            | 0.00        | 400.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 500.00                                  | 0.00            | 0.00        | 500.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 600.00                                  | 0.00            | 0.00        | 600.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 700.00                                  | 0.00            | 0.00        | 700.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 800.00                                  | 0.00            | 0.00        | 800.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 900.00                                  | 0.00            | 0.00        | 900.00                | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,000.00                                | 0.00            | 0.00        | 1,000.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,100.00                                | 0.00            | 0.00        | 1,100.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,200.00                                | 0.00            | 0.00        | 1,200.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,300.00                                | 0.00            | 0.00        | 1,300.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,400.00                                | 0.00            | 0.00        | 1,400.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,500.00                                | 0.00            | 0.00        | 1,500.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,600.00                                | 0.00            | 0.00        | 1,600.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,700.00                                | 0.00            | 0.00        | 1,700.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,800.00                                | 0.00            | 0.00        | 1,800.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 1,900.00                                | 0.00            | 0.00        | 1,900.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 2,000.00                                | 0.00            | 0.00        | 2,000.00              | 0.00         | 0.00         | 0.00                    | 0.00                  | 0.00                 | 0.00                | 0.00 |
| <b>Start Build 2.00</b>                 |                 |             |                       |              |              |                         |                       |                      |                     |      |
| 2,100.00                                | 2.00            | 175.00      | 2,099.98              | -1.74        | 0.15         | -1.73                   | 2.00                  | 2.00                 | 0.00                | 0.00 |
| 2,200.00                                | 4.00            | 175.00      | 2,199.84              | -6.95        | 0.61         | -6.91                   | 2.00                  | 2.00                 | 0.00                | 0.00 |
| 2,300.00                                | 6.00            | 175.00      | 2,299.45              | -15.63       | 1.37         | -15.54                  | 2.00                  | 2.00                 | 0.00                | 0.00 |
| 2,400.00                                | 8.00            | 175.00      | 2,398.70              | -27.77       | 2.43         | -27.61                  | 2.00                  | 2.00                 | 0.00                | 0.00 |
| 2,500.00                                | 10.00           | 175.00      | 2,497.47              | -43.36       | 3.79         | -43.11                  | 2.00                  | 2.00                 | 0.00                | 0.00 |
| 2,600.00                                | 12.00           | 175.00      | 2,595.62              | -62.36       | 5.46         | -62.00                  | 2.00                  | 2.00                 | 0.00                | 0.00 |
| <b>Start 4375.00 hold at 2600.00 MD</b> |                 |             |                       |              |              |                         |                       |                      |                     |      |
| 2,700.00                                | 12.00           | 175.00      | 2,693.44              | -83.08       | 7.27         | -82.60                  | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 2,800.00                                | 12.00           | 175.00      | 2,791.25              | -103.79      | 9.08         | -103.19                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 2,900.00                                | 12.00           | 175.00      | 2,889.07              | -124.50      | 10.89        | -123.78                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,000.00                                | 12.00           | 175.00      | 2,986.88              | -145.21      | 12.70        | -144.37                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,100.00                                | 12.00           | 175.00      | 3,084.70              | -165.92      | 14.52        | -164.97                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,200.00                                | 12.00           | 175.00      | 3,182.51              | -186.64      | 16.33        | -185.56                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,300.00                                | 12.00           | 175.00      | 3,280.33              | -207.35      | 18.14        | -206.15                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,400.00                                | 12.00           | 175.00      | 3,378.14              | -228.06      | 19.95        | -226.74                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,500.00                                | 12.00           | 175.00      | 3,475.96              | -248.77      | 21.76        | -247.33                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,600.00                                | 12.00           | 175.00      | 3,573.77              | -269.48      | 23.58        | -267.93                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,700.00                                | 12.00           | 175.00      | 3,671.59              | -290.20      | 25.39        | -288.52                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,800.00                                | 12.00           | 175.00      | 3,769.40              | -310.91      | 27.20        | -309.11                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 3,900.00                                | 12.00           | 175.00      | 3,867.22              | -331.62      | 29.01        | -329.70                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,000.00                                | 12.00           | 175.00      | 3,965.03              | -352.33      | 30.83        | -350.30                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,100.00                                | 12.00           | 175.00      | 4,062.84              | -373.05      | 32.64        | -370.89                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,200.00                                | 12.00           | 175.00      | 4,160.66              | -393.76      | 34.45        | -391.48                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,300.00                                | 12.00           | 175.00      | 4,258.47              | -414.47      | 36.26        | -412.07                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,400.00                                | 12.00           | 175.00      | 4,356.29              | -435.18      | 38.07        | -432.66                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,500.00                                | 12.00           | 175.00      | 4,454.10              | -455.89      | 39.89        | -453.26                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,600.00                                | 12.00           | 175.00      | 4,551.92              | -476.61      | 41.70        | -473.85                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,700.00                                | 12.00           | 175.00      | 4,649.73              | -497.32      | 43.51        | -494.44                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,800.00                                | 12.00           | 175.00      | 4,747.55              | -518.03      | 45.32        | -515.03                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 4,900.00                                | 12.00           | 175.00      | 4,845.36              | -538.74      | 47.13        | -535.63                 | 0.00                  | 0.00                 | 0.00                | 0.00 |
| 5,000.00                                | 12.00           | 175.00      | 4,943.18              | -559.45      | 48.95        | -556.22                 | 0.00                  | 0.00                 | 0.00                | 0.00 |

# Hawkeye Directional Planning Report



|                  |                        |                                     |                                   |
|------------------|------------------------|-------------------------------------|-----------------------------------|
| <b>Database:</b> | HED_Compass_DSN        | <b>Local Co-ordinate Reference:</b> | Well Goonch Fed Com 04 232H       |
| <b>Company:</b>  | Novo Oil & Gas, LLC    | <b>TVD Reference:</b>               | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Project:</b>  | Eddy County, NM        | <b>MD Reference:</b>                | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Site:</b>     | SEC 4 - T23S - R28E    | <b>North Reference:</b>             | Grid                              |
| <b>Well:</b>     | Goonch Fed Com 04 232H | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Wellbore:</b> | OH                     |                                     |                                   |
| <b>Design:</b>   | Plan #1                |                                     |                                   |

### Planned Survey

| Measured<br>Depth<br>(usft)              | Inclination<br>(°) | Azimuth<br>(°) | Vertical<br>Depth<br>(usft) | +N/-S<br>(usft) | +E/-W<br>(usft) | Vertical<br>Section<br>(usft) | Dogleg<br>Rate<br>(°/100ft) | Build<br>Rate<br>(°/100ft) | Turn<br>Rate<br>(°/100ft) |
|--|--------------------|----------------|-----------------------------|-----------------|-----------------|-------------------------------|-----------------------------|----------------------------|---------------------------|
| 5,100.00                                 | 12.00              | 175.00         | 5,040.99                    | -580.17         | 50.76           | -576.81                       | 0.00                        | 0.00                       | 0.00                      |
| 5,200.00                                 | 12.00              | 175.00         | 5,138.81                    | -600.88         | 52.57           | -597.40                       | 0.00                        | 0.00                       | 0.00                      |
| 5,300.00                                 | 12.00              | 175.00         | 5,236.62                    | -621.59         | 54.38           | -618.00                       | 0.00                        | 0.00                       | 0.00                      |
| 5,400.00                                 | 12.00              | 175.00         | 5,334.44                    | -642.30         | 56.19           | -638.59                       | 0.00                        | 0.00                       | 0.00                      |
| 5,500.00                                 | 12.00              | 175.00         | 5,432.25                    | -663.01         | 58.01           | -659.18                       | 0.00                        | 0.00                       | 0.00                      |
| 5,600.00                                 | 12.00              | 175.00         | 5,530.07                    | -683.73         | 59.82           | -679.77                       | 0.00                        | 0.00                       | 0.00                      |
| 5,700.00                                 | 12.00              | 175.00         | 5,627.88                    | -704.44         | 61.63           | -700.36                       | 0.00                        | 0.00                       | 0.00                      |
| 5,800.00                                 | 12.00              | 175.00         | 5,725.70                    | -725.15         | 63.44           | -720.96                       | 0.00                        | 0.00                       | 0.00                      |
| 5,900.00                                 | 12.00              | 175.00         | 5,823.51                    | -745.86         | 65.25           | -741.55                       | 0.00                        | 0.00                       | 0.00                      |
| 6,000.00                                 | 12.00              | 175.00         | 5,921.33                    | -766.57         | 67.07           | -762.14                       | 0.00                        | 0.00                       | 0.00                      |
| 6,100.00                                 | 12.00              | 175.00         | 6,019.14                    | -787.29         | 68.88           | -782.73                       | 0.00                        | 0.00                       | 0.00                      |
| 6,200.00                                 | 12.00              | 175.00         | 6,116.95                    | -808.00         | 70.69           | -803.33                       | 0.00                        | 0.00                       | 0.00                      |
| 6,300.00                                 | 12.00              | 175.00         | 6,214.77                    | -828.71         | 72.50           | -823.92                       | 0.00                        | 0.00                       | 0.00                      |
| 6,400.00                                 | 12.00              | 175.00         | 6,312.58                    | -849.42         | 74.31           | -844.51                       | 0.00                        | 0.00                       | 0.00                      |
| 6,500.00                                 | 12.00              | 175.00         | 6,410.40                    | -870.13         | 76.13           | -865.10                       | 0.00                        | 0.00                       | 0.00                      |
| 6,600.00                                 | 12.00              | 175.00         | 6,508.21                    | -890.85         | 77.94           | -885.70                       | 0.00                        | 0.00                       | 0.00                      |
| 6,700.00                                 | 12.00              | 175.00         | 6,606.03                    | -911.56         | 79.75           | -906.29                       | 0.00                        | 0.00                       | 0.00                      |
| 6,800.00                                 | 12.00              | 175.00         | 6,703.84                    | -932.27         | 81.56           | -926.88                       | 0.00                        | 0.00                       | 0.00                      |
| 6,900.00                                 | 12.00              | 175.00         | 6,801.66                    | -952.98         | 83.38           | -947.47                       | 0.00                        | 0.00                       | 0.00                      |
| 6,975.00                                 | 12.00              | 175.00         | 6,875.02                    | -968.52         | 84.73           | -962.92                       | 0.00                        | 0.00                       | 0.00                      |
| <b>Start Drop -2.00</b>                  |                    |                |                             |                 |                 |                               |                             |                            |                           |
| 7,000.00                                 | 11.50              | 175.00         | 6,899.50                    | -973.59         | 85.18           | -967.96                       | 2.00                        | -2.00                      | 0.00                      |
| 7,100.00                                 | 9.50               | 175.00         | 6,997.82                    | -991.74         | 86.77           | -986.01                       | 2.00                        | -2.00                      | 0.00                      |
| 7,200.00                                 | 7.50               | 175.00         | 7,096.71                    | -1,006.47       | 88.05           | -1,000.65                     | 2.00                        | -2.00                      | 0.00                      |
| 7,300.00                                 | 5.50               | 175.00         | 7,196.06                    | -1,017.74       | 89.04           | -1,011.86                     | 2.00                        | -2.00                      | 0.00                      |
| 7,400.00                                 | 3.50               | 175.00         | 7,295.75                    | -1,025.56       | 89.72           | -1,019.63                     | 2.00                        | -2.00                      | 0.00                      |
| 7,500.00                                 | 1.50               | 175.00         | 7,395.65                    | -1,029.90       | 90.10           | -1,023.95                     | 2.00                        | -2.00                      | 0.00                      |
| 7,575.00                                 | 0.00               | 0.00           | 7,470.64                    | -1,030.88       | 90.19           | -1,024.92                     | 2.00                        | -2.00                      | 0.00                      |
| <b>Start 2320.07 hold at 7575.00 MD:</b> |                    |                |                             |                 |                 |                               |                             |                            |                           |
| 7,600.00                                 | 0.00               | 0.00           | 7,495.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 7,700.00                                 | 0.00               | 0.00           | 7,595.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 7,800.00                                 | 0.00               | 0.00           | 7,695.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 7,900.00                                 | 0.00               | 0.00           | 7,795.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,000.00                                 | 0.00               | 0.00           | 7,895.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,100.00                                 | 0.00               | 0.00           | 7,995.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,200.00                                 | 0.00               | 0.00           | 8,095.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,300.00                                 | 0.00               | 0.00           | 8,195.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,400.00                                 | 0.00               | 0.00           | 8,295.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,500.00                                 | 0.00               | 0.00           | 8,395.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,600.00                                 | 0.00               | 0.00           | 8,495.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,700.00                                 | 0.00               | 0.00           | 8,595.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,800.00                                 | 0.00               | 0.00           | 8,695.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 8,900.00                                 | 0.00               | 0.00           | 8,795.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,000.00                                 | 0.00               | 0.00           | 8,895.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,100.00                                 | 0.00               | 0.00           | 8,995.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,200.00                                 | 0.00               | 0.00           | 9,095.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,300.00                                 | 0.00               | 0.00           | 9,195.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,400.00                                 | 0.00               | 0.00           | 9,295.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,500.00                                 | 0.00               | 0.00           | 9,395.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,600.00                                 | 0.00               | 0.00           | 9,495.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,700.00                                 | 0.00               | 0.00           | 9,595.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,800.00                                 | 0.00               | 0.00           | 9,695.64                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |
| 9,895.07                                 | 0.00               | 0.00           | 9,790.71                    | -1,030.88       | 90.19           | -1,024.92                     | 0.00                        | 0.00                       | 0.00                      |

# Hawkeye Directional Planning Report



|                  |                        |                                     |                                   |
|------------------|------------------------|-------------------------------------|-----------------------------------|
| <b>Database:</b> | HED_Compass_DSN        | <b>Local Co-ordinate Reference:</b> | Well Goonch Fed Com 04 232H       |
| <b>Company:</b>  | Novo Oil & Gas, LLC    | <b>TVD Reference:</b>               | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Project:</b>  | Eddy County, NM        | <b>MD Reference:</b>                | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Site:</b>     | SEC 4 - T23S - R28E    | <b>North Reference:</b>             | Grid                              |
| <b>Well:</b>     | Goonch Fed Com 04 232H | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Wellbore:</b> | OH                     |                                     |                                   |
| <b>Design:</b>   | Plan #1                |                                     |                                   |

**Planned Survey**

| Measured Depth (usft)                    | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/S (usft) | +E/W (usft) | Vertical Section (usft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |
|--|-----------------|-------------|-----------------------|-------------|-------------|-------------------------|-----------------------|----------------------|---------------------|
| <b>Start Build 12.00</b>                 |                 |             |                       |             |             |                         |                       |                      |                     |
| 9,900.00                                 | 0:59            | 1.36        | 9,795.64              | -1,030.86   | 90:19       | -1,024.89               | 12.00                 | 12.00                | 0:00                |
| 9,925.00                                 | 3:59            | 1.36        | 9,820.62              | -1,029.94   | 90:21       | -1,023.98               | 12.00                 | 12.00                | 0:00                |
| 9,950.00                                 | 6:59            | 1.36        | 9,845.52              | -1,027.73   | 90:27       | -1,021.76               | 12.00                 | 12.00                | 0:00                |
| 9,975.00                                 | 9:59            | 1.36        | 9,870.27              | -1,024.21   | 90:35       | -1,018.25               | 12.00                 | 12.00                | 0:00                |
| 10,000.00                                | 12:59           | 1.36        | 9,894.80              | -1,019.40   | 90:46       | -1,013.44               | 12.00                 | 12.00                | 0:00                |
| 10,025.00                                | 15:59           | 1.36        | 9,919.04              | -1,013.32   | 90:61       | -1,007.36               | 12.00                 | 12.00                | 0:00                |
| 10,050.00                                | 18:59           | 1.36        | 9,942.94              | -1,005.97   | 90:78       | -1,000.01               | 12.00                 | 12.00                | 0:00                |
| 10,075.00                                | 21:59           | 1.36        | 9,966.41              | -997.39     | 90:98       | -991.43                 | 12.00                 | 12.00                | 0:00                |
| 10,100.00                                | 24:59           | 1.36        | 9,989.41              | -987.59     | 91:22       | -981.63                 | 12.00                 | 12.00                | 0:00                |
| 10,125.00                                | 27:59           | 1.36        | 10,011.86             | -976.59     | 91:48       | -970.64                 | 12.00                 | 12.00                | 0:00                |
| 10,150.00                                | 30:59           | 1.36        | 10,033.70             | -964.44     | 91:77       | -958.49                 | 12.00                 | 12.00                | 0:00                |
| 10,175.00                                | 33:59           | 1.36        | 10,054.88             | -951.17     | 92:08       | -945.21                 | 12.00                 | 12.00                | 0:00                |
| 10,200.00                                | 36:59           | 1.36        | 10,075.33             | -936.80     | 92:42       | -930.85                 | 12.00                 | 12.00                | 0:00                |
| 10,225.00                                | 39:59           | 1.36        | 10,095.01             | -921.38     | 92:79       | -915.43                 | 12.00                 | 12.00                | 0:00                |
| 10,250.00                                | 42:59           | 1.36        | 10,113.84             | -904.96     | 93:18       | -899.01                 | 12.00                 | 12.00                | 0:00                |
| 10,275.00                                | 45:59           | 1.36        | 10,131.80             | -887.57     | 93:59       | -881.62                 | 12.00                 | 12.00                | 0:00                |
| 10,300.00                                | 48:59           | 1.36        | 10,148.82             | -869.27     | 94:02       | -863.32                 | 12.00                 | 12.00                | 0:00                |
| 10,325.00                                | 51:59           | 1.36        | 10,164.85             | -850.10     | 94:48       | -844.15                 | 12.00                 | 12.00                | 0:00                |
| 10,350.00                                | 54:59           | 1.36        | 10,179.87             | -830.11     | 94:95       | -824.17                 | 12.00                 | 12.00                | 0:00                |
| 10,375.00                                | 57:59           | 1.36        | 10,193.81             | -809.37     | 95:44       | -803.43                 | 12.00                 | 12.00                | 0:00                |
| 10,400.00                                | 60:59           | 1.36        | 10,206.65             | -787.93     | 95:95       | -782.00                 | 12.00                 | 12.00                | 0:00                |
| 10,425.00                                | 63:59           | 1.36        | 10,218.35             | -765.85     | 96:48       | -759.91                 | 12.00                 | 12.00                | 0:00                |
| 10,450.00                                | 66:59           | 1.36        | 10,228.88             | -743.18     | 97:01       | -737.25                 | 12.00                 | 12.00                | 0:00                |
| 10,475.00                                | 69:59           | 1.36        | 10,238.21             | -720.00     | 97:58       | -714.07                 | 12.00                 | 12.00                | 0:00                |
| 10,500.00                                | 72:59           | 1.36        | 10,246.31             | -696.36     | 98:12       | -690.43                 | 12.00                 | 12.00                | 0:00                |
| 10,525.00                                | 75:59           | 1.36        | 10,253.16             | -672.32     | 98:69       | -666.40                 | 12.00                 | 12.00                | 0:00                |
| 10,550.00                                | 78:59           | 1.36        | 10,258.74             | -647.97     | 99:27       | -642.04                 | 12.00                 | 12.00                | 0:00                |
| 10,575.00                                | 81:59           | 1.36        | 10,263.04             | -623.35     | 99:85       | -617.43                 | 12.00                 | 12.00                | 0:00                |
| 10,600.00                                | 84:59           | 1.36        | 10,266.05             | -598.54     | 100:44      | -592.62                 | 12.00                 | 12.00                | 0:00                |
| 10,625.00                                | 87:59           | 1.36        | 10,267.75             | -573.61     | 101:03      | -567.69                 | 12.00                 | 12.00                | 0:00                |
| 10,644.98                                | 89:59           | 1.36        | 10,268.18             | -553.63     | 101:51      | -547.72                 | 12.00                 | 12.00                | 0:00                |
| <b>Start 4724.52 hold at 10644.98 MD</b> |                 |             |                       |             |             |                         |                       |                      |                     |
| 10,700.00                                | 89:99           | 1.36        | 10,268.19             | -498.63     | 102:81      | -492.72                 | 0:00                  | 0:00                 | 0:00                |
| 10,800.00                                | 89:99           | 1.36        | 10,268.20             | -398.66     | 105:18      | -392.76                 | 0:00                  | 0:00                 | 0:00                |
| 10,900.00                                | 89:99           | 1.36        | 10,268.22             | -298.69     | 107:55      | -292.80                 | 0:00                  | 0:00                 | 0:00                |
| 11,000.00                                | 89:99           | 1.36        | 10,268.24             | -198.72     | 109:92      | -192.84                 | 0:00                  | 0:00                 | 0:00                |
| 11,100.00                                | 89:99           | 1.36        | 10,268.26             | -98.75      | 112:29      | -92.87                  | 0:00                  | 0:00                 | 0:00                |
| 11,200.00                                | 89:99           | 1.36        | 10,268.27             | 1.23        | 114:67      | 7.09                    | 0:00                  | 0:00                 | 0:00                |
| 11,300.00                                | 89:99           | 1.36        | 10,268.29             | 101.20      | 117:04      | 107.05                  | 0:00                  | 0:00                 | 0:00                |
| 11,400.00                                | 89:99           | 1.36        | 10,268.31             | 201.17      | 119:41      | 207.01                  | 0:00                  | 0:00                 | 0:00                |
| 11,500.00                                | 89:99           | 1.36        | 10,268.32             | 301.14      | 121:78      | 306.97                  | 0:00                  | 0:00                 | 0:00                |
| 11,600.00                                | 89:99           | 1.36        | 10,268.34             | 401.11      | 124:15      | 406.94                  | 0:00                  | 0:00                 | 0:00                |
| 11,700.00                                | 89:99           | 1.36        | 10,268.36             | 501.08      | 126:52      | 506.90                  | 0:00                  | 0:00                 | 0:00                |
| 11,800.00                                | 89:99           | 1.36        | 10,268.38             | 601.06      | 128:89      | 606.86                  | 0:00                  | 0:00                 | 0:00                |
| 11,900.00                                | 89:99           | 1.36        | 10,268.39             | 701.03      | 131:26      | 706.82                  | 0:00                  | 0:00                 | 0:00                |
| 12,000.00                                | 89:99           | 1.36        | 10,268.41             | 801.00      | 133:63      | 806.79                  | 0:00                  | 0:00                 | 0:00                |
| 12,100.00                                | 89:99           | 1.36        | 10,268.43             | 900.97      | 136.00      | 906.75                  | 0:00                  | 0:00                 | 0:00                |
| 12,200.00                                | 89:99           | 1.36        | 10,268.45             | 1,000.94    | 138:37      | 1,006.71                | 0:00                  | 0:00                 | 0:00                |
| 12,300.00                                | 89:99           | 1.36        | 10,268.46             | 1,100.92    | 140:74      | 1,106.67                | 0:00                  | 0:00                 | 0:00                |
| 12,400.00                                | 89:99           | 1.36        | 10,268.48             | 1,200.89    | 143:11      | 1,206.64                | 0:00                  | 0:00                 | 0:00                |
| 12,500.00                                | 89:99           | 1.36        | 10,268.50             | 1,300.86    | 145.48      | 1,306.60                | 0:00                  | 0:00                 | 0:00                |
| 12,600.00                                | 89:99           | 1.36        | 10,268.52             | 1,400.83    | 147:85      | 1,406.56                | 0:00                  | 0:00                 | 0:00                |
| 12,700.00                                | 89:99           | 1.36        | 10,268.53             | 1,500.80    | 150:22      | 1,506.52                | 0:00                  | 0:00                 | 0:00                |

# Hawkeye Directional Planning Report




|                  |                        |                                     |                                   |
|------------------|------------------------|-------------------------------------|-----------------------------------|
| <b>Database:</b> | HED_Compass_DSN        | <b>Local Co-ordinate Reference:</b> | Well Goonch Fed Com 04 232H       |
| <b>Company:</b>  | Novo Oil & Gas, LLC    | <b>TVD Reference:</b>               | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Project:</b>  | Eddy County, NM        | <b>MD Reference:</b>                | GL 3013.6' + 25' KB @ 3038.60usft |
| <b>Site:</b>     | SEC 4 - T23S - R28E    | <b>North Reference:</b>             | Grid                              |
| <b>Well:</b>     | Goonch Fed Com 04 232H | <b>Survey Calculation Method:</b>   | Minimum Curvature                 |
| <b>Wellbore:</b> | OH                     |                                     |                                   |
| <b>Design:</b>   | Plan #1                |                                     |                                   |

| Planned Survey        |                 |             |                       |             |             |                         |                       |                      |                     |  |
|-----------------------|-----------------|-------------|-----------------------|-------------|-------------|-------------------------|-----------------------|----------------------|---------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N-S (usft) | +E-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |  |
| 12,800.00             | 89.99           | 1.36        | 10,268.55             | 1,600.78    | 152.60      | 1,606.48                | 0.00                  | 0.00                 | 0.00                |  |
| 12,900.00             | 89.99           | 1.36        | 10,268.57             | 1,700.75    | 154.97      | 1,706.45                | 0.00                  | 0.00                 | 0.00                |  |
| 13,000.00             | 89.99           | 1.36        | 10,268.59             | 1,800.72    | 157.34      | 1,806.41                | 0.00                  | 0.00                 | 0.00                |  |
| 13,100.00             | 89.99           | 1.36        | 10,268.60             | 1,900.69    | 159.71      | 1,906.37                | 0.00                  | 0.00                 | 0.00                |  |
| 13,200.00             | 89.99           | 1.36        | 10,268.62             | 2,000.66    | 162.08      | 2,006.33                | 0.00                  | 0.00                 | 0.00                |  |
| 13,300.00             | 89.99           | 1.36        | 10,268.64             | 2,100.63    | 164.45      | 2,106.30                | 0.00                  | 0.00                 | 0.00                |  |
| 13,400.00             | 89.99           | 1.36        | 10,268.66             | 2,200.61    | 166.82      | 2,206.26                | 0.00                  | 0.00                 | 0.00                |  |
| 13,500.00             | 89.99           | 1.36        | 10,268.67             | 2,300.58    | 169.19      | 2,306.22                | 0.00                  | 0.00                 | 0.00                |  |
| 13,600.00             | 89.99           | 1.36        | 10,268.69             | 2,400.55    | 171.56      | 2,406.18                | 0.00                  | 0.00                 | 0.00                |  |
| 13,700.00             | 89.99           | 1.36        | 10,268.71             | 2,500.52    | 173.93      | 2,506.15                | 0.00                  | 0.00                 | 0.00                |  |
| 13,800.00             | 89.99           | 1.36        | 10,268.73             | 2,600.49    | 176.30      | 2,606.11                | 0.00                  | 0.00                 | 0.00                |  |
| 13,900.00             | 89.99           | 1.36        | 10,268.74             | 2,700.47    | 178.67      | 2,706.07                | 0.00                  | 0.00                 | 0.00                |  |
| 14,000.00             | 89.99           | 1.36        | 10,268.76             | 2,800.44    | 181.04      | 2,806.03                | 0.00                  | 0.00                 | 0.00                |  |
| 14,100.00             | 89.99           | 1.36        | 10,268.78             | 2,900.41    | 183.41      | 2,905.99                | 0.00                  | 0.00                 | 0.00                |  |
| 14,200.00             | 89.99           | 1.36        | 10,268.80             | 3,000.38    | 185.78      | 3,005.96                | 0.00                  | 0.00                 | 0.00                |  |
| 14,300.00             | 89.99           | 1.36        | 10,268.81             | 3,100.35    | 188.16      | 3,105.92                | 0.00                  | 0.00                 | 0.00                |  |
| 14,400.00             | 89.99           | 1.36        | 10,268.83             | 3,200.33    | 190.53      | 3,205.88                | 0.00                  | 0.00                 | 0.00                |  |
| 14,500.00             | 89.99           | 1.36        | 10,268.85             | 3,300.30    | 192.90      | 3,305.84                | 0.00                  | 0.00                 | 0.00                |  |
| 14,600.00             | 89.99           | 1.36        | 10,268.87             | 3,400.27    | 195.27      | 3,405.81                | 0.00                  | 0.00                 | 0.00                |  |
| 14,700.00             | 89.99           | 1.36        | 10,268.88             | 3,500.24    | 197.64      | 3,505.77                | 0.00                  | 0.00                 | 0.00                |  |
| 14,800.00             | 89.99           | 1.36        | 10,268.90             | 3,600.21    | 200.01      | 3,605.73                | 0.00                  | 0.00                 | 0.00                |  |
| 14,900.00             | 89.99           | 1.36        | 10,268.92             | 3,700.19    | 202.38      | 3,705.69                | 0.00                  | 0.00                 | 0.00                |  |
| 15,000.00             | 89.99           | 1.36        | 10,268.94             | 3,800.16    | 204.75      | 3,805.66                | 0.00                  | 0.00                 | 0.00                |  |
| 15,100.00             | 89.99           | 1.36        | 10,268.95             | 3,900.13    | 207.12      | 3,905.62                | 0.00                  | 0.00                 | 0.00                |  |
| 15,200.00             | 89.99           | 1.36        | 10,268.97             | 4,000.10    | 209.49      | 4,005.58                | 0.00                  | 0.00                 | 0.00                |  |
| 15,300.00             | 89.99           | 1.36        | 10,268.99             | 4,100.07    | 211.86      | 4,105.54                | 0.00                  | 0.00                 | 0.00                |  |
| 15,369.51             | 89.99           | 1.36        | 10,269.00             | 4,169.56    | 213.51      | 4,175.02                | 0.00                  | 0.00                 | 0.00                |  |

TD at 15369.51

| Design Targets       |                         |               |             |            |             |             |                 |                |                |                |
|----------------------|-------------------------|---------------|-------------|------------|-------------|-------------|-----------------|----------------|----------------|----------------|
| Target Name          | hit/miss target         | Dip Angle (°) | Dip Dir (°) | TVD (usft) | +N-S (usft) | +E-W (usft) | Northing (usft) | Easting (usft) | Latitude       | Longitude      |
| Goonch Fed Com 04-23 | plan hits target center | 0.00          | 0.00        | 10,269.00  | 4,169.56    | 213.51      | 488,074.76      | 614,503.68     | 32°20'29.639 N | 104°5'47.120 W |

| Plan Annotations      |                       |             |             |                                   |
|-----------------------|-----------------------|-------------|-------------|-----------------------------------|
| Measured Depth (usft) | Vertical Depth (usft) | +N-S (usft) | +E-W (usft) | Comment                           |
| 2,000.00              | 2,000.00              | 0.00        | 0.00        | Start Build 2.00                  |
| 2,600.00              | 2,595.62              | -62.36      | 5.46        | Start 4375.00 hold at 2600.00 MD  |
| 6,975.00              | 6,875.02              | -968.52     | 84.73       | Start Drop -2.00                  |
| 7,575.00              | 7,470.64              | -1,030.88   | 90.19       | Start 2320.07 hold at 7575.00 MD  |
| 9,895.07              | 9,790.71              | -1,030.88   | 90.19       | Start Build 12.00                 |
| 10,644.98             | 10,268.18             | -553.63     | 101.51      | Start 4724.52 hold at 10644.98 MD |
| 15,369.51             | 10,269.00             | 4,169.56    | 213.51      | TD at 15369.51                    |



**Quotation**

**Downing Wellhead Equipment**

Oklahoma City,  
Oklahoma - USA

Reference Data:

NOVO

Proprietary and Confidential

The information contained in this drawing is the sole property of Downing Wellhead Equipment, any reproduction in part or in whole without the written permission of Downing Wellhead Equipment is prohibited.

TITLE:

NOVO OIL & GAS, MB-3 SYSTEM,  
13-3/8" x 9-5/8" x 5-1/2"

|          |  |          |          |        |
|----------|--|----------|----------|--------|
| DRAWN    |  | SIZE     | DWG. NO. | REV.   |
| CHECKED  |  | <b>A</b> |          |        |
| APPROVED |  | Scale:   | Weight:  | Sheet: |

Hawkeye Directional  
Anticollision Risk Report



|                     |                        |                             |                                    |
|---------------------|------------------------|-----------------------------|------------------------------------|
| Company:            | Novo Oil & Gas, LLC    | Local Coordinate Reference: | Well: Goonch Fed Com 04 232H       |
| Project:            | Eddy County: NM        | TVD Reference:              | GL: 3013.6' ± 25' KB @ 3038.60usft |
| Reference Site:     | SEC 4 - T23S - R28E    | MD Reference:               | GL: 3013.6' ± 25' KB @ 3038.60usft |
| Site Error:         | 0.00                   | North Reference:            | Grid:                              |
| Reference Well:     | Goonch Fed Com 04 232H | Survey Calculation Method:  | Minimum Curvature                  |
| Well Error:         | 0.00                   | Output errors are at:       | 2.00 sigma                         |
| Reference Wellbore: | OH                     | Database:                   | HED - Compass_DSN                  |
| Reference Design:   | Plan #1                | Offset TVD Reference:       | Offset Datum:                      |

|                              |   |
|------------------------------|---|
| Reference:                   | Plan #1   |
| Filter type:                 | NO GLOBAL FILTER: Using user defined selection & filtering criteria |
| Interpolation Method:        | Stations Interval: 100.00usft                                       |
| Depth Range:                 | Unlimited   |
| Results Limited by:          | Maximum ellipse separation of 1,000.00usft                          |
| Warning Levels Evaluated at: | 2.00 - Sigma  |
| Error Model:                 | ISCWSA  |
| Scan Method:                 | Closest Approach 3D   |
| Error Surface:               | Pedal Curve   |
| Casing Method:               | Not applied   |

|                                  |                                  |
|----------------------------------|----------------------------------|
| Vertical Depth for Analysis:     | usft (Below TVD Reference Datum) |
| Level of Acceptable Risk (1 in): |                                  |
| Minimum Separation:              | usft                             |

|                      |      |              |                         |
|----------------------|------|--------------|-------------------------|
| Survey Tool Program: | MWD  | Date:        | 06/05/19                |
| From (usft):         | 0.00 | To (usft):   | 15,369.51: Plan #1 (OH) |
| Tool Name:           | MWD  | Description: | OWSG MWD - Standard     |

| Well Name                             | Reference Measured Depth (usft) | Offset Measured Depth (usft) | Distance Between Centres (usft) | Distance Between Ellipses (usft) | Separation Factor | Warning |
|---------------------------------------|---------------------------------|------------------------------|---------------------------------|----------------------------------|-------------------|---------|
| SEC 4 - T23S - R28E                   |                                 |                              |                                 |                                  |                   |         |
| Goonch Fed Com 04 131H - OH - Plan #1 | 1,916.53                        | 1,918.93                     | 208.87                          | 193.58                           | 15.562 CC         |         |
| Goonch Fed Com 04 131H - OH - Plan #1 | 2,000.00                        | 2,000.00                     | 208.87                          | 192.98                           | 14.893 ES         |         |
| Goonch Fed Com 04 131H - OH - Plan #1 | 15,369.51                       | 14,444.04                    | 1,303.37                        | 1,168.48                         | 9.661 SF          |         |
| Goonch Fed Com 04 132H - OH - Plan #1 | 2,597.26                        | 2,810.55                     | 58.48                           | 40.86                            | 3.321 CC          |         |
| Goonch Fed Com 04 132H - OH - Plan #1 | 3,500.00                        | 3,513.08                     | 62.49                           | 38.38                            | 2.582 ES          |         |
| Goonch Fed Com 04 132H - OH - Plan #1 | 9,000.00                        | 8,996.65                     | 122.89                          | 54.53                            | 1.788 SF          |         |
| Goonch Fed Com 04 211H - OH - Plan #1 | 1,916.43                        | 1,917.13                     | 202.66                          | 189.37                           | 15.244 CC         |         |
| Goonch Fed Com 04 211H - OH - Plan #1 | 2,100.00                        | 2,100.24                     | 203.27                          | 188.89                           | 13.950 ES         |         |
| Goonch Fed Com 04 211H - OH - Plan #1 | 9,300.00                        | 9,298.60                     | 569.16                          | 497.06                           | 7.894 SF          |         |
| Goonch Fed Com 04 212H - OH - Plan #1 | 2,017.77                        | 2,019.02                     | 40.01                           | 25.99                            | 2.855 CC          |         |
| Goonch Fed Com 04 212H - OH - Plan #1 | 2,300.00                        | 2,304.86                     | 40.95                           | 25.11                            | 2.585 ES          |         |
| Goonch Fed Com 04 212H - OH - Plan #1 | 2,400.00                        | 2,406.10                     | 41.99                           | 25.52                            | 2.550 SF          |         |
| Goonch Fed Com 04 221H - OH - Plan #1 | 2,000.00                        | 1,999.90                     | 208.00                          | 166.51                           | 14.427 CC ES      |         |
| Goonch Fed Com 04 221H - OH - Plan #1 | 15,369.51                       | 14,781.86                    | 1,096.01                        | 948.57                           | 7.334 SF          |         |
| Goonch Fed Com 04 222H - OH - Plan #1 | 2,551.49                        | 2,555.51                     | 19.64                           | 2.33                             | 1.134 Level 2 ES  |         |
| Goonch Fed Com 04 222H - OH - Plan #1 | 3,300.00                        | 3,304.25                     | 23.34                           | 0.55                             | 1.024 Level 2 ES  |         |
| Goonch Fed Com 04 222H - OH - Plan #1 | 3,400.00                        | 3,404.24                     | 24.17                           | 0.57                             | 1.024 Level 2 SF  |         |
| Goonch Fed Com 04 231H - OH - Plan #1 | 2,000.00                        | 2,000.00                     | 200.12                          | 186.23                           | 14.407 CC ES      |         |
| Goonch Fed Com 04 231H - OH - Plan #1 | 15,369.51                       | 15,354.95                    | 925.09                          | 758.60                           | 5.558 SF          |         |

| Reference | Offset | Between Centres | Between Ellipses | Minimum Separation | Separation Factor | Warning     |
|-----------|--------|-----------------|------------------|--------------------|-------------------|-------------|
| 0.00      | 0.00   | 0.00            | 0.00             | 0.00               | 0                 | < 1 in 1E+9 |
| 100.00    | 100.00 | 0.13            | 0.14             | 208.87             | 0.27              | 1 in 1E+9   |
| 200.00    | 200.00 | 0.49            | 0.49             | 208.87             | 0.69              | 1 in 1E+9   |
| 300.00    | 300.00 | 0.85            | 0.85             | 208.87             | 1.10              | 1 in 1E+9   |

LLC

sk Report



Directional  
in Risk Report

Local Co-ordinate Reference:  
Well Geocent Fed Cam 04 232H  
GL 3013.6' - 25 KB @ 3038 00uoft  
GL 3013.6' - 25 KB @ 3038 00uoft

Project:  
Eddy County, NM  
SEC 4 - T235 - R28E

Reference Site:  
Site Error:  
0.00

Reference Well:  
Well Error:  
0.00

Reference Wellbore:  
OH

Reference Design:  
Plan #1

| Plan #1 | Well   | Minumum Separation | Factor   | Blocked | Probability | Other Use Error | Other Well Error |
|---------|--------|--------------------|----------|---------|-------------|-----------------|------------------|
| (ft)    | (ft)   | (ft)               | (ft)     | (ft)    | (ft)        | (ft)            | (ft)             |
| 7       | 704.45 | 2.42               | 65.44    | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 300.73 | 3.14               | 65.824   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 300.00 | 3.68               | 65.602   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 600.00 | 6.69               | 65.841   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 300.54 | 5.29               | 65.315   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 300.87 | 6.01               | 64.443   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 300.15 | 7.15               | 65.77    | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 300.45 | 6.72               | 65.772   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.45 | 7.44               | 62.869   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.72 | 8.10               | 65.282   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.00 | 8.87               | 62.371   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.00 | 9.59               | 65.000   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.56 | 10.31              | 62.076   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.13 | 11.04              | 61.605   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.41 | 11.74              | 61.619   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.10 | 12.45              | 61.170   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.38 | 13.23              | 61.590   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 13.99              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 14.74              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 15.48              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 16.22              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 16.96              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 17.70              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 18.44              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 19.18              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 19.92              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 20.66              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 21.40              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 22.14              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 22.88              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 23.62              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 24.36              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 25.10              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 25.84              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 26.58              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 27.32              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 28.06              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 28.80              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 29.54              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 30.28              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 31.02              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 31.76              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 32.50              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 33.24              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 33.98              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 34.72              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 35.46              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 36.20              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 36.94              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 37.68              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 38.42              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 39.16              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 39.90              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 40.64              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 41.38              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 42.12              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 42.86              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 43.60              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 44.34              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 45.08              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 45.82              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 46.56              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 47.30              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 48.04              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 48.78              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 49.52              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 50.26              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 51.00              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 51.74              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 52.48              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 53.22              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 53.96              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 54.70              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 55.44              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 56.18              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 56.92              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 57.66              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 58.40              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 59.14              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 59.88              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 60.62              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 61.36              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 62.10              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 62.84              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 63.58              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 64.32              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 65.06              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 65.80              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 66.54              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 67.28              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 68.02              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 68.76              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 69.50              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 70.24              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 70.98              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 71.72              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 72.46              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 73.20              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 73.94              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 74.68              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 75.42              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 76.16              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 76.90              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 77.64              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 78.38              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 79.12              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 79.86              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 80.60              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 81.34              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 82.08              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 82.82              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 83.56              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 84.30              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 85.04              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 85.78              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 86.52              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 87.26              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 88.00              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 88.74              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 89.48              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 90.22              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 90.96              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 91.70              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 92.44              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 93.18              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 93.92              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 94.66              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 95.40              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 96.14              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 96.88              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 97.62              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 98.36              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 99.10              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 99.84              | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 100.58             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 101.32             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 102.06             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 102.80             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 103.54             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 104.28             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 105.02             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 105.76             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 106.50             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 107.24             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 107.98             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 108.72             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 109.46             | 61.493   | 0       | < 1.0E-9    | 0.00            | 0.00             |
| 7       | 159.28 | 110.20             | 61.493</ |         |             |                 |                  |

**Directional  
on Risk Report**



Local Co-ordinate Reference: Well Goonch Fed Com 04 232H  
 D Reference: GL 3013.6' ± 25' KB @ 3038.60usft  
 E Reference: GL 3013.6' ± 25' KB @ 3038.60usft  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Database: HED\_Compass\_DS.N  
 Offset TVD Reference: Offset Datum

| Plan #1 | Offset Error: | Offset Well Error: |   |           |    |
|---------|---------------|--------------------|---|-----------|----|
|         | 0.00 usft     | 0.00 usft          |   |           |    |
| 38      | 1,274.47      | 60.01 22.629       | 0 | 1.1m 1E+9 |    |
| 49      | 1,275.84      | 60.54 22.078       | 0 | 1.1m 1E+9 |    |
| 33      | 1,276.84      | 60.49 22.107       | 0 | 1.1m 1E+9 |    |
| 21      | 1,277.13      | 60.48 22.116       | 0 | 1.1m 1E+9 |    |
| 35      | 1,278.87      | 60.38 22.113       | 0 | 1.1m 1E+9 |    |
| 76      | 1,278.28      | 60.45 22.106       | 0 | 1.1m 1E+9 |    |
| 14      | 1,278.51      | 60.53 22.072       | 0 | 1.1m 1E+9 |    |
| 32      | 1,274.03      | 60.86 22.094       | 0 | 1.1m 1E+9 |    |
| 19      | 1,273.84      | 60.96 21.856       | 0 | 1.1m 1E+9 |    |
| 17      | 1,272.54      | 61.33 21.750       | 0 | 1.1m 1E+9 |    |
| 15      | 1,271.34      | 61.82 21.567       | 0 | 1.1m 1E+9 |    |
| 43      | 1,270.02      | 62.41 21.350       | 0 | 1.1m 1E+9 |    |
| 71      | 1,268.60      | 63.19 21.102       | 0 | 1.1m 1E+9 |    |
| 26      | 1,267.58      | 63.90 20.830       | 0 | 1.1m 1E+9 |    |
| 27      | 1,265.48      | 64.79 20.532       | 0 | 1.1m 1E+9 |    |
| 35      | 1,263.77      | 65.77 20.214       | 0 | 1.1m 1E+9 |    |
| 33      | 1,261.90      | 66.84 19.880       | 0 | 1.1m 1E+9 |    |
| 11      | 1,260.11      | 67.90 19.533       | 0 | 1.1m 1E+9 |    |
| 30      | 1,258.16      | 69.25 19.178       | 0 | 1.1m 1E+9 |    |
| 37      | 1,256.14      | 70.52 18.811       | 0 | 1.1m 1E+9 |    |
| 25      | 1,254.02      | 71.50 18.441       | 0 | 1.1m 1E+9 |    |
| 23      | 1,251.89      | 72.34 18.068       | 0 | 1.1m 1E+9 |    |
| 52      | 1,250.92      | 74.05 17.686       | 0 | 1.1m 1E+9 |    |
| 40      | 1,247.39      | 76.41 17.329       | 0 | 1.1m 1E+9 |    |
| 38      | 1,245.90      | 78.02 16.968       | 0 | 1.1m 1E+9 |    |
| 36      | 1,242.88      | 79.98 16.594       | 0 | 1.1m 1E+9 |    |
| 35      | 1,240.35      | 81.40 16.236       | 0 | 1.1m 1E+9 |    |
| 13      | 1,237.79      | 83.18 15.884       | 0 | 1.1m 1E+9 |    |
| 12      | 1,235.26      | 84.80 15.538       | 0 | 1.1m 1E+9 |    |
| 10      | 1,232.70      | 86.80 15.201       | 0 | 1.1m 1E+9 |    |
| 19      | 1,230.11      | 88.68 14.872       | 0 | 1.1m 1E+9 |    |
| 27      | 1,227.49      | 90.59 14.550       | 0 | 1.1m 1E+9 |    |
| 19      | 1,224.83      | 92.53 14.237       | 0 | 1.1m 1E+9 |    |
| 13      | 1,222.15      | 94.50 13.930       | 0 | 1.1m 1E+9 |    |
| 13      | 1,219.44      | 96.50 13.637       | 0 | 1.1m 1E+9 |    |
| 12      | 1,216.70      | 98.52 13.350       | 0 | 1.1m 1E+9 |    |
| 11      | 1,213.94      | 100.67 13.071      | 0 | 1.1m 1E+9 |    |
| 19      | 1,211.15      | 102.64 12.800      | 0 | 1.1m 1E+9 |    |
| 18      | 1,208.35      | 104.73 12.536      | 0 | 1.1m 1E+9 |    |
| 17      | 1,205.53      | 106.84 12.283      | 0 | 1.1m 1E+9 |    |
| 38      | 1,202.69      | 108.97 12.030      | 0 | 1.1m 1E+9 |    |
| 11      | 1,199.83      | 111.12 11.787      | 0 | 1.1m 1E+9 |    |
| 24      | 1,196.95      | 113.28 11.556      | 0 | 1.1m 1E+9 |    |
| 19      | 1,194.02      | 115.48 11.342      | 0 | 1.1m 1E+9 |    |
| 32      | 1,191.16      | 117.60 11.124      | 0 | 1.1m 1E+9 |    |
| 11      | 1,188.25      | 119.80 10.913      | 0 | 1.1m 1E+9 |    |
| 4       | 1,185.31      | 122.00 10.709      | 0 | 1.1m 1E+9 |    |
| 39      | 1,182.38      | 124.31 10.512      | 0 | 1.1m 1E+9 |    |
| 39      | 1,179.43      | 126.66 10.320      | 0 | 1.1m 1E+9 |    |
| 39      | 1,176.47      | 129.00 10.134      | 0 | 1.1m 1E+9 |    |
| 7       | 1,173.51      | 131.06 9.954       | 0 | 1.1m 1E+9 |    |
| 15      | 1,170.53      | 133.33 9.779       | 0 | 1.1m 1E+9 |    |
| 17      | 1,166.48      | 134.92 9.601       | 0 | 1.1m 1E+9 | SF |

nt, SF - min separation factor, ES - min ellipse separation  
 COMPASS 5000.15 Build 91

**Hawkeye Directional  
Anticollision Risk Report**



Company: Novo Oil & Gas, LLC  
 Project: Eddy County, NM  
 Reference Site: SEC 4 - T23S - R28E  
 Well Error: 0.00  
 Reference Well: Goonch Fed Com 04 232H  
 Well Error: 0.00  
 Reference Wellbore: OH  
 Reference Design: Plan #1  
 Local Co-ordinate Reference: Well Goonch Fed Com 04 232H  
 TVD Reference: GL 3013.6' ± 25' KB @ 3038.60usft  
 MD Reference: GL 3013.6' ± 25' KB @ 3038.60usft  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Database: HED\_Compass\_DS.N  
 Offset TVD Reference: Offset Datum

| Offset Design SEC 4 - T23S - R28E - Goonch Fed Com 04 132H - OH - Plan #1 |          |          |          |           |       |         |           |         |         |            |              |        |             | Offset Error:      |
|---|----------|----------|----------|-----------|-------|---------|-----------|---------|---------|------------|--------------|--------|-------------|--------------------|
| Survey Program: O-MWD   |          |          |          |           |       |         |           |         |         |            |              |        |             | Offset Well Error: |
| Reference   |          |          |          |           |       |         |           |         |         |            |              |        |             | Offset Well Error: |
| Measured  | Vertical | Measured | Vertical | Reference | Other | Between | Well-Well | Between | Minimum | Separation | Separation   | Risked | Probability | Warning            |
| (ft)  | (ft)     | (ft)     | (ft)     | (ft)      | (ft)  | (ft)    | (ft)      | (ft)    | (ft)    | (ft)       | (ft)         | (ft)   | (ft)        |                    |
| 0.00  | 0.00     | 0.00     | 0.00     | 0.00      | 0.00  | 60.03   | 60.03     | 60.03   | 60.03   | 59.78      | 0.27 220.642 | 0      | 1.1m 1E+9   |                    |
| 100.00  | 100.00   | 100.00   | 100.00   | 0.13      | 0.14  | 60.03   | 60.03     | 60.03   | 60.03   | 59.04      | 0.90 30.625  | 0      | 1.1m 1E+9   |                    |
| 200.00  | 200.00   | 200.00   | 200.00   | 0.48      | 0.50  | 60.03   | 60.03     | 60.03   | 60.03   | 58.33      | 1.71 35.190  | 0      | 1.1m 1E+9   |                    |
| 300.00  | 300.00   | 300.00   | 300.00   | 0.95      | 0.95  | 60.03   | 60.03     | 60.03   | 60.03   | 57.61      | 2.40 24.777  | 0      | 1.1m 1E+9   |                    |
| 400.00  | 400.00   | 400.00   | 400.00   | 1.21      | 1.21  | 60.03   | 60.03     | 60.03   | 60.03   | 56.89      | 3.14 18.118  | 0      | 1.1m 1E+9   |                    |
| 500.00  | 500.00   | 500.00   | 500.00   | 1.57      | 1.57  | 60.03   | 60.03     | 60.03   | 60.03   | 56.18      | 3.80 15.595  | 0      | 1.1m 1E+9   |                    |
| 600.00  | 600.00   | 600.00   | 600.00   | 1.93      | 1.93  | 60.03   | 60.03     | 60.03   | 60.03   | 55.46      | 4.50 12.725  | 0      | 1.1m 1E+9   |                    |
| 700.00  | 700.00   | 700.00   | 700.00   | 2.29      | 2.29  | 60.03   | 60.03     | 60.03   | 60.03   | 54.74      | 5.20 11.347  | 0      | 1.1m 1E+9   |                    |
| 800.00  | 800.00   | 800.00   | 800.00   | 2.64      | 2.65  | 60.03   | 60.03     | 60.03   | 60.03   | 54.02      | 6.01 9.963   | 0      | 1.1m 1E+9   |                    |
| 900.00  | 900.00   | 900.00   | 900.00   | 3.00      | 3.01  | 60.03   | 60.03     | 60.03   | 60.03   | 53.31      | 6.72 8.927   | 0      | 1.1m 1E+9   |                    |
| 1,000.00  | 1,000.00 | 1,000.00 | 1,000.00 | 3.35      | 3.35  | 60.03   | 60.03     | 60.03   | 60.03   | 52.59      | 7.44 8.087   | 0      | 1.1m 1E+9   |                    |
| 1,100.00  | 1,100.00 | 1,100.00 | 1,100.00 | 3.72      | 3.72  | 60.03   | 60.03     | 60.03   | 60.03   | 51.87      | 8.16 7.504   | 0      | 1.1m 1E+9   |                    |
| 1,200.00  | 1,200.00 | 1,200.00 | 1,200.00 | 4.08      | 4.09  | 60.03   | 60.03     | 60.03   | 60.03   | 51.16      | 8.88 7.076   | 0      | 1.1m 1E+9   |                    |
| 1,300.00  | 1,300.00 | 1,300.00 | 1,300.00 | 4.44      | 4.44  | 60.03   | 60.03     | 60.03   | 60.03   | 50.44      | 9.60 6.768   | 0      | 1.1m 1E+9   |                    |
| 1,400.00  | 1,400.00 | 1,400.00 | 1,400.00 | 4.79      | 4.80  | 60.03   | 60.03     | 60.03   | 60.03   | 49.72      | 10.31 6.523  | 0      | 1.1m 1E+9   |                    |
| 1,500.00  | 1,500.00 | 1,500.00 | 1,500.00 | 5.15      | 5.16  | 60.03   | 60.03     | 60.03   | 60.03   | 49.01      | 11.01 6.345  | 0      | 1.1m 1E+9   |                    |
| 1,600.00  | 1,600.00 | 1,600.00 | 1,600.00 | 5.51      | 5.51  | 60.03   | 60.03     | 60.03   | 60.03   | 48.31      | 11.63 6.245  | 0      | 1.1m 1E+9   |                    |
| 1,700.00  | 1,700.00 | 1,700.00 | 1,700.00 | 5.87      | 5.87  | 60.03   | 60.03     | 60.03   | 60.03   | 47.60      | 11.74 6.112  | 0      | 1.1m 1E+9   |                    |
| 1,800.00  | 1,800.00 | 1,800.00 | 1,800.00 | 6.23      | 6.23  | 60.03   | 60.03     | 60.03   | 60.03   | 47.00      | 12.40 6.018  | 0      | 1.1m 1E+9   |                    |
| 1,900.00  | 1,900.00 | 1,900.00 | 1,900.00 | 6.59      | 6.59  | 60.03   | 60.03     | 60.03   | 60.03   | 46.40      | 13.18 5.956  | 0      | 1.1m 1E+9   |                    |
| 2,000.00  | 2,000.00 | 2,000.00 | 2,000.00 | 6.95      | 6.95  | 60.03   | 60.03     | 60.03   | 60.03   | 45.81      | 13.98 5.914  | 0      | 1.1m 1E+9   |                    |
| 2,100.00  | 2,100.00 | 2,100.00 | 2,100.00 | 7.30      | 7.30  | 59.99   | 59.99     | 59.99   | 59.99   | 45.23      | 14.87 5.884  | 0      | 1.1m 1E+9   |                    |
| 2,200.00  | 2,200.00 | 2,200.00 | 2,200.00 | 7.61      | 7.61  | 59.99   | 59.99     | 59.99   | 59.99   | 44.66      | 15.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 2,300.00  | 2,300.00 | 2,300.00 | 2,300.00 | 7.94      | 7.94  | 59.99   | 59.99     | 59.99   | 59.99   | 44.10      | 16.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 2,400.00  | 2,400.00 | 2,400.00 | 2,400.00 | 8.27      | 8.27  | 59.99   | 59.99     | 59.99   | 59.99   | 43.55      | 17.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 2,500.00  | 2,500.00 | 2,500.00 | 2,500.00 | 8.61      | 8.61  | 59.99   | 59.99     | 59.99   | 59.99   | 43.01      | 18.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 2,600.00  | 2,600.00 | 2,600.00 | 2,600.00 | 8.95      | 8.95  | 59.99   | 59.99     | 59.99   | 59.99   | 42.48      | 19.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 2,700.00  | 2,700.00 | 2,700.00 | 2,700.00 | 9.29      | 9.29  | 59.99   | 59.99     | 59.99   | 59.99   | 41.95      | 20.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 2,800.00  | 2,800.00 | 2,800.00 | 2,800.00 | 9.63      | 9.63  | 59.99   | 59.99     | 59.99   | 59.99   | 41.42      | 21.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 2,900.00  | 2,900.00 | 2,900.00 | 2,900.00 | 9.97      | 9.97  | 59.99   | 59.99     | 59.99   | 59.99   | 40.89      | 22.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,000.00  | 3,000.00 | 3,000.00 | 3,000.00 | 10.31     | 10.31 | 59.99   | 59.99     | 59.99   | 59.99   | 40.36      | 23.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,100.00  | 3,100.00 | 3,100.00 | 3,100.00 | 10.65     | 10.65 | 59.99   | 59.99     | 59.99   | 59.99   | 39.83      | 24.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,200.00  | 3,200.00 | 3,200.00 | 3,200.00 | 10.99     | 10.99 | 59.99   | 59.99     | 59.99   | 59.99   | 39.30      | 25.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,300.00  | 3,300.00 | 3,300.00 | 3,300.00 | 11.33     | 11.33 | 59.99   | 59.99     | 59.99   | 59.99   | 38.77      | 26.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,400.00  | 3,400.00 | 3,400.00 | 3,400.00 | 11.67     | 11.67 | 59.99   | 59.99     | 59.99   | 59.99   | 38.24      | 27.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,500.00  | 3,500.00 | 3,500.00 | 3,500.00 | 12.01     | 12.01 | 59.99   | 59.99     | 59.99   | 59.99   | 37.71      | 28.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,600.00  | 3,600.00 | 3,600.00 | 3,600.00 | 12.35     | 12.35 | 59.99   | 59.99     | 59.99   | 59.99   | 37.18      | 29.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,700.00  | 3,700.00 | 3,700.00 | 3,700.00 | 12.69     | 12.69 | 59.99   | 59.99     | 59.99   | 59.99   | 36.65      | 30.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,800.00  | 3,800.00 | 3,800.00 | 3,800.00 | 13.03     | 13.03 | 59.99   | 59.99     | 59.99   | 59.99   | 36.12      | 31.83 5.870  | 0      | 1.1m 1E+9   |                    |
| 3,900.00  | 3,900.00 | 3,900.00 | 3,900.00 | 13.37     | 13.37 | 59.99   | 59.99     | 59.99   | 59.99   | 35.59      | 32.83 5.870  | 0      | 1.1m 1E+9   |                    |

Directional  
on Risk Report



Local Co-ordinate Reference: Well Gooch Fed Com 04 232H  
 D Reference: GL 3013.6' + 25' KB @ 3038.60usft  
 Reference: GL 3013.6' + 25' KB @ 3038.60usft  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Database: HED\_Compass\_DSN  
 Offset TVD Reference: Offset Datum

| Plan #1 | Offset Well Error: 0.00 usft | Offset Well Error: 0.00 usft |            |              |           |
|---------|------------------------------|------------------------------|------------|--------------|-----------|
| Between | Minimum                      | Separation                   | Risked     | Probability  | Warning   |
| Depth   | Separation                   | Factor                       | Separation | of Collision |           |
| M       | 51.82                        | 49.21                        | 2.071      | 0            | <1 m 1E-9 |
| 1       | 52.43                        | 49.18                        | 2.068      | 0            | <1 m 1E-9 |
| 2       | 53.23                        | 50.15                        | 2.062      | 0            | <1 m 1E-9 |
| 3       | 54.00                        | 51.12                        | 2.058      | 0            | <1 m 1E-9 |
| 4       | 54.83                        | 52.09                        | 2.055      | 0            | <1 m 1E-9 |
| 5       | 55.70                        | 53.06                        | 2.051      | 0            | <1 m 1E-9 |
| 6       | 56.60                        | 54.04                        | 2.048      | 0            | <1 m 1E-9 |
| 7       | 57.54                        | 55.01                        | 2.046      | 0            | <1 m 1E-9 |
| 8       | 58.51                        | 55.97                        | 2.044      | 0            | <1 m 1E-9 |
| 9       | 59.51                        | 56.93                        | 2.042      | 0            | <1 m 1E-9 |
| 10      | 60.54                        | 57.89                        | 2.040      | 0            | <1 m 1E-9 |
| 11      | 61.60                        | 58.85                        | 2.038      | 0            | <1 m 1E-9 |
| 12      | 62.69                        | 59.81                        | 2.036      | 0            | <1 m 1E-9 |
| 13      | 63.81                        | 60.77                        | 2.034      | 0            | <1 m 1E-9 |
| 14      | 64.95                        | 61.73                        | 2.032      | 0            | <1 m 1E-9 |
| 15      | 66.11                        | 62.69                        | 2.030      | 0            | <1 m 1E-9 |
| 16      | 67.29                        | 63.65                        | 2.028      | 0            | <1 m 1E-9 |
| 17      | 68.49                        | 64.61                        | 2.026      | 0            | <1 m 1E-9 |
| 18      | 69.71                        | 65.57                        | 2.024      | 0            | <1 m 1E-9 |
| 19      | 70.95                        | 66.53                        | 2.022      | 0            | <1 m 1E-9 |
| 20      | 72.21                        | 67.49                        | 2.020      | 0            | <1 m 1E-9 |
| 21      | 73.49                        | 68.45                        | 2.018      | 0            | <1 m 1E-9 |
| 22      | 74.79                        | 69.41                        | 2.016      | 0            | <1 m 1E-9 |
| 23      | 76.11                        | 70.37                        | 2.014      | 0            | <1 m 1E-9 |
| 24      | 77.45                        | 71.33                        | 2.012      | 0            | <1 m 1E-9 |
| 25      | 78.81                        | 72.29                        | 2.010      | 0            | <1 m 1E-9 |
| 26      | 80.19                        | 73.25                        | 2.008      | 0            | <1 m 1E-9 |
| 27      | 81.59                        | 74.21                        | 2.006      | 0            | <1 m 1E-9 |
| 28      | 83.01                        | 75.17                        | 2.004      | 0            | <1 m 1E-9 |
| 29      | 84.45                        | 76.13                        | 2.002      | 0            | <1 m 1E-9 |
| 30      | 85.91                        | 77.09                        | 2.000      | 0            | <1 m 1E-9 |
| 31      | 87.39                        | 78.05                        | 1.998      | 0            | <1 m 1E-9 |
| 32      | 88.89                        | 79.01                        | 1.996      | 0            | <1 m 1E-9 |
| 33      | 90.41                        | 79.97                        | 1.994      | 0            | <1 m 1E-9 |
| 34      | 91.95                        | 80.93                        | 1.992      | 0            | <1 m 1E-9 |
| 35      | 93.51                        | 81.89                        | 1.990      | 0            | <1 m 1E-9 |
| 36      | 95.09                        | 82.85                        | 1.988      | 0            | <1 m 1E-9 |
| 37      | 96.69                        | 83.81                        | 1.986      | 0            | <1 m 1E-9 |
| 38      | 98.31                        | 84.77                        | 1.984      | 0            | <1 m 1E-9 |
| 39      | 100.00                       | 85.73                        | 1.982      | 0            | <1 m 1E-9 |
| 40      | 101.70                       | 86.69                        | 1.980      | 0            | <1 m 1E-9 |
| 41      | 103.42                       | 87.65                        | 1.978      | 0            | <1 m 1E-9 |
| 42      | 105.16                       | 88.61                        | 1.976      | 0            | <1 m 1E-9 |
| 43      | 106.92                       | 89.57                        | 1.974      | 0            | <1 m 1E-9 |
| 44      | 108.70                       | 90.53                        | 1.972      | 0            | <1 m 1E-9 |
| 45      | 110.50                       | 91.49                        | 1.970      | 0            | <1 m 1E-9 |
| 46      | 112.32                       | 92.45                        | 1.968      | 0            | <1 m 1E-9 |
| 47      | 114.16                       | 93.41                        | 1.966      | 0            | <1 m 1E-9 |
| 48      | 116.02                       | 94.37                        | 1.964      | 0            | <1 m 1E-9 |
| 49      | 117.90                       | 95.33                        | 1.962      | 0            | <1 m 1E-9 |
| 50      | 119.80                       | 96.29                        | 1.960      | 0            | <1 m 1E-9 |
| 51      | 121.72                       | 97.25                        | 1.958      | 0            | <1 m 1E-9 |
| 52      | 123.66                       | 98.21                        | 1.956      | 0            | <1 m 1E-9 |
| 53      | 125.62                       | 99.17                        | 1.954      | 0            | <1 m 1E-9 |
| 54      | 127.60                       | 100.13                       | 1.952      | 0            | <1 m 1E-9 |
| 55      | 129.60                       | 101.09                       | 1.950      | 0            | <1 m 1E-9 |
| 56      | 131.62                       | 102.05                       | 1.948      | 0            | <1 m 1E-9 |
| 57      | 133.66                       | 103.01                       | 1.946      | 0            | <1 m 1E-9 |
| 58      | 135.72                       | 103.97                       | 1.944      | 0            | <1 m 1E-9 |
| 59      | 137.80                       | 104.93                       | 1.942      | 0            | <1 m 1E-9 |
| 60      | 139.90                       | 105.89                       | 1.940      | 0            | <1 m 1E-9 |
| 61      | 142.02                       | 106.85                       | 1.938      | 0            | <1 m 1E-9 |
| 62      | 144.16                       | 107.81                       | 1.936      | 0            | <1 m 1E-9 |
| 63      | 146.32                       | 108.77                       | 1.934      | 0            | <1 m 1E-9 |
| 64      | 148.50                       | 109.73                       | 1.932      | 0            | <1 m 1E-9 |
| 65      | 150.70                       | 110.69                       | 1.930      | 0            | <1 m 1E-9 |
| 66      | 152.92                       | 111.65                       | 1.928      | 0            | <1 m 1E-9 |
| 67      | 155.16                       | 112.61                       | 1.926      | 0            | <1 m 1E-9 |
| 68      | 157.42                       | 113.57                       | 1.924      | 0            | <1 m 1E-9 |
| 69      | 159.70                       | 114.53                       | 1.922      | 0            | <1 m 1E-9 |
| 70      | 162.00                       | 115.49                       | 1.920      | 0            | <1 m 1E-9 |
| 71      | 164.32                       | 116.45                       | 1.918      | 0            | <1 m 1E-9 |
| 72      | 166.66                       | 117.41                       | 1.916      | 0            | <1 m 1E-9 |
| 73      | 169.02                       | 118.37                       | 1.914      | 0            | <1 m 1E-9 |
| 74      | 171.40                       | 119.33                       | 1.912      | 0            | <1 m 1E-9 |
| 75      | 173.80                       | 120.29                       | 1.910      | 0            | <1 m 1E-9 |
| 76      | 176.22                       | 121.25                       | 1.908      | 0            | <1 m 1E-9 |
| 77      | 178.66                       | 122.21                       | 1.906      | 0            | <1 m 1E-9 |
| 78      | 181.12                       | 123.17                       | 1.904      | 0            | <1 m 1E-9 |
| 79      | 183.60                       | 124.13                       | 1.902      | 0            | <1 m 1E-9 |
| 80      | 186.10                       | 125.09                       | 1.900      | 0            | <1 m 1E-9 |
| 81      | 188.62                       | 126.05                       | 1.898      | 0            | <1 m 1E-9 |
| 82      | 191.16                       | 127.01                       | 1.896      | 0            | <1 m 1E-9 |
| 83      | 193.72                       | 127.97                       | 1.894      | 0            | <1 m 1E-9 |
| 84      | 196.30                       | 128.93                       | 1.892      | 0            | <1 m 1E-9 |
| 85      | 198.90                       | 129.89                       | 1.890      | 0            | <1 m 1E-9 |
| 86      | 201.52                       | 130.85                       | 1.888      | 0            | <1 m 1E-9 |
| 87      | 204.16                       | 131.81                       | 1.886      | 0            | <1 m 1E-9 |
| 88      | 206.82                       | 132.77                       | 1.884      | 0            | <1 m 1E-9 |
| 89      | 209.50                       | 133.73                       | 1.882      | 0            | <1 m 1E-9 |
| 90      | 212.20                       | 134.69                       | 1.880      | 0            | <1 m 1E-9 |
| 91      | 214.92                       | 135.65                       | 1.878      | 0            | <1 m 1E-9 |
| 92      | 217.66                       | 136.61                       | 1.876      | 0            | <1 m 1E-9 |
| 93      | 220.42                       | 137.57                       | 1.874      | 0            | <1 m 1E-9 |
| 94      | 223.20                       | 138.53                       | 1.872      | 0            | <1 m 1E-9 |
| 95      | 226.00                       | 139.49                       | 1.870      | 0            | <1 m 1E-9 |
| 96      | 228.82                       | 140.45                       | 1.868      | 0            | <1 m 1E-9 |
| 97      | 231.66                       | 141.41                       | 1.866      | 0            | <1 m 1E-9 |
| 98      | 234.52                       | 142.37                       | 1.864      | 0            | <1 m 1E-9 |
| 99      | 237.40                       | 143.33                       | 1.862      | 0            | <1 m 1E-9 |
| 100     | 240.30                       | 144.29                       | 1.860      | 0            | <1 m 1E-9 |

1. SF = min separation factor, ES = min ellipse separation  
 COMPASS 5000.15 Build 91

Hawkéye Directional  
Anticollision Risk Report



Company: Novo Oil & Gas, LLC  
 Project: Eddy County, NM  
 Reference Site: SEC 4 - T235 - R28E  
 Site Error: 0.00  
 Reference Well: Gooch Fed Com 04 232H  
 Well Error: 0.00  
 Reference Wellbore: OH  
 Reference Design: Plan #1  
 Local Co-ordinate Reference: Well Gooch Fed Com 04 232H  
 TVD Reference: GL 3013.6' + 25' KB @ 3038.60usft  
 MD Reference: GL 3013.6' + 25' KB @ 3038.60usft  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Database: HED\_Compass\_DSN  
 Offset TVD Reference: Offset Datum

| Offset Design SEC 4 - T235 - R28E - Gooch Fed Com 04 12H - OH - Plan #1 |           |           |          |           |        |         |           |         |            |            |            | Offset Well Error: 0.00 usft |         |
|---|-----------|-----------|----------|-----------|--------|---------|-----------|---------|------------|------------|------------|------------------------------|---------|
| Measured  | Vertical  | Measured  | Vertical | Reference | Offset | Between | Well-Well | Between | Minimum    | Separation | Risked     | Probability                  | Warning |
| Depth   | Depth     | Depth     | Depth    | Reference | Offset | Centres | Distances | Centres | Separation | Factor     | Separation | of Collision                 |         |
| (usft)  | (usft)    | (usft)    | (usft)   | (usft)    | (usft) | (usft)  | (usft)    | (usft)  | (usft)     | (usft)     | (usft)     |                              |         |
| 10,490.00   | 10,228.98 | 9,925.00  | 9,331.28 | 39.20     | 35.04  | 918.86  | 918.86    | 600.90  | 37.67      | 24.386     | 0          | <1 m 1E-9                    |         |
| 10,476.00   | 10,240.21 | 9,938.89  | 9,333.73 | 38.18     | 35.02  | 923.63  | 923.63    | 606.16  | 37.67      | 24.325     | 0          | <1 m 1E-9                    |         |
| 10,452.00   | 10,246.31 | 9,950.50  | 9,335.72 | 38.12     | 35.00  | 929.22  | 929.22    | 612.55  | 37.67      | 24.261     | 0          | <1 m 1E-9                    |         |
| 10,428.00   | 10,252.18 | 9,960.00  | 9,335.98 | 38.05     | 35.00  | 934.78  | 934.78    | 619.11  | 37.67      | 24.197     | 0          | <1 m 1E-9                    |         |
| 10,404.00   | 10,257.74 | 9,967.27  | 9,337.16 | 38.05     | 34.98  | 940.40  | 940.40    | 625.86  | 37.73      | 24.133     | 0          | <1 m 1E-9                    |         |
| 10,379.00   | 10,263.04 | 9,972.00  | 9,338.21 | 38.01     | 34.96  | 946.22  | 946.22    | 632.81  | 37.81      | 24.068     | 0          | <1 m 1E-9                    |         |
| 10,354.00   | 10,268.03 | 9,975.00  | 9,339.17 | 37.97     | 34.94  | 952.23  | 952.23    | 639.97  | 37.90      | 24.003     | 0          | <1 m 1E-9                    |         |
| 10,329.00   | 10,267.78 | 9,969.68  | 9,339.25 | 37.93     | 34.94  | 958.46  | 958.46    | 647.36  | 38.00      | 23.938     | 0          | <1 m 1E-9                    |         |
| 10,304.00   | 10,268.18 | 9,962.50  | 9,339.72 | 37.90     | 34.92  | 964.94  | 964.94    | 654.99  | 38.10      | 23.873     | 0          | <1 m 1E-9                    |         |
| 10,279.00   | 10,268.15 | 9,953.41  | 9,340.00 | 37.83     | 34.89  | 971.68  | 971.68    | 662.86  | 38.20      | 23.808     | 0          | <1 m 1E-9                    |         |
| 10,254.00   | 10,267.84 | 9,942.00  | 9,340.00 | 37.82     | 34.88  | 978.68  | 978.68    | 670.98  | 38.24      | 23.743     | 0          | <1 m 1E-9                    |         |
| 10,229.00   | 10,268.20 | 9,928.00  | 9,340.00 | 37.75     | 34.86  | 985.94  | 985.94    | 679.47  | 38.28      | 23.678     | 0          | <1 m 1E-9                    |         |
| 10,204.00   | 10,268.22 | 9,912.00  | 9,340.00 | 37.74     | 34.84  | 993.46  | 993.46    | 688.24  | 38.31      | 23.613     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.24 | 10,012.00 | 9,340.00 | 37.61     | 34.77  | 995.75  | 995.75    | 697.31  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.26 | 10,012.00 | 9,340.00 | 37.50     | 34.68  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.27 | 10,012.00 | 9,340.00 | 37.44     | 34.66  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.29 | 10,012.00 | 9,340.00 | 37.44     | 34.64  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.31 | 10,012.00 | 9,340.00 | 37.44     | 34.62  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.33 | 10,012.00 | 9,340.00 | 37.44     | 34.60  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.35 | 10,012.00 | 9,340.00 | 37.44     | 34.58  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.37 | 10,012.00 | 9,340.00 | 37.44     | 34.56  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.39 | 10,012.00 | 9,340.00 | 37.44     | 34.54  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.41 | 10,012.00 | 9,340.00 | 37.44     | 34.52  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.43 | 10,012.00 | 9,340.00 | 37.44     | 34.50  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.45 | 10,012.00 | 9,340.00 | 37.44     | 34.48  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.47 | 10,012.00 | 9,340.00 | 37.44     | 34.46  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.49 | 10,012.00 | 9,340.00 | 37.44     | 34.44  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.51 | 10,012.00 | 9,340.00 | 37.44     | 34.42  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.53 | 10,012.00 | 9,340.00 | 37.44     | 34.40  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.55 | 10,012.00 | 9,340.00 | 37.44     | 34.38  | 995.60  | 995.60    | 695.10  | 38.34      | 23.548     | 0          | <1 m 1E-9                    |         |
| 11,000.00   | 10,268.57 | 10,       |          |           |        |         |           |         |            |            |            |                              |         |

**a Directional  
on Risk Report.**



Local Co-ordinate Reference: Well Gonch Fed Com 04 232H  
 D Reference: GL 3013.6 + 25 KB @ 3038.60ust  
 Reference: GL 3013.6 + 25 KB @ 3038.60ust  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Database: HED\_Compass\_DSN  
 Offset TVD Reference: Offset Datum

| Plan #1 | Offset Min Error | Offset Max Error | Offset Wall Error |
|---------|------------------|------------------|-------------------|
| 30      | 202.59           | 0.27             | 746.931           |
| 30      | 201.67           | 0.99             | 205.680           |
| 30      | 200.98           | 1.71             | 118.848           |
| 30      | 200.24           | 2.42             | 83.865            |
| 30      | 199.52           | 3.14             | 84.560            |
| 30      | 198.81           | 3.86             | 52.597            |
| 30      | 198.08           | 4.57             | 44.319            |
| 30      | 197.37           | 5.29             | 39.311            |
| 30      | 196.68           | 6.01             | 33.788            |
| 30      | 195.94           | 6.78             | 30.341            |
| 30      | 195.22           | 7.44             | 27.237            |
| 30      | 194.50           | 8.16             | 24.843            |
| 30      | 193.79           | 8.87             | 22.859            |
| 30      | 193.07           | 9.59             | 21.129            |
| 30      | 192.35           | 10.31            | 19.660            |
| 30      | 191.64           | 11.02            | 18.381            |
| 30      | 190.92           | 11.74            | 17.263            |
| 30      | 190.20           | 12.46            | 16.266            |
| 30      | 189.49           | 13.18            | 15.381            |
| 30      | 188.77           | 13.90            | 14.544            |
| 30      | 188.06           | 14.57            | 13.858            |
| 30      | 187.34           | 15.22            | 13.310            |
| 30      | 186.63           | 15.84            | 12.907            |
| 30      | 185.91           | 16.44            | 12.627            |
| 30      | 185.20           | 17.02            | 12.462            |
| 30      | 184.48           | 17.58            | 12.400            |
| 30      | 183.77           | 18.12            | 12.439            |
| 30      | 183.05           | 18.64            | 12.578            |
| 30      | 182.34           | 19.14            | 12.806            |
| 30      | 181.62           | 19.62            | 13.122            |
| 30      | 180.91           | 20.07            | 13.525            |
| 30      | 180.20           | 20.50            | 14.014            |
| 30      | 179.48           | 20.91            | 14.587            |
| 30      | 178.77           | 21.30            | 15.243            |
| 30      | 178.05           | 21.67            | 15.981            |
| 30      | 177.34           | 22.02            | 16.799            |
| 30      | 176.62           | 22.35            | 17.696            |
| 30      | 175.91           | 22.66            | 18.671            |
| 30      | 175.20           | 22.95            | 19.723            |
| 30      | 174.48           | 23.22            | 20.851            |
| 30      | 173.77           | 23.47            | 22.054            |
| 30      | 173.05           | 23.70            | 23.331            |
| 30      | 172.34           | 23.91            | 24.681            |
| 30      | 171.62           | 24.10            | 26.103            |
| 30      | 170.91           | 24.27            | 27.596            |
| 30      | 170.20           | 24.42            | 29.159            |
| 30      | 169.48           | 24.55            | 30.791            |
| 30      | 168.77           | 24.66            | 32.491            |
| 30      | 168.05           | 24.75            | 34.258            |
| 30      | 167.34           | 24.82            | 36.091            |
| 30      | 166.62           | 24.87            | 37.989            |
| 30      | 165.91           | 24.90            | 39.951            |
| 30      | 165.20           | 24.91            | 41.977            |
| 30      | 164.48           | 24.90            | 44.067            |
| 30      | 163.77           | 24.87            | 46.220            |
| 30      | 163.05           | 24.82            | 48.435            |
| 30      | 162.34           | 24.75            | 50.711            |
| 30      | 161.62           | 24.66            | 53.047            |
| 30      | 160.91           | 24.55            | 55.443            |
| 30      | 160.20           | 24.42            | 57.898            |
| 30      | 159.48           | 24.27            | 60.411            |
| 30      | 158.77           | 24.10            | 62.981            |
| 30      | 158.05           | 23.91            | 65.607            |
| 30      | 157.34           | 23.70            | 68.288            |
| 30      | 156.62           | 23.47            | 71.024            |
| 30      | 155.91           | 23.22            | 73.814            |
| 30      | 155.20           | 22.95            | 76.657            |
| 30      | 154.48           | 22.66            | 79.552            |
| 30      | 153.77           | 22.35            | 82.498            |
| 30      | 153.05           | 22.02            | 85.494            |
| 30      | 152.34           | 21.67            | 88.539            |
| 30      | 151.62           | 21.30            | 91.632            |
| 30      | 150.91           | 20.91            | 94.772            |
| 30      | 150.20           | 20.50            | 97.958            |
| 30      | 149.48           | 20.07            | 101.190           |
| 30      | 148.77           | 19.62            | 104.467           |
| 30      | 148.05           | 19.14            | 107.789           |
| 30      | 147.34           | 18.64            | 111.155           |
| 30      | 146.62           | 18.12            | 114.564           |
| 30      | 145.91           | 17.58            | 118.014           |
| 30      | 145.20           | 17.02            | 121.504           |
| 30      | 144.48           | 16.44            | 125.032           |
| 30      | 143.77           | 15.84            | 128.597           |
| 30      | 143.05           | 15.22            | 132.200           |
| 30      | 142.34           | 14.57            | 135.839           |
| 30      | 141.62           | 13.90            | 139.514           |
| 30      | 140.91           | 13.21            | 143.224           |
| 30      | 140.20           | 12.50            | 146.968           |
| 30      | 139.48           | 11.77            | 150.745           |
| 30      | 138.77           | 11.02            | 154.554           |
| 30      | 138.05           | 10.25            | 158.394           |
| 30      | 137.34           | 9.46             | 162.264           |
| 30      | 136.62           | 8.64             | 166.163           |
| 30      | 135.91           | 7.79             | 170.090           |
| 30      | 135.20           | 6.92             | 174.044           |
| 30      | 134.48           | 6.02             | 178.024           |
| 30      | 133.77           | 5.10             | 182.029           |
| 30      | 133.05           | 4.16             | 186.058           |
| 30      | 132.34           | 3.20             | 190.110           |
| 30      | 131.62           | 2.22             | 194.184           |
| 30      | 130.91           | 1.22             | 198.280           |
| 30      | 130.20           | 0.20             | 202.396           |
| 30      | 129.48           | -0.82            | 206.531           |
| 30      | 128.77           | -1.82            | 210.684           |
| 30      | 128.05           | -2.79            | 214.854           |
| 30      | 127.34           | -3.73            | 219.040           |
| 30      | 126.62           | -4.64            | 223.241           |
| 30      | 125.91           | -5.52            | 227.456           |
| 30      | 125.20           | -6.37            | 231.684           |
| 30      | 124.48           | -7.19            | 235.924           |
| 30      | 123.77           | -7.98            | 240.175           |
| 30      | 123.05           | -8.74            | 244.436           |
| 30      | 122.34           | -9.47            | 248.707           |
| 30      | 121.62           | -10.17           | 252.987           |
| 30      | 120.91           | -10.84           | 257.275           |
| 30      | 120.20           | -11.48           | 261.571           |
| 30      | 119.48           | -12.09           | 265.874           |
| 30      | 118.77           | -12.67           | 270.183           |
| 30      | 118.05           | -13.22           | 274.497           |
| 30      | 117.34           | -13.74           | 278.815           |
| 30      | 116.62           | -14.23           | 283.137           |
| 30      | 115.91           | -14.69           | 287.462           |
| 30      | 115.20           | -15.12           | 291.789           |
| 30      | 114.48           | -15.52           | 296.118           |
| 30      | 113.77           | -15.89           | 300.448           |
| 30      | 113.05           | -16.23           | 304.778           |
| 30      | 112.34           | -16.54           | 309.107           |
| 30      | 111.62           | -16.82           | 313.435           |
| 30      | 110.91           | -17.07           | 317.761           |
| 30      | 110.20           | -17.29           | 322.085           |
| 30      | 109.48           | -17.48           | 326.407           |
| 30      | 108.77           | -17.64           | 330.726           |
| 30      | 108.05           | -17.77           | 335.042           |
| 30      | 107.34           | -17.87           | 339.355           |
| 30      | 106.62           | -17.94           | 343.665           |
| 30      | 105.91           | -17.98           | 347.971           |
| 30      | 105.20           | -17.99           | 352.273           |
| 30      | 104.48           | -17.97           | 356.570           |
| 30      | 103.77           | -17.92           | 360.862           |
| 30      | 103.05           | -17.84           | 365.149           |
| 30      | 102.34           | -17.73           | 369.431           |
| 30      | 101.62           | -17.59           | 373.708           |
| 30      | 100.91           | -17.42           | 377.979           |
| 30      | 100.20           | -17.22           | 382.244           |
| 30      | 99.48            | -16.99           | 386.503           |
| 30      | 98.77            | -16.73           | 390.756           |
| 30      | 98.05            | -16.44           | 395.002           |
| 30      | 97.34            | -16.12           | 399.241           |
| 30      | 96.62            | -15.77           | 403.472           |
| 30      | 95.91            | -15.39           | 407.695           |
| 30      | 95.20            | -14.98           | 411.909           |
| 30      | 94.48            | -14.54           | 416.114           |
| 30      | 93.77            | -14.07           | 420.310           |
| 30      | 93.05            | -13.57           | 424.496           |
| 30      | 92.34            | -13.04           | 428.672           |
| 30      | 91.62            | -12.48           | 432.838           |
| 30      | 90.91            | -11.89           | 436.993           |
| 30      | 90.20            | -11.27           | 441.137           |
| 30      | 89.48            | -10.62           | 445.270           |
| 30      | 88.77            | -9.94            | 449.392           |
| 30      | 88.05            | -9.23            | 453.502           |
| 30      | 87.34            | -8.49            | 457.600           |
| 30      | 86.62            | -7.72            | 461.686           |
| 30      | 85.91            | -6.92            | 465.760           |
| 30      | 85.20            | -6.09            | 469.821           |
| 30      | 84.48            | -5.23            | 473.869           |
| 30      | 83.77            | -4.34            | 477.903           |
| 30      | 83.05            | -3.42            | 481.923           |
| 30      | 82.34            | -2.47            | 485.928           |
| 30      | 81.62            | -1.50            | 489.918           |
| 30      | 80.91            | -0.50            | 493.892           |
| 30      | 80.20            | 0.50             | 497.850           |
| 30      | 79.48            | 1.48             | 501.792           |
| 30      | 78.77            | 2.44             | 505.718           |
| 30      | 78.05            | 3.37             | 509.628           |
| 30      | 77.34            | 4.27             | 513.521           |
| 30      | 76.62            | 5.14             | 517.397           |
| 30      | 75.91            | 5.98             | 521.255           |
| 30      | 75.20            | 6.79             | 525.094           |
| 30      | 74.48            | 7.57             | 528.914           |
| 30      | 73.77            | 8.32             | 532.714           |
| 30      | 73.05            | 9.04             | 536.494           |
| 30      | 72.34            | 9.73             | 540.253           |
| 30      | 71.62            | 10.39            | 544.001           |
| 30      | 70.91            | 11.02            | 547.728           |
| 30      | 70.20            | 11.62            | 551.434           |
| 30      | 69.48            | 12.19            | 555.119           |
| 30      | 68.77            | 12.73            | 558.783           |
| 30      | 68.05            | 13.24            | 562.426           |
| 30      | 67.34            | 13.72            | 566.048           |
| 30      | 66.62            | 14.17            | 569.649           |
| 30      | 65.91            | 14.59            | 573.229           |
| 30      | 65.20            | 14.98            | 576.787           |
| 30      | 64.48            | 15.34            | 580.323           |
| 30      | 63.77            | 15.67            | 583.837           |
| 30      | 63.05            | 15.97            | 587.329           |
| 30      | 62.34            | 16.24            | 590.800           |
| 30      | 61.62            | 16.48            | 594.249           |
| 30      | 60.91            | 16.69            | 597.676           |
| 30      | 60.20            | 16.87            | 601.081           |
| 30      | 59.48            | 17.02            | 604.464           |
| 30      | 58.77            | 17.14            | 607.825           |
| 30      | 58.05            | 17.23            | 611.164           |
| 30      | 57.34            | 17.29            | 614.481           |
| 30      | 56.62            | 17.32            | 617.776           |
| 30      | 55.91            | 17.32            | 621.049           |
| 30      | 55.20            | 17.29            | 624.299           |
| 30      | 54.48            | 17.23            | 627.526           |
| 30      | 53.77            | 17.14            | 630.729           |
| 30      | 53.05            | 17.02            | 633.908           |
| 30      | 52.34            | 16.87            | 637.063           |
| 30      | 51.62            | 16.69            | 640.194           |
| 30      | 50.91            | 16.48            | 643.301           |
| 30      | 50.20            | 16.24            | 646.384           |
| 30      | 49.48            | 15.97            | 649.443           |
| 30      | 48.77            | 15.67            | 652.478           |
| 30      | 48.05            | 15.34            | 655.489           |
| 30      | 47.34            | 14.98            | 658.476           |
| 30      | 46.62            | 14.59            | 661.439           |
| 30      | 45.91            | 14.17            | 664.378           |
| 30      | 45.20            | 13.72            | 667.292           |
| 30      | 44.48            | 13.24            | 670.181           |
| 30      | 43.77            | 12.73            | 673.045           |
| 30      | 43.05            | 12.19            | 675.884           |
| 30      | 42.34            | 11.62            | 678.698           |
| 30      | 41.62            | 11.02            | 681.487           |
| 30      | 40.91            | 10.39            | 684.251           |
| 30      | 40.20            | 9.73             | 686.990           |
| 30      | 39.48            | 9.04             | 689.704           |
| 30      | 38.77            | 8.32             | 692.393           |
| 30      | 38.05            | 7.57             | 695.057           |
| 30      | 37.34            | 6.79             | 697.695           |
| 30      | 36.62            | 5.98             | 700.307           |
| 30      | 35.91            | 5.14             | 702.892           |
| 30      | 35.20            | 4.27             | 705.450           |
| 30      | 34.48            | 3.37             | 707.981           |
| 30      | 33.77            | 2.44             | 710.485           |
| 30      | 33.05            | 1.50             | 712.961           |
| 30      | 32.34            | 0.50             | 715.408           |
| 30      | 31.62            | -0.50            | 717.826           |
| 30      | 30.91            | -1.48            | 7                 |



Directional  
on Risk Report



Well Gooch Fed Com 04 232H  
 GL 3013.6' + 25' KB @ 3038 60usft  
 GL 3013.0' + 25' KB @ 3038 60usft  
 Grid  
 Minimum Curvature  
 2.00 sigma  
 HED\_Compass\_OSN  
 Offset Datum

| Plan #1 | Offset Site Error | Offset Well Error |
|---------|-------------------|-------------------|
| 1       | 0.00 Unit         | 0.00 Unit         |
| 2       | 0.00 Unit         | 0.00 Unit         |
| 3       | 0.00 Unit         | 0.00 Unit         |
| 4       | 0.00 Unit         | 0.00 Unit         |
| 5       | 0.00 Unit         | 0.00 Unit         |
| 6       | 0.00 Unit         | 0.00 Unit         |
| 7       | 0.00 Unit         | 0.00 Unit         |
| 8       | 0.00 Unit         | 0.00 Unit         |
| 9       | 0.00 Unit         | 0.00 Unit         |
| 10      | 0.00 Unit         | 0.00 Unit         |
| 11      | 0.00 Unit         | 0.00 Unit         |
| 12      | 0.00 Unit         | 0.00 Unit         |
| 13      | 0.00 Unit         | 0.00 Unit         |
| 14      | 0.00 Unit         | 0.00 Unit         |
| 15      | 0.00 Unit         | 0.00 Unit         |
| 16      | 0.00 Unit         | 0.00 Unit         |
| 17      | 0.00 Unit         | 0.00 Unit         |
| 18      | 0.00 Unit         | 0.00 Unit         |
| 19      | 0.00 Unit         | 0.00 Unit         |
| 20      | 0.00 Unit         | 0.00 Unit         |
| 21      | 0.00 Unit         | 0.00 Unit         |
| 22      | 0.00 Unit         | 0.00 Unit         |
| 23      | 0.00 Unit         | 0.00 Unit         |
| 24      | 0.00 Unit         | 0.00 Unit         |
| 25      | 0.00 Unit         | 0.00 Unit         |
| 26      | 0.00 Unit         | 0.00 Unit         |
| 27      | 0.00 Unit         | 0.00 Unit         |
| 28      | 0.00 Unit         | 0.00 Unit         |
| 29      | 0.00 Unit         | 0.00 Unit         |
| 30      | 0.00 Unit         | 0.00 Unit         |
| 31      | 0.00 Unit         | 0.00 Unit         |
| 32      | 0.00 Unit         | 0.00 Unit         |
| 33      | 0.00 Unit         | 0.00 Unit         |
| 34      | 0.00 Unit         | 0.00 Unit         |
| 35      | 0.00 Unit         | 0.00 Unit         |
| 36      | 0.00 Unit         | 0.00 Unit         |
| 37      | 0.00 Unit         | 0.00 Unit         |
| 38      | 0.00 Unit         | 0.00 Unit         |
| 39      | 0.00 Unit         | 0.00 Unit         |
| 40      | 0.00 Unit         | 0.00 Unit         |
| 41      | 0.00 Unit         | 0.00 Unit         |
| 42      | 0.00 Unit         | 0.00 Unit         |
| 43      | 0.00 Unit         | 0.00 Unit         |
| 44      | 0.00 Unit         | 0.00 Unit         |
| 45      | 0.00 Unit         | 0.00 Unit         |
| 46      | 0.00 Unit         | 0.00 Unit         |
| 47      | 0.00 Unit         | 0.00 Unit         |
| 48      | 0.00 Unit         | 0.00 Unit         |
| 49      | 0.00 Unit         | 0.00 Unit         |
| 50      | 0.00 Unit         | 0.00 Unit         |
| 51      | 0.00 Unit         | 0.00 Unit         |
| 52      | 0.00 Unit         | 0.00 Unit         |
| 53      | 0.00 Unit         | 0.00 Unit         |
| 54      | 0.00 Unit         | 0.00 Unit         |
| 55      | 0.00 Unit         | 0.00 Unit         |
| 56      | 0.00 Unit         | 0.00 Unit         |
| 57      | 0.00 Unit         | 0.00 Unit         |
| 58      | 0.00 Unit         | 0.00 Unit         |
| 59      | 0.00 Unit         | 0.00 Unit         |
| 60      | 0.00 Unit         | 0.00 Unit         |
| 61      | 0.00 Unit         | 0.00 Unit         |
| 62      | 0.00 Unit         | 0.00 Unit         |
| 63      | 0.00 Unit         | 0.00 Unit         |
| 64      | 0.00 Unit         | 0.00 Unit         |
| 65      | 0.00 Unit         | 0.00 Unit         |
| 66      | 0.00 Unit         | 0.00 Unit         |
| 67      | 0.00 Unit         | 0.00 Unit         |
| 68      | 0.00 Unit         | 0.00 Unit         |
| 69      | 0.00 Unit         | 0.00 Unit         |
| 70      | 0.00 Unit         | 0.00 Unit         |
| 71      | 0.00 Unit         | 0.00 Unit         |
| 72      | 0.00 Unit         | 0.00 Unit         |
| 73      | 0.00 Unit         | 0.00 Unit         |
| 74      | 0.00 Unit         | 0.00 Unit         |
| 75      | 0.00 Unit         | 0.00 Unit         |
| 76      | 0.00 Unit         | 0.00 Unit         |
| 77      | 0.00 Unit         | 0.00 Unit         |
| 78      | 0.00 Unit         | 0.00 Unit         |
| 79      | 0.00 Unit         | 0.00 Unit         |
| 80      | 0.00 Unit         | 0.00 Unit         |
| 81      | 0.00 Unit         | 0.00 Unit         |
| 82      | 0.00 Unit         | 0.00 Unit         |
| 83      | 0.00 Unit         | 0.00 Unit         |
| 84      | 0.00 Unit         | 0.00 Unit         |
| 85      | 0.00 Unit         | 0.00 Unit         |
| 86      | 0.00 Unit         | 0.00 Unit         |
| 87      | 0.00 Unit         | 0.00 Unit         |
| 88      | 0.00 Unit         | 0.00 Unit         |
| 89      | 0.00 Unit         | 0.00 Unit         |
| 90      | 0.00 Unit         | 0.00 Unit         |
| 91      | 0.00 Unit         | 0.00 Unit         |
| 92      | 0.00 Unit         | 0.00 Unit         |
| 93      | 0.00 Unit         | 0.00 Unit         |
| 94      | 0.00 Unit         | 0.00 Unit         |
| 95      | 0.00 Unit         | 0.00 Unit         |
| 96      | 0.00 Unit         | 0.00 Unit         |
| 97      | 0.00 Unit         | 0.00 Unit         |
| 98      | 0.00 Unit         | 0.00 Unit         |
| 99      | 0.00 Unit         | 0.00 Unit         |
| 100     | 0.00 Unit         | 0.00 Unit         |

nt, SF: min separation factor, ES: min ellipse separation

Hawkeye Directional  
Anticollision Risk Report



Novo Oil & Gas, LLC  
 Eddy County, NM  
 SEC 4 - T23S - R28E  
 Gooch Fed Com 04 232H  
 OH  
 Plan #1

Local Co-ordinate Reference  
 TVD Reference:  
 MD Reference:  
 North Reference:  
 Survey Calculation Method:  
 Output errors are at  
 Database:  
 Offset TVD Reference:

Well Gooch Fed Com 04 232H  
 GL 3013.6' + 25' KB @ 3038 60usft  
 GL 3013.0' + 25' KB @ 3038 60usft  
 Grid  
 Minimum Curvature  
 2.00 sigma  
 HED\_Compass\_DSN  
 Offset Datum

| Offset Design | SEC 4 - T23S - R28E - Gooch Fed Com 04 212H - OH - Plan #1 | Offset Site Error | Offset Well Error |
|---------------|--|-------------------|-------------------|
| 1             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 2             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 3             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 4             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 5             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 6             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 7             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 8             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 9             | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 10            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 11            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 12            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 13            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 14            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 15            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 16            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 17            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 18            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 19            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 20            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 21            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 22            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 23            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 24            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 25            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 26            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 27            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 28            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 29            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 30            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 31            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 32            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 33            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 34            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 35            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 36            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 37            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 38            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 39            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 40            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 41            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 42            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 43            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 44            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 45            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 46            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 47            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 48            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 49            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 50            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 51            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 52            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 53            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 54            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 55            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 56            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 57            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 58            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 59            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 60            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 61            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 62            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 63            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 64            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 65            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 66            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 67            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 68            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 69            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 70            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 71            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 72            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 73            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 74            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 75            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 76            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 77            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 78            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 79            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 80            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 81            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 82            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 83            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 84            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 85            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 86            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 87            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 88            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 89            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 90            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 91            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 92            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 93            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 94            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 95            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 96            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 97            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 98            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 99            | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |
| 100           | 0.00 Unit  | 0.00 Unit         | 0.00 Unit         |

CC - Min centre to center distance or coverage point, SF - min separation factor, ES - min ellipse separation

Directional  
on Risk Report



Local Co-ordinate Reference: Well Gooch Fed Com 04 232H  
 D Reference: GL 3013.6 + 25' KB @ 3038.60ust  
 TVD Reference: GL 3013.6 + 25' KB @ 3038.60ust  
 Grid  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Database: HED\_Compass\_DSN  
 Offset TVD Reference: Offset Datum

| Plan #1            | Offset Well Error  | Offset Well Error  |
|--------------------|--------------------|--------------------|
| Minimum Separation | Minimum Separation | Minimum Separation |
| Minimum Separation | Minimum Separation | Minimum Separation |
| 10                 | 200.10             | 0.27 145.747       |
| 11                 | 199.41             | 0.29 203.358       |
| 12                 | 198.00             | 1.70 117.746       |
| 13                 | 197.80             | 2.42 82.822        |
| 14                 | 197.28             | 3.14 63.827        |
| 15                 | 196.84             | 3.86 51.006        |
| 16                 | 196.03             | 4.57 43.849        |
| 17                 | 195.11             | 5.29 37.503        |
| 18                 | 194.39             | 6.00 33.377        |
| 19                 | 193.68             | 6.72 29.817        |
| 20                 | 192.96             | 7.44 26.943        |
| 21                 | 192.24             | 8.15 24.574        |
| 22                 | 191.52             | 8.87 22.586        |
| 23                 | 190.81             | 9.59 20.999        |
| 24                 | 190.09             | 10.31 19.745       |
| 25                 | 189.37             | 11.02 18.780       |
| 26                 | 188.66             | 11.74 17.070       |
| 27                 | 187.94             | 12.46 16.068       |
| 28                 | 187.22             | 13.17 15.212       |
| 29                 | 186.51             | 13.89 14.461       |
| 30                 | 185.80             | 14.61 13.861       |
| 31                 | 185.08             | 15.32 13.360       |
| 32                 | 184.37             | 16.04 12.912       |
| 33                 | 183.65             | 16.76 12.568       |
| 34                 | 182.94             | 17.47 12.280       |
| 35                 | 182.22             | 18.19 12.010       |
| 36                 | 181.51             | 18.90 11.740       |
| 37                 | 180.79             | 19.62 11.470       |
| 38                 | 180.08             | 20.34 11.210       |
| 39                 | 179.36             | 21.05 10.950       |
| 40                 | 178.65             | 21.77 10.700       |
| 41                 | 177.93             | 22.48 10.450       |
| 42                 | 177.22             | 23.20 10.210       |
| 43                 | 176.50             | 23.91 9.970        |
| 44                 | 175.79             | 24.63 9.740        |
| 45                 | 175.07             | 25.34 9.510        |
| 46                 | 174.36             | 26.06 9.290        |
| 47                 | 173.64             | 26.77 9.070        |
| 48                 | 172.93             | 27.49 8.860        |
| 49                 | 172.21             | 28.20 8.650        |
| 50                 | 171.50             | 28.92 8.450        |
| 51                 | 170.78             | 29.63 8.250        |
| 52                 | 170.07             | 30.35 8.060        |
| 53                 | 169.35             | 31.06 7.870        |
| 54                 | 168.64             | 31.78 7.690        |
| 55                 | 167.92             | 32.49 7.510        |
| 56                 | 167.21             | 33.21 7.340        |
| 57                 | 166.49             | 33.92 7.170        |
| 58                 | 165.78             | 34.64 7.010        |
| 59                 | 165.06             | 35.35 6.850        |
| 60                 | 164.35             | 36.07 6.700        |
| 61                 | 163.63             | 36.78 6.550        |
| 62                 | 162.92             | 37.50 6.410        |
| 63                 | 162.20             | 38.21 6.270        |
| 64                 | 161.49             | 38.93 6.140        |
| 65                 | 160.77             | 39.64 6.010        |
| 66                 | 160.06             | 40.36 5.890        |
| 67                 | 159.34             | 41.07 5.770        |
| 68                 | 158.63             | 41.79 5.660        |
| 69                 | 157.91             | 42.50 5.550        |
| 70                 | 157.20             | 43.22 5.450        |
| 71                 | 156.48             | 43.93 5.350        |
| 72                 | 155.77             | 44.65 5.260        |
| 73                 | 155.05             | 45.36 5.170        |
| 74                 | 154.34             | 46.08 5.080        |
| 75                 | 153.62             | 46.79 5.000        |
| 76                 | 152.91             | 47.51 4.920        |
| 77                 | 152.19             | 48.22 4.840        |
| 78                 | 151.48             | 48.94 4.760        |
| 79                 | 150.76             | 49.65 4.690        |
| 80                 | 150.05             | 50.37 4.620        |
| 81                 | 149.33             | 51.08 4.550        |
| 82                 | 148.62             | 51.80 4.480        |
| 83                 | 147.90             | 52.51 4.420        |
| 84                 | 147.19             | 53.23 4.360        |
| 85                 | 146.47             | 53.94 4.300        |
| 86                 | 145.76             | 54.66 4.250        |
| 87                 | 145.04             | 55.37 4.200        |
| 88                 | 144.33             | 56.09 4.150        |
| 89                 | 143.61             | 56.80 4.100        |
| 90                 | 142.90             | 57.52 4.060        |
| 91                 | 142.18             | 58.23 4.020        |
| 92                 | 141.47             | 58.95 4.000        |
| 93                 | 140.75             | 59.66 3.970        |
| 94                 | 140.04             | 60.38 3.950        |
| 95                 | 139.32             | 61.09 3.930        |
| 96                 | 138.61             | 61.81 3.910        |
| 97                 | 137.89             | 62.52 3.890        |
| 98                 | 137.18             | 63.24 3.880        |
| 99                 | 136.46             | 63.95 3.870        |
| 100                | 135.75             | 64.67 3.860        |
| 101                | 135.03             | 65.38 3.850        |
| 102                | 134.32             | 66.10 3.840        |
| 103                | 133.60             | 66.81 3.840        |
| 104                | 132.89             | 67.53 3.830        |
| 105                | 132.17             | 68.24 3.830        |
| 106                | 131.46             | 68.96 3.820        |
| 107                | 130.74             | 69.67 3.820        |
| 108                | 130.03             | 70.39 3.810        |
| 109                | 129.31             | 71.10 3.810        |
| 110                | 128.60             | 71.82 3.800        |
| 111                | 127.88             | 72.53 3.800        |
| 112                | 127.17             | 73.25 3.790        |
| 113                | 126.45             | 73.96 3.790        |
| 114                | 125.74             | 74.68 3.780        |
| 115                | 125.02             | 75.39 3.780        |
| 116                | 124.31             | 76.11 3.770        |
| 117                | 123.59             | 76.82 3.770        |
| 118                | 122.88             | 77.54 3.760        |
| 119                | 122.16             | 78.25 3.760        |
| 120                | 121.45             | 78.97 3.750        |
| 121                | 120.73             | 79.68 3.750        |
| 122                | 120.02             | 80.40 3.740        |
| 123                | 119.30             | 81.11 3.740        |
| 124                | 118.59             | 81.83 3.730        |
| 125                | 117.87             | 82.54 3.730        |
| 126                | 117.16             | 83.26 3.720        |
| 127                | 116.44             | 83.97 3.720        |
| 128                | 115.73             | 84.69 3.710        |
| 129                | 115.01             | 85.40 3.710        |
| 130                | 114.30             | 86.12 3.700        |
| 131                | 113.58             | 86.83 3.700        |
| 132                | 112.87             | 87.55 3.690        |
| 133                | 112.15             | 88.26 3.690        |
| 134                | 111.44             | 88.98 3.680        |
| 135                | 110.72             | 89.69 3.680        |
| 136                | 110.01             | 90.41 3.670        |
| 137                | 109.29             | 91.12 3.670        |
| 138                | 108.58             | 91.84 3.660        |
| 139                | 107.86             | 92.55 3.660        |
| 140                | 107.15             | 93.27 3.650        |
| 141                | 106.43             | 93.98 3.650        |
| 142                | 105.72             | 94.70 3.640        |
| 143                | 105.00             | 95.41 3.640        |
| 144                | 104.29             | 96.13 3.630        |
| 145                | 103.57             | 96.84 3.630        |
| 146                | 102.86             | 97.56 3.620        |
| 147                | 102.14             | 98.27 3.620        |
| 148                | 101.43             | 98.99 3.610        |
| 149                | 100.71             | 99.70 3.610        |
| 150                | 100.00             | 100.42 3.600       |

1, SF - min separation factor; ES - min ellipse separation  
 COMPASS 5000.15 Build 91

Hawkeye Directional  
Anticollision Risk Report



Company: Novo Oil & Gas, LLC  
 Project: Eddy County, NM  
 Reference Site: SEC 4 - T235 - R28E  
 Site Error: 0.00  
 Reference Well: Gooch Fed Com 04 232H  
 Well Error: 0.00  
 Reference Wellbore: OH  
 Reference Design: Plan #1  
 Local Co-ordinate Reference: Well Gooch Fed Com 04 232H  
 TVD Reference: GL 3013.6 + 25' KB @ 3038.60ust  
 MD Reference: GL 3013.6 + 25' KB @ 3038.60ust  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Database: HED\_Compass\_DSN  
 Offset TVD Reference: Offset Datum

| Offset Design | SEC 4 - T235 - R28E - Gooch Fed Com 04 232H - OH - Plan #1 | Offset Well Error |
|---------------|--|-------------------|
| Reference     | Reference  | Offset Well Error |
| Reference     | Reference  | Offset Well Error |
| 1             | 9.3000   | 8.214.77          |
| 2             | 9.4000   | 8.212.58          |
| 3             | 9.5000   | 8.416.40          |
| 4             | 9.6000   | 8.608.21          |
| 5             | 9.7000   | 8.800.02          |
| 6             | 9.8000   | 9.002.83          |
| 7             | 9.9000   | 9.205.64          |
| 8             | 10.0000  | 9.408.45          |
| 9             | 10.1000  | 9.611.26          |
| 10            | 10.2000  | 9.814.07          |
| 11            | 10.3000  | 10.016.88         |
| 12            | 10.4000  | 10.219.69         |
| 13            | 10.5000  | 10.422.50         |
| 14            | 10.6000  | 10.625.31         |
| 15            | 10.7000  | 10.828.12         |
| 16            | 10.8000  | 11.030.93         |
| 17            | 10.9000  | 11.233.74         |
| 18            | 11.0000  | 11.436.55         |
| 19            | 11.1000  | 11.639.36         |
| 20            | 11.2000  | 11.842.17         |
| 21            | 11.3000  | 12.044.98         |
| 22            | 11.4000  | 12.247.79         |
| 23            | 11.5000  | 12.450.60         |
| 24            | 11.6000  | 12.653.41         |
| 25            | 11.7000  | 12.856.22         |
| 26            | 11.8000  | 13.059.03         |
| 27            | 11.9000  | 13.261.84         |
| 28            | 12.0000  | 13.464.65         |
| 29            | 12.1000  | 13.667.46         |
| 30            | 12.2000  | 13.870.27         |
| 31            | 12.3000  | 14.073.08         |
| 32            | 12.4000  | 14.275.89         |
| 33            | 12.5000  | 14.478.70         |
| 34            | 12.6000  | 14.681.51         |
| 35            | 12.7000  | 14.884.32         |
| 36            | 12.8000  | 15.087.13         |
| 37            | 12.9000  | 15.289.94         |
| 38            | 13.0000  | 15.492.75         |
| 39            | 13.1000  | 15.695.56         |
| 40            | 13.2000  | 15.898.37         |
| 41            | 13.3000  | 16.101.18         |
| 42            | 13.4000  | 16.303.99         |
| 43            | 13.5000  | 16.506.80         |
| 44            | 13.6000  | 16.709.61         |
| 45            | 13.7000  | 16.912.42         |
| 46            | 13.8000  | 17.115.23         |
| 47            | 13.9000  | 17.318.04         |
| 48            | 14.0000  | 17.520.85         |
| 49            | 14.1000  | 17.723.66         |
| 50            | 14.2000  | 17.926.47         |
| 51            | 14.3000  | 18.129.28         |
| 52            | 14.4000  | 18.332.09         |
| 53            | 14.5000  | 18.534.90         |
| 54            | 14.6000  | 18.737.71         |
| 55            | 14.7000  | 18.940.52         |
| 56            | 14.8000  | 19.143.33         |
| 57            | 14.9000  | 19.346.14         |
| 58            | 15.0000  | 19.548.95         |
| 59            | 15.1000  | 19.751.76         |
| 60            | 15.2000  | 19.954.57         |
| 61            | 15.3000  | 20.157.38         |
| 62            | 15.4000  | 20.360.19         |
| 63            | 15.5000  | 20.562.99         |
| 64            | 15.6000  | 20.765.80         |
| 65            | 15.7000  | 20.968.61         |
| 66            | 15.8000  | 21.171.42         |
| 67            | 15.9000  | 21.374.23         |
| 68            | 16.0000  | 21.577.04         |
| 69            | 16.1000  | 21.779.85         |
| 70            | 16.2000  | 21.982.66         |
| 71            | 16.3000  | 22.185.47         |
| 72            | 16.4000  | 22.388.28         |
| 73            | 16.5000  | 22.591.09         |
| 74            | 16.6000  | 22.793.90         |
| 75            | 16.7000  | 22.996.71         |
| 76            | 16.8000  | 23.199.52         |
| 77            | 16.9000  | 23.402.33         |
| 78            | 17.0000  | 23.605.14         |
| 79            | 17.1000  | 23.807.95         |
| 80            | 17.2000  | 24.010.76         |
| 81            | 17.3000  | 24.213.57         |
| 82            | 17.4000  | 24.416.38         |
| 83            | 17.5000  | 24.619.19         |
| 84            | 17.6000  | 24.821.99         |
| 85            | 17.7000  | 25.024.80         |
| 86            | 17.8000  | 25.227.61         |
| 87            | 17.9000  | 25.430.42         |
| 88            | 18.0000  | 25.633.23         |
| 89            | 18.1000  | 25.836.04         |
| 90            | 18.2000  | 26.038.85         |
| 91            | 18.3000  | 26.241.66         |
| 92            | 18.4000  | 26.444.47         |
| 93            | 18.5000  | 26.647.28         |
| 94            | 18.6000  | 26.850.09         |
| 95            | 18.7000  | 27.052.90         |
| 96            | 18.8000  | 27.255.71         |
| 97            | 18.9000  | 27.458.52         |
| 98            | 19.0000  | 27.661.33         |
| 99            | 19.1000  | 27.864.14         |
| 100           | 19.2000  | 28.066.95         |
| 101           | 19.3000  | 28.269.76         |
| 102           | 19.4000  | 28.472.57         |
| 103           | 19.5000  | 28.675.38         |
| 104           | 19.6000  | 28.878.19         |
| 105           | 19.7000  | 29.080.99         |
| 106           | 19.8000  | 29.283.80         |
| 107           | 19.9000  | 29.486.61         |
| 108           | 20.0000  | 29.689.42         |
| 109           | 20.1000  | 29.892.23         |
| 110           | 20.2000  | 30.095.04         |
| 111           | 20.3000  | 30.297.85         |
| 112           | 20.4000  | 30.500.66         |
| 113           | 20.5000  | 30.703.47         |
| 114           | 20.6000  | 30.906.28         |
| 115           | 20.7000  | 31.109.09         |
| 116           | 20.8000  | 31.311.90         |
| 117           | 20.9000  | 31.514.71         |
| 118           | 21.0000  | 31.717.52         |
| 119           | 21.1000  | 31.920.33         |
| 120           | 21.2000  | 32.123.14         |
| 121           | 21.3000  | 32.325.95         |
| 122           | 21.4000  | 32.528.76         |
| 123           | 21.5000  | 32.731.57         |
| 124           | 21.6000  | 32.934.38         |
| 125           | 21.7000  | 33.137.19         |
| 126           | 21.8000  | 33.339.99         |
| 127           | 21.9000  | 33.542.80         |
| 128           | 22.0000  | 33.745.61         |
| 129           | 22.1000  | 33.948.42         |
| 130           | 22.2000  | 34.151.23         |
| 131           | 22.3000  | 34.354.04         |
| 132           | 22.4000  | 34.556.85         |
| 133           | 22.5000  | 34.759.66         |
| 134           | 22.6000  | 34.962.47         |
| 135           | 22.7000  | 35.165.28         |
| 136           | 22.8000  | 35.368.09         |
| 137           | 22.9000  | 35.570.90         |
| 138           | 23.0000  | 35.773.71         |
| 139           | 23.1000  | 35.976.52         |
| 140           | 23.2000  | 36.179.33         |
| 141           | 23.3000  | 36.382.14         |
| 142           | 23.4000  | 36.584.95         |
| 143           | 23.5000  | 36.787.76         |
| 144           | 23.6000  | 36.990.57         |
| 145           | 23.7000  | 37.193.38         |
| 146           | 23.8000  | 37.396.19         |
| 147           | 23.9000  | 37.598.99         |
| 148           | 24.0000  | 37.801.80         |
| 149           | 24.1000  | 38.004.61         |
| 150           | 24.2000  | 38.207.42         |

1, SF - min separation factor; ES - min

Directional  
on Risk Report



Local Co-ordinate Reference: Well Goonch Fed Com 04 232H  
 UTM Reference: GL 3013.6° + 25° KB @ 3038.60ust  
 Grid: GL 3013.6° + 25° KB @ 3038.60ust  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Datapoint: HED\_Compass\_DSN  
 Offset Datum

| Plan #1  | Offset Well Error: 0.00 Unit | Offset Well Error: 0.00 Unit |         |                          |         |
|----------|------------------------------|------------------------------|---------|--------------------------|---------|
| Distance | Minimum Separation           | Separation Factor            | Risk    | Probability of Collision | Warning |
| Between  | Between                      | Between                      | Between | Between                  | Between |
| Surveys  | Surveys                      | Surveys                      | Surveys | Surveys                  | Surveys |
| 1        | 1.003 13                     | 60.33 10.500                 | 0       | < 1 m 1E-9               |         |
| 2        | 1.003 34                     | 63.17 16.973                 | 0       | < 1 m 1E-9               |         |
| 3        | 1.003 60                     | 68.02 16.037                 | 0       | < 1 m 1E-9               |         |
| 4        | 1.006 23                     | 67.00 10.089                 | 0       | < 1 m 1E-9               |         |
| 5        | 1.006 50                     | 67.00 10.731                 | 0       | < 1 m 1E-9               |         |
| 6        | 1.007 30                     | 67.72 16.702                 | 0       | < 1 m 1E-9               |         |
| 7        | 1.007 87                     | 67.66 16.794                 | 0       | < 1 m 1E-9               |         |
| 8        | 1.007 88                     | 67.67 16.782                 | 0       | < 1 m 1E-9               |         |
| 9        | 1.007 53                     | 67.53 16.823                 | 0       | < 1 m 1E-9               |         |
| 10       | 1.009 71                     | 67.52 16.800                 | 0       | < 1 m 1E-9               |         |
| 11       | 1.009 77                     | 67.50 16.769                 | 0       | < 1 m 1E-9               |         |
| 12       | 1.004 70                     | 67.82 16.680                 | 0       | < 1 m 1E-9               |         |
| 13       | 1.003 51                     | 68.10 16.003                 | 0       | < 1 m 1E-9               |         |
| 14       | 1.002 19                     | 68.03 16.479                 | 0       | < 1 m 1E-9               |         |
| 15       | 1.006 76                     | 68.21 16.326                 | 0       | < 1 m 1E-9               |         |
| 16       | 1.000 30                     | 69.92 16.150                 | 0       | < 1 m 1E-9               |         |
| 17       | 1.057 63                     | 70.73 16.951                 | 0       | < 1 m 1E-9               |         |
| 18       | 1.056 76                     | 71.06 16.733                 | 0       | < 1 m 1E-9               |         |
| 19       | 1.053 87                     | 72.80 15.997                 | 0       | < 1 m 1E-9               |         |
| 20       | 1.061 89                     | 73.83 16.248                 | 0       | < 1 m 1E-9               |         |
| 21       | 1.042 81                     | 75.04 15.887                 | 0       | < 1 m 1E-9               |         |
| 22       | 1.046 64                     | 76.38 14.718                 | 0       | < 1 m 1E-9               |         |
| 23       | 1.046 34                     | 77.70 14.439                 | 0       | < 1 m 1E-9               |         |
| 24       | 1.043 04                     | 76.28 14.167                 | 0       | < 1 m 1E-9               |         |
| 25       | 1.040 62                     | 80.85 13.872                 | 0       | < 1 m 1E-9               |         |
| 26       | 1.038 13                     | 82.49 13.585                 | 0       | < 1 m 1E-9               |         |
| 27       | 1.035 57                     | 84.20 13.299                 | 0       | < 1 m 1E-9               |         |
| 28       | 1.032 99                     | 85.87 13.015                 | 0       | < 1 m 1E-9               |         |
| 29       | 1.030 27                     | 87.60 12.734                 | 0       | < 1 m 1E-9               |         |
| 30       | 1.027 53                     | 89.50 12.506                 | 0       | < 1 m 1E-9               |         |
| 31       | 1.024 74                     | 91.64 12.183                 | 0       | < 1 m 1E-9               |         |
| 32       | 1.021 00                     | 93.03 11.914                 | 0       | < 1 m 1E-9               |         |
| 33       | 1.019 03                     | 95.07 11.622                 | 0       | < 1 m 1E-9               |         |
| 34       | 1.018 09                     | 97.75 11.309                 | 0       | < 1 m 1E-9               |         |
| 35       | 1.013 12                     | 99.87 11.144                 | 0       | < 1 m 1E-9               |         |
| 36       | 1.010 12                     | 102.05 10.900                | 0       | < 1 m 1E-9               |         |
| 37       | 1.007 08                     | 104.22 10.683                | 0       | < 1 m 1E-9               |         |
| 38       | 1.004 00                     | 106.45 10.431                | 0       | < 1 m 1E-9               |         |
| 39       | 1.000 90                     | 108.71 10.207                | 0       | < 1 m 1E-9               |         |
| 40       | 997.77                       | 111.00 10.063                | 0       | < 1 m 1E-9               |         |
| 41       | 994.81                       | 113.31 9.778                 | 0       | < 1 m 1E-9               |         |
| 42       | 991.42                       | 115.65 9.672                 | 0       | < 1 m 1E-9               |         |
| 43       | 988.21                       | 118.02 9.374                 | 0       | < 1 m 1E-9               |         |
| 44       | 984.88                       | 120.40 9.181                 | 0       | < 1 m 1E-9               |         |
| 45       | 981.23                       | 122.81 8.664                 | 0       | < 1 m 1E-9               |         |
| 46       | 978.46                       | 125.23 8.613                 | 0       | < 1 m 1E-9               |         |
| 47       | 975.16                       | 127.68 8.630                 | 0       | < 1 m 1E-9               |         |
| 48       | 971.87                       | 130.14 8.498                 | 0       | < 1 m 1E-9               |         |
| 49       | 968.55                       | 132.62 8.303                 | 0       | < 1 m 1E-9               |         |
| 50       | 965.22                       | 135.11 8.144                 | 0       | < 1 m 1E-9               |         |
| 51       | 961.87                       | 137.62 7.899                 | 0       | < 1 m 1E-9               |         |
| 52       | 958.50                       | 140.14 7.800                 | 0       | < 1 m 1E-9               |         |
| 53       | 955.15                       | 142.67 7.695                 | 0       | < 1 m 1E-9               |         |
| 54       | 951.74                       | 145.22 7.554                 | 0       | < 1 m 1E-9               |         |
| 55       | 948.34                       | 147.77 7.415                 | 0       | < 1 m 1E-9               |         |
| 56       | 944.82                       | 148.94 7.357                 | 0       | < 1 m 1E-9               |         |
| 57       | 946.97                       | 149.44 7.324                 | 0       | < 1 m 1E-9               |         |

nt, SF - min separation factor, ES - min ellipse separation

COMPASS 5000.15 Build 91

Hawkeye Directional  
Anticollision Risk Report



Company: Novo Oil & Gas, LLC  
 Project: Eddy County, NM  
 Reference Site: SEC 4 - T23S - R28E  
 Site Error: 0.00  
 Reference Well: Goonch Fed Com 04 232H  
 Well Error: 0.00  
 Reference Wellbore: OH  
 Reference Design: Plan #1

Local Co-ordinate Reference: Well Goonch Fed Com 04 232H  
 UTM Reference: GL 3013.6° + 25° KB @ 3038.60ust  
 Grid: GL 3013.6° + 25° KB @ 3038.60ust  
 Survey Calculation Method: Minimum Curvature  
 Output errors are at: 2.00 sigma  
 Datapoint: HED\_Compass\_DSN  
 Offset Datum

| Offset Design               | Survey Program              | Offset                      | Burn Major Axis             | Distance                    | Minimum Separation          | Separation Factor           | Risk                        | Probability of Collision    | Warning                     |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Reference                   | Offset                      |
| Measured Vertical Depth (m) |
| 0.00                        | 0.00                        | 0.00                        | 0.00                        | 0.00                        | 0.00                        | 20.01                       | 20.01                       | 0                           | < 1 m 1E-9                  |
| 100.00                      | 100.00                      | 100.00                      | 100.00                      | 0.13                        | 0.14                        | 20.01                       | 19.74                       | 0                           | < 1 m 1E-9                  |
| 200.00                      | 200.00                      | 200.00                      | 200.00                      | -0.49                       | 0.49                        | 20.01                       | 19.02                       | 0                           | < 1 m 1E-9                  |
| 300.00                      | 300.00                      | 300.00                      | 300.00                      | 0.65                        | 0.65                        | 20.01                       | 18.31                       | 0                           | < 1 m 1E-9                  |
| 400.00                      | 400.00                      | 400.00                      | 400.00                      | 1.21                        | 1.21                        | 20.01                       | 17.56                       | 0                           | < 1 m 1E-9                  |
| 500.00                      | 500.00                      | 500.00                      | 500.00                      | 1.57                        | 1.57                        | 20.01                       | 16.87                       | 0                           | < 1 m 1E-9                  |
| 600.00                      | 600.00                      | 600.00                      | 600.00                      | -1.93                       | 1.93                        | 20.01                       | 16.16                       | 0                           | < 1 m 1E-9                  |
| 700.00                      | 700.00                      | 700.00                      | 700.00                      | -2.29                       | 2.29                        | 20.01                       | 15.44                       | 0                           | < 1 m 1E-9                  |
| 800.00                      | 800.00                      | 800.00                      | 800.00                      | -2.64                       | 2.64                        | 20.01                       | 14.72                       | 0                           | < 1 m 1E-9                  |
| 900.00                      | 900.00                      | 900.00                      | 900.00                      | -3.00                       | 3.00                        | 20.01                       | 14.00                       | 0                           | < 1 m 1E-9                  |
| 1,000.00                    | 1,000.00                    | 1,000.00                    | 1,000.00                    | -3.36                       | 3.36                        | 20.01                       | 13.29                       | 0                           | < 1 m 1E-9                  |
| 1,100.00                    | 1,100.00                    | 1,100.00                    | 1,100.00                    | -3.72                       | 3.72                        | 20.01                       | 12.57                       | 0                           | < 1 m 1E-9                  |
| 1,200.00                    | 1,200.00                    | 1,200.00                    | 1,200.00                    | -4.08                       | 4.08                        | 20.01                       | 11.85                       | 0                           | < 1 m 1E-9                  |
| 1,300.00                    | 1,300.00                    | 1,300.00                    | 1,300.00                    | -4.44                       | 4.44                        | 20.01                       | 11.14                       | 0                           | < 1 m 1E-9                  |
| 1,400.00                    | 1,400.00                    | 1,400.00                    | 1,400.00                    | -4.79                       | 4.79                        | 20.01                       | 10.42                       | 0                           | < 1 m 1E-9                  |
| 1,500.00                    | 1,500.00                    | 1,500.00                    | 1,500.00                    | -5.15                       | 5.15                        | 20.01                       | 9.70                        | 0                           | < 1 m 1E-9                  |
| 1,600.00                    | 1,600.00                    | 1,600.00                    | 1,600.00                    | -5.51                       | 5.51                        | 20.01                       | 8.99                        | 0                           | < 1 m 1E-9                  |
| 1,700.00                    | 1,700.00                    | 1,700.00                    | 1,700.00                    | -5.87                       | 5.87                        | 20.01                       | 8.27                        | 0                           | < 1 m 1E-9                  |
| 1,800.00                    | 1,800.00                    | 1,800.00                    | 1,800.00                    | -6.23                       | 6.23                        | 20.01                       | 7.55                        | 0                           | < 1 m 1E-9                  |
| 1,900.00                    | 1,900.00                    | 1,900.00                    | 1,900.00                    | -6.59                       | 6.59                        | 20.01                       | 6.84                        | 0                           | < 1 m 1E-9                  |
| 2,000.00                    | 2,000.00                    | 2,000.00                    | 2,000.00                    | -6.95                       | 6.95                        | 20.01                       | 6.12                        | 0                           | < 1 m 1E-9                  |
| 2,100.00                    | 2,100.00                    | 2,100.00                    | 2,100.00                    | -7.29                       | 7.29                        | 19.98                       | 5.41                        | 0                           | < 1 m 1E-9                  |
| 2,200.00                    | 2,200.00                    | 2,200.00                    | 2,200.00                    | -7.61                       | 7.61                        | 19.95                       | 4.72                        | 0                           | < 1 m 1E-9                  |
| 2,300.00                    | 2,300.00                    | 2,300.00                    | 2,300.00                    | -7.94                       | 7.94                        | 19.92                       | 4.03                        | 0                           | < 1 m 1E-9                  |
| 2,400.00                    | 2,400.00                    | 2,400.00                    | 2,400.00                    | -8.27                       | 8.27                        | 19.72                       | 3.30                        | 0                           | < 1 m 1E-9                  |
| 2,500.00                    | 2,497.47                    | 2,502.67                    | 2,501.03                    | -8.61                       | 8.61                        | 19.65                       | 2.54                        | 0                           | < 1 m 1E-9                  |
| 2,600.00                    | 2,551.49                    | 2,555.51                    | 2,552.03                    | -8.80                       | 8.81                        | 19.64                       | 1.84                        | 0                           | < 1 m 1E-9                  |
| 2,700.00                    | 2,605.87                    | 2,609.32                    | 2,605.85                    | -8.67                       | 8.67                        | 19.63                       | 1.14                        | 0                           | < 1 m 1E-9                  |
| 2,800.00                    | 2,663.44                    | 2,664.21                    | 2,663.65                    | -8.34                       | 8.35                        | 19.61                       | 0.42                        | 0                           | < 1 m 1E-9                  |
| 2,900.00                    | 2,724.25                    | 2,724.33                    | 2,723.46                    | -7.73                       | 7.73                        | 20.28                       | 1.37                        | 0                           | < 1 m 1E-9                  |
| 3,000.00                    | 2,788.07                    | 2,788.29                    | 2,783.26                    | -6.73                       | 6.73                        | 20.71                       | 0.99                        | 0                           | < 1 m 1E-9                  |
| 3,100.00                    | 2,854.88                    | 2,854.76                    | 2,851.07                    | -5.40                       | 5.40                        | 21.25                       | 0.79                        | 0                           | < 1 m 1E-9                  |
| 3,200.00                    | 2,924.70                    | 2,924.27                    | 2,920.07                    | -3.81                       | 3.81                        | 21.87                       | 0.59                        | 0                           | < 1 m 1E-9                  |
| 3,300.00                    | 3,000.00                    | 3,000.00                    | 3,000.00                    | -2.00                       | 2.00                        | 22.57                       | 0.36                        | 0                           | < 1 m 1E-9                  |
| 3,400.00                    | 3,080.33                    | 3,080.25                    | 3,076.48                    | -1.14                       | 1.14                        | 23.34                       | 0.20                        | 0                           | < 1 m 1E-9                  |
| 3,500.00                    | 3,178.14                    | 3,178.24                    | 3,172.25                    | -0.16                       | 0.16                        | 24.17                       | 0.07                        | 0                           | < 1 m 1E-9                  |
| 3,600.00                    | 3,278.95                    | 3,278.22                    | 3,272.00                    | 0.95                        | 0.95                        | 25.06                       | -0.83                       | 0                           | < 1 m 1E-9                  |
| 3,700.00                    | 3,382.77                    | 3,382.21                    | 3,377.89                    | 1.93                        | 1.93                        | 26.00                       | -1.60                       | 0                           | < 1 m 1E-9                  |
| 3,800.00                    | 3,489.59                    | 3,489.33                    | 3,485.70                    | 2.87                        | 2.87                        | 26.98                       | -2.33                       | 0                           | < 1 m 1E-9                  |
| 3,900.00                    | 3,599.41                    | 3,599.14                    | 3,595.70                    | 3.74                        | 3.74                        | 28.01                       | -3.02                       | 0                           | < 1 m 1E-9                  |
| 4,000.00                    | 3,712.25                    | 3,712.00                    | 3,708.26                    | 4.54                        | 4.54                        | 29.07                       | -3.68                       | 0                           | < 1 m 1E-9                  |
| 4,100.00                    | 3,828.11                    | 3,827.71                    | 3,823.91                    | 5.26                        | 5.26                        | 30.16                       | -4.31                       | 0                           | < 1 m 1E-9                  |
| 4,200.00                    | 3,947.00                    | 3,946.51                    | 3,942.70                    | 5.90                        | 5.90                        | 31.28                       | -4.91                       | 0                           | < 1 m 1E-9                  |
| 4,300.00                    | 4,068.91                    | 4,068.34                    | 4,064.52                    | 6.36                        | 6.36                        | 32.43                       | -5.48                       | 0                           | < 1 m 1E-9                  |
| 4,400.00                    | 4,193.84                    | 4,193.21                    | 4,188.83                    | 6.64                        | 6.64                        | 33.60                       | -6.02                       | 0                           | < 1 m 1E-9                  |
| 4,500.00                    | 4,321.89                    | 4,321.13                    | 4,316.03                    | 6.74                        | 6.74                        | 34.80                       | -6.53                       | 0                           | < 1 m 1E-9                  |
| 4,600.00                    | 4,453.06                    | 4,452.24                    | 4,447.14                    | 6.66                        | 6.66                        | 36.03                       | -7.01                       | 0                           | < 1 m 1E-9                  |
| 4,700.00                    | 4,587.35                    | 4,586.48                    | 4,580.41                    | 6.40                        | 6.40                        | 37.29                       | -7.46                       | 0                           | < 1 m 1E-9                  |
| 4,800.00                    | 4,724.75                    | 4,723.75                    | 4,717.35                    | 5.96                        | 5.96                        | 38.58                       | -7.88                       | 0                           | < 1 m 1E-9                  |
| 4,900.00                    | 4,865.26                    | 4,864.13                    | 4,857.31                    | 5.35                        | 5.35                        | 39.89                       | -8.27                       | 0                           | < 1 m 1E-9                  |
| 5,000.00                    | 5,008.87                    | 5,007.50                    | 5,000.00                    | 4.58                        | 4.58                        | 41.22                       | -8.63                       | 0                           | < 1 m 1E-9                  |
| 5,100.00                    | 5,155.58                    | 5,154.07                    | 5,146.31                    | 3.66                        | 3.66                        | 42.57                       | -8.96                       | 0                           | < 1 m 1E-9                  |
| 5,200.00                    | 5,305.38                    | 5,303.62                    | 5,293.00                    | 2.59                        | 2.59                        | 43.94                       | -9.26                       | 0                           | < 1 m 1E-9                  |
| 5,300.00                    | 5,458.26                    | 5,455.21                    | 5,444.76                    | 1.38                        | 1.38                        | 45.33                       | -9.53                       | 0                           | < 1 m 1E-9                  |
| 5,400.00                    | 5,614.23                    | 5,610.00                    | 5,600.00                    | 0.00                        | 0.00                        | 46.74                       | -9.77                       | 0                           | < 1 m 1E-9                  |
| 5,500.00                    | 5,773.28                    | 5,767.50                    | 5,755.00                    | -1.78                       | -1.78                       | 48.16                       | -9.98                       | 0                           | < 1 m 1E-9                  |
| 5,600.00                    | 5,935.41                    | 5,929.00                    | 5,915.00                    | -3.41                       | -3.41                       | 49.59                       | -10.16                      | 0                           | < 1 m 1E-9                  |
| 5,700.00                    | 6,100.62                    | 6,093.00                    | 6,075.00                    | -4.90                       | -4.90                       | 51.03                       | -10.31                      | 0                           | < 1 m 1E-9                  |
| 5,800.00                    | 6,268.91                    | 6,260.00                    | 6,240.00                    | -6.26                       | -6.26                       | 52.47                       | -10.43                      | 0                           | < 1 m 1E-9                  |
| 5,900.00                    | 6,440.28                    | 6,430.00                    | 6,405.00                    | -7.49                       | -7.49                       | 53.91                       | -10.53                      | 0                           | < 1 m 1E-9                  |
| 6,000.00                    | 6,614.73                    | 6,600.00                    | 6,570.00                    | -8.60                       | -8.60                       | 55.35                       | -10.60                      | 0                           | < 1 m 1E-9                  |
| 6,100.00                    | 6,792.26                    | 6,775.00                    | 6,735.00                    | -9.59                       | -9.59                       | 56.78                       | -10.64                      | 0                           | < 1 m 1E-9                  |

CC - Min centre to center distance or convergent point, SF - min separation factor, ES - min ellipse separation

Page 18

COMPASS 5000.15 Build 91

e Directional  
on Risk Report:



Well Goonah Fed Com 04 232H  
 GL 3013.6 + 25' KB @ 3038.60ush  
 Project  
 GL 3013.6 + 25' KB @ 3038.60ush  
 Grid  
 Minimum Curvature  
 2.00 sigma  
 HED\_Compass\_DSN  
 Offset Datum

| Plan # | Offset Error | Offset Well Error | Offset Well Error | Warning |
|--------|--------------|-------------------|-------------------|---------|
| 31     | 0.78         | 40.53             | 1.177             | 0       |
| 58     | 9.19         | 50.43             | 1.182             | 0       |
| 59     | 9.59         | 51.46             | 1.186             | 0       |
| 60     | 10.90        | 52.43             | 1.191             | 0       |
| 81     | 10.41        | 53.40             | 1.195             | 0       |
| 20     | 10.03        | 54.37             | 1.199             | 0       |
| 58     | 11.29        | 55.34             | 1.203             | 0       |
| 97     | 11.86        | 56.31             | 1.207             | 0       |
| 20     | 12.01        | 57.00             | 1.211             | 0       |
| 43     | 12.18        | 57.70             | 1.215             | 0       |
| 83     | 12.73        | 58.13             | 1.219             | 0       |
| 35     | 13.11        | 58.84             | 1.222             | 0       |
| 21     | 13.32        | 59.09             | 1.223             | 0       |
| 73     | 13.30        | 60.38             | 1.221             | 0       |
| 22     | 13.33        | 60.99             | 1.217             | 0       |
| 42     | 13.01        | 61.41             | 1.213             | 0       |
| 12     | 12.87        | 61.55             | 1.208             | 0       |
| 42     | 12.30        | 62.12             | 1.199             | 0       |
| 42     | 11.73        | 62.58             | 1.191             | 0       |
| 12     | 11.15        | 63.28             | 1.178             | 0       |
| 37     | 10.38        | 63.64             | 1.169             | 0       |
| 42     | 10.09        | 64.02             | 1.160             | 0       |
| 42     | 9.42         | 64.00             | 1.145             | 0       |
| 12     | 8.83         | 65.29             | 1.135             | 0       |
| 25     | 8.24         | 66.17             | 1.120             | 0       |
| 12     | 7.65         | 66.78             | 1.110             | 0       |
| 52     | 7.06         | 67.38             | 1.100             | 0       |
| 12     | 6.47         | 67.98             | 1.090             | 0       |
| 12     | 5.87         | 68.55             | 1.086             | 0       |
| 12     | 5.27         | 69.10             | 1.076             | 0       |
| 12     | 4.67         | 69.75             | 1.067             | 0       |
| 47     | 4.06         | 70.35             | 1.058             | 0       |
| 12     | 3.46         | 70.96             | 1.049             | 0       |
| 12     | 2.85         | 71.56             | 1.040             | 0       |
| 40     | 2.24         | 72.16             | 1.031             | 0       |
| 14     | 1.64         | 72.78             | 1.024             | 0       |
| 17     | 1.03         | 73.38             | 1.017             | 0       |
| 11     | 0.42         | 73.97             | 1.010             | 0       |
| 19     | 0.81         | 74.56             | 1.003             | 0       |
| 16     | 0.20         | 75.14             | 0.997             | 0       |
| 13     | 0.59         | 75.72             | 0.990             | 0       |
| 10     | 0.98         | 76.30             | 0.983             | 0       |
| 11     | 1.37         | 76.87             | 0.976             | 0       |
| 18     | 1.76         | 77.44             | 0.969             | 0       |
| 15     | 2.14         | 78.01             | 0.962             | 0       |
| 12     | 2.53         | 78.57             | 0.955             | 0       |
| 12     | 2.91         | 79.14             | 0.948             | 0       |
| 14     | 3.29         | 79.70             | 0.941             | 0       |
| 39     | 3.67         | 80.26             | 0.934             | 0       |
| 40     | 4.05         | 80.82             | 0.927             | 0       |
| 45     | 4.43         | 81.37             | 0.920             | 0       |
| 46     | 4.81         | 81.93             | 0.913             | 0       |
| 11     | 5.19         | 82.48             | 0.906             | 0       |
| 47     | 5.57         | 83.03             | 0.899             | 0       |
| 48     | 5.95         | 83.58             | 0.892             | 0       |
| 49     | 6.33         | 84.13             | 0.885             | 0       |
| 50     | 6.71         | 84.68             | 0.878             | 0       |
| 51     | 7.09         | 85.23             | 0.871             | 0       |
| 52     | 7.47         | 85.78             | 0.864             | 0       |
| 53     | 7.85         | 86.33             | 0.857             | 0       |
| 54     | 8.23         | 86.88             | 0.850             | 0       |
| 55     | 8.61         | 87.43             | 0.843             | 0       |
| 56     | 8.99         | 87.98             | 0.836             | 0       |
| 57     | 9.37         | 88.53             | 0.829             | 0       |
| 58     | 9.75         | 89.08             | 0.822             | 0       |
| 59     | 10.13        | 89.63             | 0.815             | 0       |
| 60     | 10.51        | 90.18             | 0.808             | 0       |
| 61     | 10.89        | 90.73             | 0.801             | 0       |
| 62     | 11.27        | 91.28             | 0.794             | 0       |
| 63     | 11.65        | 91.83             | 0.787             | 0       |
| 64     | 12.03        | 92.38             | 0.780             | 0       |
| 65     | 12.41        | 92.93             | 0.773             | 0       |
| 66     | 12.79        | 93.48             | 0.766             | 0       |
| 67     | 13.17        | 94.03             | 0.759             | 0       |
| 68     | 13.55        | 94.58             | 0.752             | 0       |
| 69     | 13.93        | 95.13             | 0.745             | 0       |
| 70     | 14.31        | 95.68             | 0.738             | 0       |
| 71     | 14.69        | 96.23             | 0.731             | 0       |
| 72     | 15.07        | 96.78             | 0.724             | 0       |
| 73     | 15.45        | 97.33             | 0.717             | 0       |
| 74     | 15.83        | 97.88             | 0.710             | 0       |
| 75     | 16.21        | 98.43             | 0.703             | 0       |
| 76     | 16.59        | 98.98             | 0.696             | 0       |
| 77     | 16.97        | 99.53             | 0.689             | 0       |
| 78     | 17.35        | 100.08            | 0.682             | 0       |
| 79     | 17.73        | 100.63            | 0.675             | 0       |
| 80     | 18.11        | 101.18            | 0.668             | 0       |
| 81     | 18.49        | 101.73            | 0.661             | 0       |
| 82     | 18.87        | 102.28            | 0.654             | 0       |
| 83     | 19.25        | 102.83            | 0.647             | 0       |
| 84     | 19.63        | 103.38            | 0.640             | 0       |
| 85     | 20.01        | 103.93            | 0.633             | 0       |
| 86     | 20.39        | 104.48            | 0.626             | 0       |
| 87     | 20.77        | 105.03            | 0.619             | 0       |
| 88     | 21.15        | 105.58            | 0.612             | 0       |
| 89     | 21.53        | 106.13            | 0.605             | 0       |
| 90     | 21.91        | 106.68            | 0.598             | 0       |
| 91     | 22.29        | 107.23            | 0.591             | 0       |
| 92     | 22.67        | 107.78            | 0.584             | 0       |
| 93     | 23.05        | 108.33            | 0.577             | 0       |
| 94     | 23.43        | 108.88            | 0.570             | 0       |
| 95     | 23.81        | 109.43            | 0.563             | 0       |
| 96     | 24.19        | 109.98            | 0.556             | 0       |
| 97     | 24.57        | 110.53            | 0.549             | 0       |
| 98     | 24.95        | 111.08            | 0.542             | 0       |
| 99     | 25.33        | 111.63            | 0.535             | 0       |
| 100    | 25.71        | 112.18            | 0.528             | 0       |

nt, SF: min separation factor; ES: min ellipse separation

COMPASS 5000.15 Build 91

Novo Oil & Gas, LLC  
 Eddy County, NM  
 Reference Site:  
 SEC 4 - T23S - R28E  
 Site Error  
 0.00  
 Reference Well:  
 Goonah Fed Com 04 232H  
 Well Error:  
 0.00  
 Reference Wellbore:  
 OH  
 Reference Design:  
 Plan #1

Haykeye Directional  
Anticollision Risk Report:



Local Co-ordinate Reference:  
 TVD Reference:  
 MD Reference:  
 North Reference:  
 Survey Calculation Method:  
 Output errors are at  
 Database:  
 Offset TVD Reference:  
 Well Goonah Fed Com 04 232H  
 GL 3013.6 + 25' KB @ 3038.60ush  
 Grid  
 Minimum Curvature  
 2.00 sigma  
 HED\_Compass\_DSN  
 Offset Datum

| Measured | Vertical | Measured | Vertical | Reference | Offset | Between | Well-Well | Minimum    | Separation | Radius     | Probability  | Warning     |
|----------|----------|----------|----------|-----------|--------|---------|-----------|------------|------------|------------|--------------|-------------|
| (feet)   | (feet)   | (feet)   | (feet)   | (feet)    | (feet) | (feet)  | Distance  | Separation | Factor     | Separation | of Collision |             |
| 10.4530  | 10.2750  | 9.8250   | 9.8390   | 136.20    | 36.03  | 607.41  | 607.41    | 568.75     | 38.67      | 15.700     | 0            | < 1 in 1E+9 |
| 10.4750  | 10.2371  | 9.8410   | 9.8590   | 135.18    | 35.91  | 601.39  | 610.29    | 575.56     | 38.64      | 15.540     | 0            | < 1 in 1E+9 |
| 10.5000  | 10.2403  | 9.8500   | 9.8420   | 134.12    | 35.99  | 616.61  | 616.61    | 577.91     | 38.58      | 15.975     | 0            | < 1 in 1E+9 |
| 10.5250  | 10.2531  | 9.8620   | 9.8430   | 134.08    | 36.07  | 616.98  | 616.98    | 581.37     | 38.61      | 16.050     | 0            | < 1 in 1E+9 |
| 10.5500  | 10.2574  | 9.8750   | 9.8440   | 134.03    | 36.15  | 622.74  | 622.74    | 584.96     | 38.67      | 16.100     | 0            | < 1 in 1E+9 |
| 10.5750  | 10.2634  | 9.8880   | 9.8450   | 134.01    | 36.24  | 624.75  | 624.75    | 588.36     | 38.78      | 16.100     | 0            | < 1 in 1E+9 |
| 10.6000  | 10.2699  | 9.9000   | 9.8460   | 133.97    | 36.31  | 628.08  | 628.08    | 591.16     | 38.82      | 16.087     | 0            | < 1 in 1E+9 |
| 10.6250  | 10.2773  | 9.9100   | 9.8470   | 133.93    | 36.39  | 630.56  | 630.56    | 593.43     | 38.87      | 16.029     | 0            | < 1 in 1E+9 |
| 10.6498  | 10.2818  | 9.9240   | 9.8477   | 133.89    | 36.46  | 632.54  | 632.54    | 595.74     | 38.94      | 16.029     | 0            | < 1 in 1E+9 |
| 10.7000  | 10.2868  | 9.9350   | 9.8472   | 133.82    | 36.53  | 635.64  | 635.64    | 598.04     | 39.04      | 16.000     | 0            | < 1 in 1E+9 |
| 10.8000  | 10.2930  | 9.9500   | 9.8468   | 133.75    | 36.59  | 637.97  | 637.97    | 600.07     | 39.09      | 15.981     | 0            | < 1 in 1E+9 |
| 10.9000  | 10.2988  | 9.9620   | 9.8461   | 133.74    | 36.75  | 637.31  | 637.31    | 602.02     | 39.02      | 16.037     | 0            | < 1 in 1E+9 |
| 11.0000  | 10.3028  | 9.9700   | 9.8456   | 133.71    | 36.87  | 636.84  | 636.84    | 603.84     | 38.92      | 16.036     | 0            | < 1 in 1E+9 |
| 11.1000  | 10.3048  | 9.9750   | 9.8450   | 133.68    | 36.97  | 636.39  | 636.39    | 605.37     | 38.81      | 16.000     | 0            | < 1 in 1E+9 |
| 11.2000  | 10.3057  | 9.9800   | 9.8444   | 133.65    | 37.04  | 635.94  | 635.94    | 606.67     | 38.69      | 16.000     | 0            | < 1 in 1E+9 |
| 11.3000  | 10.3056  | 9.9850   | 9.8438   | 133.63    | 37.13  | 635.50  | 635.50    | 607.69     | 38.56      | 16.000     | 0            | < 1 in 1E+9 |
| 11.4000  | 10.3044  | 9.9900   | 9.8432   | 133.61    | 37.21  | 635.07  | 635.07    | 608.44     | 38.43      | 16.000     | 0            | < 1 in 1E+9 |
| 11.5000  | 10.3022  | 9.9950   | 9.8426   | 133.59    | 37.29  | 634.64  | 634.64    | 608.92     | 38.29      | 16.000     | 0            | < 1 in 1E+9 |
| 11.6000  | 10.2990  | 10.0000  | 9.8420   | 133.57    | 37.37  | 634.21  | 634.21    | 609.24     | 38.14      | 16.000     | 0            | < 1 in 1E+9 |
| 11.7000  | 10.2948  | 10.0050  | 9.8414   | 133.55    | 37.45  | 633.78  | 633.78    | 609.40     | 37.98      | 16.000     | 0            | < 1 in 1E+9 |
| 11.8000  | 10.2896  | 10.0100  | 9.8408   | 133.53    | 37.53  | 633.35  | 633.35    | 609.40     | 37.81      | 16.000     | 0            | < 1 in 1E+9 |
| 11.9000  | 10.2834  | 10.0150  | 9.8402   | 133.51    | 37.61  | 632.92  | 632.92    | 609.24     | 37.64      | 16.000     | 0            | < 1 in 1E+9 |
| 12.0000  | 10.2762  | 10.0200  | 9.8396   | 133.49    | 37.69  | 632.49  | 632.49    | 608.92     | 37.46      | 16.000     | 0            | < 1 in 1E+9 |
| 12.1000  | 10.2680  | 10.0250  | 9.8390   | 133.47    | 37.77  | 632.06  | 632.06    | 608.50     | 37.28      | 16.000     | 0            | < 1 in 1E+9 |
| 12.2000  | 10.2588  | 10.0300  | 9.8384   | 133.45    | 37.85  | 631.63  | 631.63    | 607.97     | 37.09      | 16.000     | 0            | < 1 in 1E+9 |
| 12.3000  | 10.2486  | 10.0350  | 9.8378   | 133.43    | 37.93  | 631.20  | 631.20    | 607.34     | 36.89      | 16.000     | 0            | < 1 in 1E+9 |
| 12.4000  | 10.2374  | 10.0400  | 9.8372   | 133.41    | 38.01  | 630.77  | 630.77    | 606.61     | 36.68      | 16.000     | 0            | < 1 in 1E+9 |
| 12.5000  | 10.2252  | 10.0450  | 9.8366   | 133.39    | 38.09  | 630.34  | 630.34    | 605.78     | 36.46      | 16.000     | 0            | < 1 in 1E+9 |
| 12.6000  | 10.2120  | 10.0500  | 9.8360   | 133.37    | 38.17  | 629.91  | 629.91    | 604.85     | 36.24      | 16.000     | 0            | < 1 in 1E+9 |
| 12.7000  | 10.1978  | 10.0550  | 9.8354   | 133.35    | 38.25  | 629.48  | 629.48    | 603.82     | 36.01      | 16.000     | 0            | < 1 in 1E+9 |
| 12.8000  | 10.1826  | 10.0600  | 9.8348   | 133.33    | 38.33  | 629.05  | 629.05    | 602.69     | 35.78      | 16.000     | 0            | < 1 in 1E+9 |
| 12.9000  | 10.1664  | 10.0650  | 9.8342   | 133.31    | 38.41  | 628.62  | 628.62    | 601.46     | 35.54      | 16.000     | 0            | < 1 in 1E+9 |
| 13.0000  | 10.1492  | 10.0700  | 9.8336   | 133.29    | 38.49  | 628.19  | 628.19    | 600.13     | 35.29      | 16.000     | 0            | < 1 in 1E+9 |
| 13.1000  | 10.1310  | 10.0750  | 9.8330   | 133.27    | 38.57  | 627.76  | 627.76    | 598.70     | 35.03      | 16.000     | 0            | < 1 in 1E+9 |
| 13.2000  | 10.1118  | 10.0800  | 9.8324   | 133.25    | 38.65  | 627.33  | 627.33    | 597.17     | 34.76      | 16.000     | 0            | < 1 in 1E+9 |
| 13.3000  | 10.0916  | 10.0850  | 9.8318   | 133.23    | 38.73  | 626.90  | 626.90    | 595.54     | 34.48      | 16.000     | 0            | < 1 in 1E+9 |
| 13.4000  | 10.0704  | 10.0900  | 9.8312   | 133.21    | 38.81  | 626.47  | 626.47    | 593.81     | 34.19      | 16.000     | 0            | < 1 in 1E+9 |
| 13.5000  | 10.0482  | 10.0950  | 9.8306   | 133.19    | 38.89  | 626.04  | 626.04    | 591.98     | 33.89      | 16.000     | 0            | < 1 in 1E+9 |
| 13.6000  | 10.0250  | 10.1000  | 9.8300   | 133.17    | 38.97  | 625.61  | 625.61    | 590.05     | 33.58      | 16.000     | 0            | < 1 in 1E+9 |
| 13.7000  | 9.9998   | 10.1050  | 9.8294   | 133.15    | 39.05  | 625.18  | 625.18    | 588.02     | 33.26      | 16.000     | 0            | < 1 in 1E+9 |
| 13.8000  | 9.9736   | 10.1100  | 9.8288   | 133.13    | 39.13  | 624.75  | 624.75    | 585.89     | 32.94      | 16.000     | 0            | < 1 in 1E+9 |
| 13.9000  | 9.9464   | 10.1150  | 9.8282   | 133.11    | 39.21  | 624.3   |           |            |            |            |              |             |

Directional  
on Risk Report



Well Goonch Fed Com 04 232H  
 GL 3013.6 + 25' KB @ 3038.60ust  
 GL 3013.6 + 25' KB @ 3038.60ust  
 Grid  
 Minimum Curvature  
 2.00 sigma  
 HED Compass DSN  
 Offset Datum

| Plan #1 | Offset Size Error | Offset Well Error |
|---------|-------------------|-------------------|
|         | 0.00 Unit         | 0.00 Unit         |
| 12      | 189.50            | 0.27 744.248      |
| 12      | 189.13            | 0.39 203.004      |
| 12      | 189.42            | 1.70 117.328      |
| 12      | 197.70            | 2.42 82.705       |
| 12      | 190.86            | 1.14 63.601       |
| 12      | 180.97            | 0.85 51.901       |
| 12      | 195.95            | 4.57 43.765       |
| 12      | 194.43            | 0.59 37.848       |
| 12      | 194.12            | 0.00 33.329       |
| 12      | 193.60            | 0.72 29.774       |
| 12      | 192.68            | 0.24 25.894       |
| 12      | 192.07            | 0.00 21.975       |
| 12      | 191.25            | 0.07 20.050       |
| 12      | 190.53            | 0.59 20.970       |
| 12      | 189.81            | 0.31 19.416       |
| 12      | 189.10            | 1.02 18.105       |
| 12      | 188.38            | 1.74 17.045       |
| 12      | 187.66            | 12.46 16.028      |
| 12      | 186.95            | 13.17 15.191      |
| 12      | 186.23            | 13.89 14.407      |
| 12      | 185.50            | 14.56 13.722      |
| 12      | 184.78            | 15.19 13.140      |
| 12      | 184.05            | 15.82 12.633      |
| 12      | 183.33            | 16.46 12.200      |
| 12      | 182.61            | 17.11 11.837      |
| 12      | 181.89            | 17.78 11.530      |
| 12      | 181.17            | 18.46 11.280      |
| 12      | 180.45            | 19.14 11.077      |
| 12      | 179.73            | 19.82 10.923      |
| 12      | 179.01            | 20.50 10.810      |
| 12      | 178.29            | 21.18 10.737      |
| 12      | 177.57            | 21.86 10.705      |
| 12      | 176.85            | 22.54 10.713      |
| 12      | 176.13            | 23.22 10.761      |
| 12      | 175.41            | 23.90 10.849      |
| 12      | 174.69            | 24.58 10.977      |
| 12      | 173.97            | 25.26 11.145      |
| 12      | 173.25            | 25.94 11.353      |
| 12      | 172.53            | 26.62 11.601      |
| 12      | 171.81            | 27.30 11.889      |
| 12      | 171.09            | 27.98 12.217      |
| 12      | 170.37            | 28.66 12.585      |
| 12      | 169.65            | 29.34 13.003      |
| 12      | 168.93            | 30.02 13.471      |
| 12      | 168.21            | 30.70 14.000      |
| 12      | 167.49            | 31.38 14.589      |
| 12      | 166.77            | 32.06 15.238      |
| 12      | 166.05            | 32.74 15.947      |
| 12      | 165.33            | 33.42 16.716      |
| 12      | 164.61            | 34.10 17.545      |
| 12      | 163.89            | 34.78 18.434      |
| 12      | 163.17            | 35.46 19.383      |
| 12      | 162.45            | 36.14 20.392      |
| 12      | 161.73            | 36.82 21.461      |
| 12      | 161.01            | 37.50 22.590      |
| 12      | 160.29            | 38.18 23.779      |
| 12      | 159.57            | 38.86 25.028      |
| 12      | 158.85            | 39.54 26.337      |
| 12      | 158.13            | 40.22 27.706      |
| 12      | 157.41            | 40.90 29.135      |
| 12      | 156.69            | 41.58 30.624      |
| 12      | 155.97            | 42.26 32.173      |
| 12      | 155.25            | 42.94 33.782      |
| 12      | 154.53            | 43.62 35.451      |
| 12      | 153.81            | 44.30 37.180      |
| 12      | 153.09            | 44.98 38.969      |
| 12      | 152.37            | 45.66 40.818      |
| 12      | 151.65            | 46.34 42.727      |
| 12      | 150.93            | 47.02 44.696      |
| 12      | 150.21            | 47.70 46.725      |
| 12      | 149.49            | 48.38 48.814      |
| 12      | 148.77            | 49.06 50.963      |
| 12      | 148.05            | 49.74 53.172      |
| 12      | 147.33            | 50.42 55.441      |
| 12      | 146.61            | 51.10 57.770      |
| 12      | 145.89            | 51.78 60.159      |
| 12      | 145.17            | 52.46 62.608      |
| 12      | 144.45            | 53.14 65.117      |
| 12      | 143.73            | 53.82 67.686      |
| 12      | 143.01            | 54.50 70.315      |
| 12      | 142.29            | 55.18 72.994      |
| 12      | 141.57            | 55.86 75.723      |
| 12      | 140.85            | 56.54 78.502      |
| 12      | 140.13            | 57.22 81.331      |
| 12      | 139.41            | 57.90 84.210      |
| 12      | 138.69            | 58.58 87.139      |
| 12      | 137.97            | 59.26 90.118      |
| 12      | 137.25            | 59.94 93.147      |
| 12      | 136.53            | 60.62 96.226      |
| 12      | 135.81            | 61.30 99.355      |
| 12      | 135.09            | 61.98 102.534     |
| 12      | 134.37            | 62.66 105.763     |
| 12      | 133.65            | 63.34 109.042     |
| 12      | 132.93            | 64.02 112.371     |
| 12      | 132.21            | 64.70 115.750     |
| 12      | 131.49            | 65.38 119.179     |
| 12      | 130.77            | 66.06 122.658     |
| 12      | 130.05            | 66.74 126.187     |
| 12      | 129.33            | 67.42 129.766     |
| 12      | 128.61            | 68.10 133.395     |
| 12      | 127.89            | 68.78 137.074     |
| 12      | 127.17            | 69.46 140.803     |
| 12      | 126.45            | 70.14 144.582     |
| 12      | 125.73            | 70.82 148.411     |
| 12      | 125.01            | 71.50 152.290     |
| 12      | 124.29            | 72.18 156.219     |
| 12      | 123.57            | 72.86 160.198     |
| 12      | 122.85            | 73.54 164.227     |
| 12      | 122.13            | 74.22 168.306     |
| 12      | 121.41            | 74.90 172.435     |
| 12      | 120.69            | 75.58 176.614     |
| 12      | 119.97            | 76.26 180.843     |
| 12      | 119.25            | 76.94 185.122     |
| 12      | 118.53            | 77.62 189.451     |
| 12      | 117.81            | 78.30 193.830     |
| 12      | 117.09            | 78.98 198.259     |
| 12      | 116.37            | 79.66 202.738     |
| 12      | 115.65            | 80.34 207.267     |
| 12      | 114.93            | 81.02 211.846     |
| 12      | 114.21            | 81.70 216.475     |
| 12      | 113.49            | 82.38 221.154     |
| 12      | 112.77            | 83.06 225.883     |
| 12      | 112.05            | 83.74 230.662     |
| 12      | 111.33            | 84.42 235.491     |
| 12      | 110.61            | 85.10 240.370     |
| 12      | 109.89            | 85.78 245.299     |
| 12      | 109.17            | 86.46 250.278     |
| 12      | 108.45            | 87.14 255.307     |
| 12      | 107.73            | 87.82 260.386     |
| 12      | 107.01            | 88.50 265.515     |
| 12      | 106.29            | 89.18 270.694     |
| 12      | 105.57            | 89.86 275.923     |
| 12      | 104.85            | 90.54 281.202     |
| 12      | 104.13            | 91.22 286.531     |
| 12      | 103.41            | 91.90 291.910     |
| 12      | 102.69            | 92.58 297.339     |
| 12      | 101.97            | 93.26 302.818     |
| 12      | 101.25            | 93.94 308.347     |
| 12      | 100.53            | 94.62 313.926     |
| 12      | 99.81             | 95.30 319.555     |
| 12      | 99.09             | 95.98 325.234     |
| 12      | 98.37             | 96.66 330.963     |
| 12      | 97.65             | 97.34 336.742     |
| 12      | 96.93             | 98.02 342.571     |
| 12      | 96.21             | 98.70 348.450     |
| 12      | 95.49             | 99.38 354.379     |
| 12      | 94.77             | 100.06 360.358    |
| 12      | 94.05             | 100.74 366.387    |
| 12      | 93.33             | 101.42 372.466    |
| 12      | 92.61             | 102.10 378.595    |
| 12      | 91.89             | 102.78 384.774    |
| 12      | 91.17             | 103.46 390.903    |
| 12      | 90.45             | 104.14 397.082    |
| 12      | 89.73             | 104.82 403.311    |
| 12      | 89.01             | 105.50 409.590    |
| 12      | 88.29             | 106.18 415.919    |
| 12      | 87.57             | 106.86 422.298    |
| 12      | 86.85             | 107.54 428.727    |
| 12      | 86.13             | 108.22 435.206    |
| 12      | 85.41             | 108.90 441.735    |
| 12      | 84.69             | 109.58 448.314    |
| 12      | 83.97             | 110.26 454.943    |
| 12      | 83.25             | 110.94 461.622    |
| 12      | 82.53             | 111.62 468.351    |
| 12      | 81.81             | 112.30 475.130    |
| 12      | 81.09             | 112.98 481.959    |
| 12      | 80.37             | 113.66 488.838    |
| 12      | 79.65             | 114.34 495.767    |
| 12      | 78.93             | 115.02 502.746    |
| 12      | 78.21             | 115.70 509.775    |
| 12      | 77.49             | 116.38 516.854    |
| 12      | 76.77             | 117.06 523.983    |
| 12      | 76.05             | 117.74 531.162    |
| 12      | 75.33             | 118.42 538.391    |
| 12      | 74.61             | 119.10 545.670    |
| 12      | 73.89             | 119.78 552.999    |
| 12      | 73.17             | 120.46 560.378    |
| 12      | 72.45             | 121.14 567.807    |
| 12      | 71.73             | 121.82 575.286    |
| 12      | 71.01             | 122.50 582.815    |
| 12      | 70.29             | 123.18 590.394    |
| 12      | 69.57             | 123.86 598.023    |
| 12      | 68.85             | 124.54 605.702    |
| 12      | 68.13             | 125.22 613.431    |
| 12      | 67.41             | 125.90 621.210    |
| 12      | 66.69             | 126.58 629.039    |
| 12      | 65.97             | 127.26 636.918    |
| 12      | 65.25             | 127.94 644.847    |
| 12      | 64.53             | 128.62 652.826    |
| 12      | 63.81             | 129.30 660.855    |
| 12      | 63.09             | 130.00 668.934    |
| 12      | 62.37             | 130.68 677.063    |
| 12      | 61.65             | 131.36 685.242    |
| 12      | 60.93             | 132.04 693.471    |
| 12      | 60.21             | 132.72 701.750    |
| 12      | 59.49             | 133.40 710.079    |
| 12      | 58.77             | 134.08 718.458    |
| 12      | 58.05             | 134.76 726.887    |
| 12      | 57.33             | 135.44 735.366    |
| 12      | 56.61             | 136.12 743.895    |
| 12      | 55.89             | 136.80 752.474    |
| 12      | 55.17             | 137.48 761.103    |
| 12      | 54.45             | 138.16 769.782    |
| 12      | 53.73             | 138.84 778.511    |
| 12      | 53.01             | 139.52 787.290    |
| 12      | 52.29             | 140.20 796.119    |
| 12      | 51.57             | 140.88 805.000    |
| 12      | 50.85             | 141.56 813.931    |
| 12      | 50.13             | 142.24 822.912    |
| 12      | 49.41             | 142.92 831.943    |
| 12      | 48.69             | 143.60 841.024    |
| 12      | 47.97             | 144.28 850.165    |
| 12      | 47.25             | 144.96 859.366    |
| 12      | 46.53             | 145.64 868.627    |
| 12      | 45.81             | 146.32 877.948    |
| 12      | 45.09             | 147.00 887.329    |
| 12      | 44.37             | 147.68 896.770    |
| 12      | 43.65             | 148.36 906.271    |
| 12      | 42.93             | 149.04 915.832    |
| 12      | 42.21             | 149.72 925.453    |
| 12      | 41.49             | 150.40 935.134    |
| 12      | 40.77             | 151.08 944.875    |
| 12      | 40.05             | 151.76 954.676    |
| 12      | 39.33             | 152.44 964.537    |
| 12      | 38.61             | 153.12 974.458    |
| 12      | 37.89             | 153.80 984.439    |
| 12      | 37.17             | 154.48 994.480    |
| 12      | 36.45             | 155.16 1004.581   |
| 12      | 35.73             | 155.84 1014.742   |
| 12      | 35.01             | 156.52 1024.963   |
| 12      | 34.29             | 157.20 1035.244   |
| 12      | 33.57             | 157.88 1045.585   |
| 12      | 32.85             | 158.56 1055.986   |
| 12      | 32.13             | 159.24 1066.447   |
| 12      | 31.41             | 159.92 1076.968   |
| 12      | 30.69             | 160.60 1087.549   |
| 12      | 29.97             | 161.28 1098.190   |
| 12      | 29.25             | 161.96 1108.891   |
| 12      | 28.53             | 162.64 1119.652   |
| 12      | 27.81             | 163.32 1130.473   |
| 12      | 27.09             | 164.00 1141.354   |
| 12      | 26.37             | 164.68 1152.295   |
| 12      | 25.65             | 165.36 1163.296   |
| 12      | 24.93             | 166.04 1174.357   |
| 12      | 24.21             | 166.72 1185.478   |
| 12      | 23.49             | 167.40 1196.659   |
| 12      | 22.77             | 168.08 1207.900   |
| 12      | 22.05             | 168.76 1219.201   |
| 12      | 21.33             | 169.44 1230.562   |
| 12      | 20.61             | 170.12 1242.083   |
| 12      | 19.89             | 170.80 1253.664   |
| 12      | 19.17             | 171.48 1265.305   |
| 12      | 18.45             | 172.16 1277.006   |
| 12      | 17.73             | 172.84 1288.767   |
| 12      | 17.01             | 173.52 1300.588   |
| 12      | 16.29             | 174.20 1312.469   |
| 12      | 15.57             | 174.88 1324.410   |
| 12      | 14.85             | 175.56 1336.411   |
| 12      | 14.13             | 176.24 1348.472   |
| 12      | 13.41             | 176.92 1360.593   |
| 12      | 12.69             | 177.60 1372.774   |
| 12      | 11.97             | 178.28 1385.015   |
| 12      | 11.25             | 178.96 1397.316   |
| 12      | 10.5              |                   |




Directional  
Well Risk Report



|                             |                               |
|-----------------------------|-------------------------------|
| Well Co-ordinate Reference: | Well Gooch Fed Com 04 232H    |
| D Reference:                | GL 3013 @ 25 KB @ 3038.60uett |
| F Reference:                | GL 3013 @ 25 KB @ 3038.60uett |
| G Reference:                | Grid                          |
| Survey Calculation Method:  | Minimum Curvature             |
| Input errors are at:        | 2.00 sigma                    |
| Database:                   | HED_Compass_DSN               |
| Offset TVD Reference:       | Offset Datum                  |

Coordinates are relative to: Gooch Fed Com 04 232H  
 Coordinate System is US State Plane 1983, New Mexico Eastern Zone  
 Grid Convergence at Surface is: 0.13'

Well Factor Plot



LEGEND:  
 - Gooch Fed Com 04 232H  
 - Gooch Fed Com 04 232H  
 - Gooch Fed Com 04 232H

# Certificate of Authority to use the Official API Monogram

License Number: 16C-0383

ORIGINAL

The American Petroleum Institute hereby grants to

**COPPER STATE RUBBER, INC.**  
**750 S. 59th Avenue**  
**Phoenix, AZ**

the right to use the Official API Monogram® on manufactured products under the conditions in the official publications of the American Petroleum Institute entitled API Spec Q1® and **API-16C** and in accordance with the provisions of the License Agreement.

In all cases where the Official API Monogram is applied, the API Monogram shall be used in conjunction with this certificate number: **16C-0383**

The American Petroleum Institute reserves the right to revoke this authorization to use the Official API Monogram for any reason satisfactory to the Board of Directors of the American Petroleum Institute.


The scope of this license includes the following: Flexible Choke and Kill Lines at FSL 0, FSL 1, FSL 2, FSL 3.

QMS Exclusions: No Exclusions Identified as Applicable

**Effective Date: MARCH 28, 2017**

**Expiration Date: APRIL 21, 2019**

To verify the authenticity of this license, go to [www.api.org/compositelist](http://www.api.org/compositelist).



Vice President, API Global Industry Services



14141 S. Wayside Drive  
Houston, Texas 77048

Phone 713-644-1491  
Fax 713-644-9830  
www.copperstaterubber.com  
sales@copperstaterubber.com

Independence Contracting Drilling  
11601 N. Galayda St.  
Houston, Texas 77086

February 23, 2018

**Subject:** Purchase Order No.: PO00116446  
Date: February 23, 2018  
Specialties Company File No.: CSR / SPECO-81069

**Equipment:** Copper State Rubber Choke/Kill Hose Assembly, 10KSI MAWP X 15KSI  
T/P, API 16C FSL3, Fire Resistant Cover, Complete 4-1/16" 10KSI  
MAWP Flange With BX155 SS Lined Ring Groove Each End. H2S  
Suited.  
1EA: 3" ID X 75Ft. S/N-33851

### CERTIFICATE OF COMPLIANCE

This is to certify the above referenced equipment meets or exceeds the following requirements and were manufactured from same material specification and manufacturing methods as prototype assemblies for referenced specifications.

- I. COMPLETE HOSE ASSEMBLY
  - A. API Certificate of Accreditation for Spec. Q1 (Quality Programs) and Spec.: 16C
    1. Copper State Rubber, Inc. Certificate No.: 16C-0383
  - B. CSR Specification No.: 090-1915C
- II. PHYSICAL/CHEMICAL PROPERTIES OF METAL COMPONENTS
  - A. API Spec. 6A, latest edition
  - B. API Spec. 16A, latest edition
  - C. NACE Standard MR0175, latest edition
- III. WELDMENTS/NDE REQUIREMENTS
  - A. Section IX, ASME Boiler & Pressure Code, 1986 Ed., 1987 Add.
  - B. CSR/Specialties Company WPS/PQR Nos.: 911171-1, and 911171-2, Rev. 05 dated June 2005

III. WELDMENTS/NDE REQUIREMENTS (continued)

- C. API Spec. 6A, latest edition
- D. API Spec. 16A, latest edition

Sincerely,



Joe Leeper,  
Technical Department



## Visual Inspection / Hydrostatic Test Report

|                 |                                  |
|-----------------|----------------------------------|
| Manufacturer    | Copper State Rubber Inc.         |
| Hose Type       | Choke and Kill                   |
| Pressure Rating | 10,000 PSI MAWP X 15,000 PSI T/P |
| Spec Number     | 090-1915C-48                     |
| FSL Rating      | FSL 3                            |

|                   |                  |
|-------------------|------------------|
| Serial Number     | 33851            |
| Size ID           | 3"               |
| Length            | 75'              |
| Date              | December 9, 2017 |
| Shop Order Number | 31162            |

Connections Description: 4 1/16" 10K API FLANGE WITH SS INLAID BX-155 RING GROOVE EACH END

### Traceability of Terminating Connectors

|             | Insert | Male | Nut | Female | Flanges | Hubs | Other     |
|-------------|--------|------|-----|--------|---------|------|-----------|
| Connector 1 | 14C1   |      |     |        | V4760   |      | CSR-H1263 |
| Connector 2 | 14C1   |      |     |        | V4760   |      | CSR-H1265 |

Comments \_\_\_\_\_

### Calibrated Devices

|                   |          |                  |           |
|-------------------|----------|------------------|-----------|
| Pressure Recorder | 07459    | Calibration Date | 1/23/2017 |
| Pressure Gauge    | 111291-2 | Calibration Date | 1/23/2017 |

\*This report signifies that the product has been visually inspected for defects in the interior tube, recess, gasket, cover and branding and all have been found to be conforming.

Comments \_\_\_\_\_

Hydrostatic Testing Requirements

Length after test

60 Min @ 15,000 psi (-0/+500 psi)

75'

OAL

Witness By:

Phil Spider

Supervisor

INDEPENDENCE CONTRACT DRILLING  
P.O. NO.: PO00116446  
DATE: FEBRUARY 23, 2018  
FILE NO.: CSR / SPECO-81069




CHART NO. MC MP-30000-150F  
-90 MIN

METER \_\_\_\_\_ TAKEN OFF \_\_\_\_\_  
 CHART PUT ON \_\_\_\_\_  
 LOCATION \_\_\_\_\_  
 REMARKS \_\_\_\_\_

**Copper State Rubber, Inc.**  
 Phoenix, Arizona

DATE 12-9-17 JD  
 W.O. 31162  
 SERIAL 33851  
 I.D. 3"  
 LENGTH 75'  
 TYPE OF ENDS 4 1/16" 10K API FLANGE WITH SS INLAID  
BX-155 RING GROOVE EACH END  
 TYPE OF HOSE 10,000 PSI WP, 15,000 PSI TEST  
16C CHOKE & KILL

Novo Oil & Gas Northern Delaware, LLC  
 Goonch Fed Com 04 232H  
 SHL 1080' FSL & 1180' FWL 4-23S-28E  
 BHL 130' FNL & 1254' FWL 4-23S-28e  
 Eddy County, NM

DRILL PLAN PAGE 1

fee/fee/Fed

Drilling Program

1. ESTIMATED TOPS

| Formation Name                                   | TVD KB | MD     | Bearing       |
|--|--------|--------|---------------|
| Quaternary                                       | 0'     | 0'     | water         |
| Rustler anhydrite (surface csg @ 694' MD)        | 100'   | 100'   | N/A           |
| Castile gypsum                                   | 970'   | 970'   | N/A           |
| Lamar limestone                                  | 2473'  | 2476'  | N/A           |
| Bell Canyon sandstone                            | 2539'  | 2542'  | hydrocarbons  |
| Cherry Canyon sandstone                          | 3614'  | 3641'  | hydrocarbons  |
| Brushy Canyon sandstone                          | 4627'  | 4676'  | hydrocarbons  |
| Bone Spring limestone                            | 6070'  | 6152'  | hydrocarbons  |
| Avalon shale                                     | 6578'  | 6671'  | hydrocarbons  |
| 1 <sup>st</sup> Bone Spring sandstone            | 7037'  | 7149'  | hydrocarbons  |
| 2 <sup>nd</sup> Bone Spring carbonate            | 7250'  | 7354'  | hydrocarbons  |
| 2nd Bone Spring sandstone                        | 7785'  | 7889'  | hydrocarbons  |
| 3d Bone Spring carbonate (inter. csg @ 8900' MD) | 8082'  | 8186'  | hydrocarbons  |
| 3 <sup>rd</sup> Bone Spring sandstone            | 9016'  | 9120'  | hydrocarbons  |
| Wolfcamp XY carbonate                            | 9359'  | 9463'  | hydrocarbons  |
| Wolfcamp A carbonate                             | 9509'  | 9613'  | hydrocarbons  |
| Wolfcamp B carbonate (pro. csg @ 15370' MD)      | 9714'  | 9818'  | hydrocarbons  |
| (KOP   | 9791'  | 9895'  | hydrocarbons) |
| TD   | 10269' | 15370' | hydrocarbons  |

2. NOTABLE ZONES

Wolfcamp B carbonate is the goal. All perforations will be  $\geq 330'$  from the dedication perimeter. Closest water well (C 00800) is 0.87 mile southeast. Water bearing strata were found from 50' to 155' in the 200' deep well.

Novo Oil & Gas Northern Delaware, LLC  
Goonch Fed Com 04 232H  
SHL 1080' FSL & 1180' FWL 4-23S-28E  
BHL 130' FNL & 1254' FWL 4-23S-28e  
Eddy County, NM

DRILL PLAN PAGE 2

fee/fee/Fed

### 3. PRESSURE CONTROL

A 13.625" 5,000-psi BOP system will be installed on a multi-bowl (speed head) wellhead with a 13.625" flanged casing spool. Top flange of casing spool will be set in a cellar below ground level. BOP system will consist of a single pipe ram on the bottom, mud cross, double pipe ram with blind rams on bottom and pipe rams on top, and annular preventer. Blowout preventer will be installed on top of the 13.375" surface casing and will remain installed to TD of the well. Wellhead, blowout preventer, and choke manifold diagram are included.

BOP system will be isolated with a test plug and tested by an independent tester to 250-psi low and 5000-psi high for 10 minutes. Variance is requested to use a co-flex hose between the BOP system and choke manifold. A typical co-flex pressure test certificate is attached. An equipment specific co-flex pressure test certificate will be on-site when testing the BOP.

All casing strings will be tested in accordance with Onshore Order 2, III.B.1.h.

### 4. CASING & CEMENT

Variance is requested for an option to use a surface rig to drill the surface hole, set the surface casing, and cement the surface casing. If the schedule between rigs would preclude presetting the surface casing, then the primary rig will MIRU and drill all of the well.

All casing will be API and new. See attached casing assumption worksheet.

Novo Oil & Gas Northern Delaware, LLC  
 Goonch Fed Com 04 232H  
 SHL 1080' FSL & 1180' FWL 4-23S-28E  
 BHL 130' FNL & 1254' FWL 4-23S-28e  
 Eddy County, NM

DRILL PLAN PAGE 3

fee/fee/Fed

| Hole O. D. | Set MD      | Set TVD     | Casing OD        | Weight (lb/ft) | Grade  | Joint   | Collapse | Burst | Tension |
|------------|-------------|-------------|------------------|----------------|--------|---------|----------|-------|---------|
| 17.5"      | 0' - 694'   | 0' - 694'   | 13.375" surface  | 54.5           | J-55   | BTC     | 1.125    | 1.125 | 1.60    |
| 12.25"     | 0' - 8900"  | 0' - 8796'  | 9.625" intermed. | 43.5           | HCL-80 | BTC     | 1.125    | 1.125 | 1.60    |
| 8.5"       | 0' - 15370' | 0' - 10269' | 5.5" product.    | 20             | P-110  | TMK DQX | 1.125    | 1.125 | 1.60    |

Alternate Production Casing:

| Hole O. D. | Set MD      | Set TVD     | Casing OD     | Weight (lb/ft) | Grade    | Joint | Collapse | Burst | Tension |
|------------|-------------|-------------|---------------|----------------|----------|-------|----------|-------|---------|
| 8.5"       | 0' - 15370' | 0' - 10269' | 5.5" product. | 20             | P-110    | GBCD  | 1.125    | 1.125 | 1.60    |
| 8.5"       | 0' - 15370' | 0' - 10269' | 5.5" product. | 20             | P-110 HC | CDC   | 1.125    | 1.125 | 1.60    |

Alternate weights and grades could be substituted to meet maximum stimulation pressures.

Novo Oil & Gas Northern Delaware, LLC  
 Goonch Fed Com 04 232H  
 SHL 1080' FSL & 1180' FWL 4-23S-28E  
 BHL 130' FNL & 1254' FWL 4-23S-28e  
 Eddy County, NM

DRILL PLAN PAGE 4

fee/fee/Fed

| Name                   | Type | Sacks       | Yield | Cu. Ft. | Weight   | Blend                                      |
|------------------------|------|-------------|-------|---------|--|--|
| Surface                | Tail | 595         | 1.62  | 963     | 13.8   | Class C + gel + accelerator + LCM          |
| TOC = GL               |      | 100% Excess |       |         | Centralizers on every jt to GL   |  |
| Intermediate Stage * 1 | Lead | 690         | 2.28  | 1573    | 11.9   | Class C or H + fluid loss + retarder + LCM |
|                        | Tail | 200         | 1.34  | 268     | 14.8   | Class C or H + fluid loss + retarder + LCM |
| Intermediate Stage * 2 | Lead | 542         | 2.28  | 1235    | 11.9   | Class C or H + fluid loss + retarder + LCM |
|                        | Tail | 200         | 1.34  | 268     | 14.8   | Class C or H + fluid loss + retarder + LCM |
| TOC = GL               |      | 20% Excess  |       |         | Centralizers on bottom 3 jts and then 1 centralizer every 4th jt to GL |  |
| Production             | Tail | 1014        | 1.89  | 1916    | 13.0   | Class H + fluid loss + retarder + LCM      |
| TOC = 8400'            |      | 20% Excess  |       |         | None planned   |  |

\*Stage tool set at ~4000'

## 5. MUD PROGRAM

An electronic PVT mud system will monitor flow rate, pump pressure, stroke rate, and volume. All necessary mud products (barite, bentonite, LCM) to control weight and fluid loss will be on site at all times. Mud program may change due to hole conditions. A closed loop system will be used.

| Type                  | Interval (MD)  | lb/gal     | Viscosity | Fluid Loss |
|-----------------------|----------------|------------|-----------|------------|
| fresh water spud      | 0' - 694'      | 8.3        | 30 - 60   | NC         |
| brine diesel emulsion | 694' - 8900'   | 8.8 - 9.2  | 35 - 45   | NC         |
| OBM                   | 8900' - 15370' | 8.8 - 12.5 | 35 - 65   | 4 - 6      |

Novo Oil & Gas Northern Delaware, LLC  
Goonch Fed Com 04 232H  
SHL 1080' FSL & 1180' FWL 4-23S-28E  
BHL 130' FNL & 1254' FWL 4-23S-28e  
Eddy County, NM

DRILL PLAN PAGE 5

fee/fee/Fed

## 6. CORES, TESTS, & LOGS

No core or drill stem test is planned.

A 2-person mud logging program will be used from  $\approx 3000'$  to TD.

GR log will be acquired by MWD tools from the intermediate casing to TD.

## 7. DOWN HOLE CONDITIONS

No abnormal pressure or temperature is expected. Maximum expected bottom hole pressure is  $\approx 5484$  psi. Expected bottom hole temperature is  $\approx 165^\circ$  F.

An H2S plan is attached.

## 8. OTHER INFORMATION

Anticipated spud date is upon approval. It is expected it will take  $\approx 3$  months to drill and complete the well.

Novo owns fee leases in the S2 Section 4. Novo has NMOCD approval to be the operator in the W2 Section 4 via NMOCD Case 20184 and R-20578.

## **Novo Oil & Gas Northern Delaware Goonch Fed Com 04 Casing Variance Request**

A variance is requested for an option to use a surface rig to drill the surface hole, set the surface casing, and cement the surface casing. If the schedule between rigs would preclude presetting the surface casing, then the primary rig will MIRU and drill all of the well.

**Gnooch Fed Com 04 232H Alternative Casing Spec Request**

Novo Oil & Gas Northern Delaware, LLC respectfully requests flexibility in the production casing spec in the event that drilling conditions and/or equipment availability determines the need for an alternate casing. The alternate casing specs are specified in the attached drill plan. The alternate casing spec sheets are attached.

Casing: 5 1/2 OD, 20 ppf  
 Casing Grade: P-110

Connection:  
 Coupling Grade:



| PIPE BODY GEOMETRY     |       |                                    |       |                         |
|------------------------|-------|------------------------------------|-------|-------------------------|
| Nominal OD (in.)       | 5 1/2 | Wall Thickness (in.)               | 0.361 | Drift Diameter (in.)    |
| Nominal Weight (ppf)   | 20.00 | Nominal ID (in.)                   | 4.778 | API Alternate Drift Di. |
| Plain End Weight (ppf) | 19.83 | Plain End Area (in. <sup>2</sup> ) | 5.828 |                         |

| PIPE BODY PERFORMANCE  |        |                           |         |                          |
|------------------------|--------|---------------------------|---------|--------------------------|
| Material Specification | P-110  | Min. Yield Str. (psi)     | 110,000 | Min. Ultimate Str. (psi) |
| Collapse               |        | Tension                   |         | Pr                       |
| API (psi)              | 11,100 | Pl. End Yield Str. (kips) | 641     | Min. Int. Yield Press.   |
| High Collapse (psi)    | N/A    | Torque                    |         | Be                       |
|                        |        | Yield Torque (ft-lbs)     | 74,420  | Build Rate to Yield (%)  |

| GB CD Butt 6-300 COUPLING GEOMETRY |       |  |        |
|------------------------------------|-------|--|--------|
| Coupling OD (in.)                  | 6.300 | Makeup Loss (in.)                        | 4.2500 |
| Coupling Length (in.)              | 8.500 | Critical Cross-Sect. (in. <sup>2</sup> ) | 8.527  |

| GB CD Butt 6-300 CONNECTION PERFORMANCE RATINGS/EFFICIENCIES |           |                            |         |                          |
|--|-----------|----------------------------|---------|--------------------------|
| Material Specification                                       | API P-110 | Min. Yield Str. (psi)      | 110,000 | Min. Ultimate Str. (psi) |
| Tension  |           | Efficiency                 |         | Be                       |
| Thread Str. (kips)   | 667       | Internal Pressure (%)      | 100%    | Build Rate to Yield (%)  |
| Min. Tension Yield (kips)                                    | 891       | External Pressure (%)      | 100%    | Yield                    |
| Min. Tension Ult. (kips)                                     | 1,013     | Tension (%)                | 100%    | Yield Torque (ft-lbs)    |
| Joint Str. (kips)  | 667       | Compression (%)            | 100%    |                          |
|  |           | Ratio of Areas (Cplg/Pipe) | 1.46    |                          |

| MAKEUP TORQUE        |        |                             |        |
|----------------------|--------|-----------------------------|--------|
| Min. MU Tq. (ft-lbs) | 10,000 | Max. MU Tq. (ft-lbs)        | 20,000 |
|                      |        | Running Tq. (ft-lbs)        |        |
|                      |        | Max. Operating Tq. (ft-lbs) |        |

Units: US Customary (lbm, in., °F, lbf)

1 kip = 1,000 lbs

\*See Running Procedure for description and limitations.

See attached: Notes for GB Connection Performance Properties.

GBT Running Procedure (GBT RP): [www.gbtubulars.com/pdf/RP-GB-DWC-Connections.pdf](http://www.gbtubulars.com/pdf/RP-GB-DWC-Connections.pdf)

Blanking Dimensions: [www.gbtubulars.com/pdf/GB-DWC-Blanking-Dimensions.pdf](http://www.gbtubulars.com/pdf/GB-DWC-Blanking-Dimensions.pdf)

Connection yield torque rating based on physical testing or extrapolation therefrom



# U. S. Steel Tubular Products

5/17/2018 5:40:28 PM

## 5.500" 20.00lbs/ft (0.361" Wall) P110 HC USS-CDC®

### MECHANICAL PROPERTIES

|                          | Pipe    | USS-CDC® |     |
|--------------------------|---------|----------|-----|
| Minimum Yield Strength   | 110,000 | --       | psi |
| Maximum Yield Strength   | 140,000 | --       | psi |
| Minimum Tensile Strength | 125,000 | --       | psi |

### DIMENSIONS

|                            | Pipe  | USS-CDC® |        |
|----------------------------|-------|----------|--------|
| Outside Diameter           | 5.500 | 6.050    | in.    |
| Wall Thickness             | 0.361 | --       | in.    |
| Inside Diameter            | 4.778 | 4.778    | in.    |
| Standard Drift             | 4.653 | 4.653    | in.    |
| Alternate Drift            | --    | --       | in.    |
| Coupling Length            | --    | 9.250    | in.    |
| Nominal Linear Weight, T&C | 20.00 | --       | lbs/ft |
| Plain End Weight           | 19.83 | --       | lbs/ft |

### SECTION AREA

|                  | Pipe  | USS-CDC® |         |
|------------------|-------|----------|---------|
| Critical Area    | 5.828 | 5.828    | sq. in. |
| Joint Efficiency | --    | 100.0    | %       |

### PERFORMANCE

|                                   | Pipe    | USS-CDC® |            |
|-----------------------------------|---------|----------|------------|
| Minimum Collapse Pressure         | 12,200  | 12,200   | psi        |
| External Pressure Leak Resistance | --      | 9,760    | psi        |
| Minimum Internal Yield Pressure   | 12,640  | 12,370   | psi        |
| Minimum Pipe Body Yield Strength  | 641,000 | --       | lbs        |
| Joint Strength                    | --      | 688,000  | lbs        |
| Compression Rating                | --      | 413,000  | lbs        |
| Reference Length                  | --      | 22,933   | ft         |
| Maximum Uniaxial Bend Rating      | --      | 59.1     | deg/100 ft |

### MAKE-UP DATA

|                         | Pipe | USS-CDC® |        |
|-------------------------|------|----------|--------|
| Make-Up Loss            | --   | 4.63     | in.    |
| Minimum Make-Up Torque  | --   | 10,500   | ft-lbs |
| Maximum Make-Up Torque  | --   | 13,000   | ft-lbs |
| Connection Yield Torque | --   | 16,100   | ft-lbs |

- Other than proprietary collapse and connection values, performance properties have been calculated using standard equations defined by API 5C3 and do not incorporate any additional design or safety factors. Calculations assume nominal pipe OD, nominal wall thickness and Specified Minimum Yield Strength (SMYS).
- Uniaxial bending rating shown is structural only, and equal to compression efficiency.
- Torques have been calculated assuming a thread compound friction factor of 1.0 and are recommended only. Field make-up torques may require adjustment based on actual field conditions (e.g. make-up speed, temperature, thread compound, etc.).
- Reference length is calculated by joint strength divided by nominal threaded and coupled weight with 1.5 safety factor.
- Connection external pressure leak resistance has been verified to 80% API pipe body collapse pressure following the guidelines of API 5C5 Call II.

#### Legal Notice

USS - CDC® (Casing Drilling Connection) is a trademark of U. S. Steel Corporation. This product is a modified API Buttress threaded and coupled connection designed for drilling with casing applications. All material contained in this publication is for general information only. This material should not therefore be used or relied upon for any specific application without independent competent professional examination and verification of accuracy, suitability and applicability. Anyone making use of this material does so at their own risk and assumes any and all liability resulting from such use. U. S. Steel disclaims any and all expressed or implied warranties of fitness for any general or particular application.

APD ID: 10400045327

Submission Date: 08/03/2019

Highlighted data  
reflects the most  
recent changes

Operator Name: NOVO OIL AND GAS NORTHERN DELAWARE LLC

Well Name: GOONCH FED COM 04

Well Number: 232H

[Show Final Text](#)

Well Type: CONVENTIONAL GAS WELL

Well Work Type: Drill

**Section 1 - Existing Roads**

Will existing roads be used? NO

**Section 2 - New or Reconstructed Access Roads**

Will new roads be needed? NO

**Section 3 - Location of Existing Wells**

Existing Wells Map? NO

Attach Well map:

Existing Wells description: FEE FEE FED - SUPO not required

**Section 4 - Location of Existing and/or Proposed Production Facilities**

Submit or defer a Proposed Production Facilities plan? DEFER

Estimated Production Facilities description: FEE FEE FED - SUPO not required

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Section 5 - Location and Types of Water Supply**

**Water Source Table**

**Water source type:** OTHER

**Describe type:** FEE FEE FED - SUPO not required

**Water source use type:** OTHER

**Describe use type:** FEE FEE FED - SUPO not required

**Source latitude:**

**Source longitude:**

**Source datum:**

**Water source permit type:** OTHER

**Water source transport method:** TRUCKING

**Source land ownership:** OTHER

**Describe land ownership:** FEE FEE FED - SUPO not

**Source transportation land ownership:** OTHER

**Describe transportation land ownership:** FEE FEE F

**Water source volume (barrels):** 1

**Source volume (acre-feet):** 0.00012889

**Source volume (gal):** 42

**Water source and transportation map:**

Gnooch\_Fed\_Com\_04\_Fee\_Fee\_Fed\_20190803135657.pdf

**Water source comments:**

**New water well?** N

**New Water Well Info**

**Well latitude:**

**Well Longitude:**

**Well datum:**

**Well target aquifer:**

**Est. depth to top of aquifer(ft):**

**Est thickness of aquifer:**

**Aquifer comments:**

**Aquifer documentation:**

**Well depth (ft):**

**Well casing type:**

**Well casing outside diameter (in.):**

**Well casing inside diameter (in.):**

**New water well casing?**

**Used casing source:**

**Drilling method:**

**Drill material:**

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Casing length (ft.):**

**Casing top depth (ft.):**

**Well Production type:**

**Completion Method:**

**Water well additional information:**

**State appropriation permit:**

**Additional information attachment:**

### Section 6 - Construction Materials

**Using any construction materials:** NO

**Construction Materials description:**

**Construction Materials source location attachment:**

### Section 7 - Methods for Handling Waste

**Waste type:** DRILLING

**Waste content description:** FEE FEE FED - SUPO not required

**Amount of waste:** 0 barrels

**Waste disposal frequency :** Daily

**Safe containment description:** FEE FEE FED - SUPO not required

**Safe containmant attachment:**

**Waste disposal type:** OTHER

**Disposal location ownership:** OTHER

**Disposal type description:** FEE FEE FED - SUPO not required

**Disposal location description:** FEE FEE FED - SUPO not required

### Reserve Pit

**Reserve Pit being used?** N

**Temporary disposal of produced water into reserve pit?** NO

**Reserve pit length (ft.)**      **Reserve pit width (ft.)**

**Reserve pit depth (ft.)**      **Reserve pit volume (cu. yd.)**

**Is at least 50% of the reserve pit in cut?**

**Reserve pit liner**

**Reserve pit liner specifications and installation description**

### Cuttings Area

**Cuttings Area being used?** NO

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Are you storing cuttings on location?**

**Description of cuttings location**

**Cuttings area length (ft.)**

**Cuttings area width (ft.)**

**Cuttings area depth (ft.)**

**Cuttings area volume (cu. yd.)**

**Is at least 50% of the cuttings area in cut?**

**WCuttings area liner**

**Cuttings area liner specifications and installation description**

### Section 8 - Ancillary Facilities

**Are you requesting any Ancillary Facilities?:** N

**Ancillary Facilities attachment:**

**Comments:**

### Section 9 - Well Site Layout

**Well Site Layout Diagram:**

Goonch\_04\_232H\_Well\_Site\_Layout\_20190923130821.pdf

**Comments:**

### Section 10 - Plans for Surface Reclamation

**Type of disturbance:** No New Surface Disturbance **Multiple Well Pad Name:** GOONCH FED COM 04

**Multiple Well Pad Number:** 131H (Pad G)

**Recontouring attachment:**

**Drainage/Erosion control construction:** FEE FEE FED - SUPO not required

**Drainage/Erosion control reclamation:** FEE FEE FED - SUPO not required

**Well pad proposed disturbance (acres):**

**Road proposed disturbance (acres):**

**Powerline proposed disturbance (acres):**

**Pipeline proposed disturbance (acres):**

**Other proposed disturbance (acres):**

**Well pad interim reclamation (acres):** 0

**Road interim reclamation (acres):** 0

**Powerline interim reclamation (acres):** 0

**Pipeline interim reclamation (acres):** 0

**Other interim reclamation (acres):** 0

**Total interim reclamation:** 0

**Well pad long term disturbance (acres):** 0

**Road long term disturbance (acres):** 0

**Powerline long term disturbance (acres):** 0

**Pipeline long term disturbance (acres):** 0

**Other long term disturbance (acres):** 0

**Other long term disturbance (acres):** 0

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Disturbance Comments:**

**Reconstruction method:** FEE FEE FED - SUPO not required

**Topsoil redistribution:** FEE FEE FED - SUPO not required

**Soil treatment:** FEE FEE FED - SUPO not required

**Existing Vegetation at the well pad:** FEE FEE FED - SUPO not required

**Existing Vegetation at the well pad attachment:**

**Existing Vegetation Community at the road:** FEE FEE FED - SUPO not required

**Existing Vegetation Community at the road attachment:**

**Existing Vegetation Community at the pipeline:** FEE FEE FED - SUPO not required

**Existing Vegetation Community at the pipeline attachment:**

**Existing Vegetation Community at other disturbances:** FEE FEE FED - SUPO not required

**Existing Vegetation Community at other disturbances attachment:**

**Non native seed used?** N

**Non native seed description:**

**Seedling transplant description:**

**Will seedlings be transplanted for this project?** N

**Seedling transplant description attachment:**

**Will seed be harvested for use in site reclamation?** N

**Seed harvest description:**

**Seed harvest description attachment:**

**Seed Management**

**Seed Table**

**Seed type:**

**Seed source:**

**Seed name:**

**Source name:**

**Source address:**

**Source phone:**

**Seed cultivar:**

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Seed use location:**

**PLS pounds per acre:**

**Proposed seeding season:**

| Seed Summary |             |
|--------------|-------------|
| Seed Type    | Pounds/Acre |

**Total pounds/Acre:**

**Seed reclamation attachment:**

**Operator Contact/Responsible Official Contact Info**

**First Name:**

**Last Name:**

**Phone:**

**Email:**

**Seedbed prep:**

**Seed BMP:**

**Seed method:**

**Existing invasive species? N**

**Existing invasive species treatment description:**

**Existing invasive species treatment attachment:**

**Weed treatment plan description:** FEE FEE FED - SUPO not required

**Weed treatment plan attachment:**

**Monitoring plan description:** FEE FEE FED - SUPO not required

**Monitoring plan attachment:**

**Success standards:** FEE FEE FED - SUPO not required

**Pit closure description:** No pit

**Pit closure attachment:**

**Section 11 - Surface Ownership**

**Disturbance type:** WELL PAD

**Describe:**

**Surface Owner:** OTHER

**Other surface owner description:** FEE FEE FED - SUPO not required

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

### Section 12 - Other Information

**Right of Way needed?** N

**Use APD as ROW?**

**ROW Type(s):**

### ROW Applications

**SUPO Additional Information:**

**Use a previously conducted onsite?** N

**Previous Onsite information:**

### Other SUPO Attachment

**Novo Oil & Gas Northern Delaware LLC Gnooch Fed Com 04**

Fee Fee Fed – SUPO not required

**APD ID:** 10400045327**Submission Date:** 08/03/2019**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC**Well Name:** GOONCH FED COM 04**Well Number:** 232H**Well Type:** CONVENTIONAL GAS WELL**Well Work Type:** Drill**Section 1 - General****Would you like to address long-term produced water disposal?** NO**Section 2 - Lined Pits****Would you like to utilize Lined Pit PWD options?** N**Produced Water Disposal (PWD) Location:****PWD surface owner:****PWD disturbance (acres):****Lined pit PWD on or off channel:****Lined pit PWD discharge volume (bbl/day):****Lined pit specifications:****Pit liner description:****Pit liner manufacturers information:****Precipitated solids disposal:****Describe precipitated solids disposal:****Precipitated solids disposal permit:****Lined pit precipitated solids disposal schedule:****Lined pit precipitated solids disposal schedule attachment:****Lined pit reclamation description:****Lined pit reclamation attachment:****Leak detection system description:****Leak detection system attachment:**

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Lined pit Monitor description:**

**Lined pit Monitor attachment:**

**Lined pit: do you have a reclamation bond for the pit?**

**Is the reclamation bond a rider under the BLM bond?**

**Lined pit bond number:**

**Lined pit bond amount:**

**Additional bond information attachment:**

### **Section 3 - Unlined Pits**

**Would you like to utilize Unlined Pit PWD options? N**

**Produced Water Disposal (PWD) Location:**

**PWD disturbance (acres):**

**PWD surface owner:**

**Unlined pit PWD on or off channel:**

**Unlined pit PWD discharge volume (bbl/day):**

**Unlined pit specifications:**

**Precipitated solids disposal:**

**Describe precipitated solids disposal:**

**Precipitated solids disposal permit:**

**Unlined pit precipitated solids disposal schedule:**

**Unlined pit precipitated solids disposal schedule attachment:**

**Unlined pit reclamation description:**

**Unlined pit reclamation attachment:**

**Unlined pit Monitor description:**

**Unlined pit Monitor attachment:**

**Do you propose to put the produced water to beneficial use?**

**Beneficial use user confirmation:**

**Estimated depth of the shallowest aquifer (feet):**

**Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?**

**TDS lab results:**

**Geologic and hydrologic evidence:**

**State authorization:**

**Unlined Produced Water Pit Estimated percolation:**

**Unlined pit: do you have a reclamation bond for the pit?**

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Is the reclamation bond a rider under the BLM bond?**

**Unlined pit bond number:**

**Unlined pit bond amount:**

**Additional bond information attachment:**

### **Section 4 - Injection**

**Would you like to utilize Injection PWD options?** N

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Injection PWD discharge volume (bbl/day):**

**Injection well mineral owner:**

**Injection well type:**

**Injection well number:**

**Injection well name:**

**Assigned injection well API number?**

**Injection well API number:**

**Injection well new surface disturbance (acres):**

**Minerals protection information:**

**Mineral protection attachment:**

**Underground Injection Control (UIC) Permit?**

**UIC Permit attachment:**

### **Section 5 - Surface Discharge**

**Would you like to utilize Surface Discharge PWD options?** N

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Surface discharge PWD discharge volume (bbl/day):**

**Surface Discharge NPDES Permit?**

**Surface Discharge NPDES Permit attachment:**

**Surface Discharge site facilities information:**

**Surface discharge site facilities map:**

### **Section 6 - Other**

**Would you like to utilize Other PWD options?** N

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

**Other PWD type description:**

**Other PWD type attachment:**

**Have other regulatory requirements been met?**

**Other regulatory requirements attachment:**



**APD ID:** 10400045327

**Submission Date:** 08/03/2019

Highlighted data  
reflects the most  
recent changes

**Operator Name:** NOVO OIL AND GAS NORTHERN DELAWARE LLC

**Well Name:** GOONCH FED COM 04

**Well Number:** 232H

[Show Final Text](#)

**Well Type:** CONVENTIONAL GAS WELL

**Well Work Type:** Drill

### Bond Information

**Federal/Indian APD:** FED

**BLM Bond number:** NMB001536

**BIA Bond number:**

**Do you have a reclamation bond?** NO

**Is the reclamation bond a rider under the BLM bond?**

**Is the reclamation bond BLM or Forest Service?**

**BLM reclamation bond number:**

**Forest Service reclamation bond number:**

**Forest Service reclamation bond attachment:**

**Reclamation bond number:**

**Reclamation bond amount:**

**Reclamation bond rider amount:**

**Additional reclamation bond information attachment:**