

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised April 3, 2017								
		1. WELL API NO. 30-015-45681								
		2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)		5. Lease Name or Unit Agreement Name TURKEY TRACK 87 STATE 6. Well Number: 201H								
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator OXY USA WTP LP		9. OGRID 192463								
10. Address of Operator P.O. BOX 4294, HOUSTON, TX 77210		11. Pool name or Wildcat TURKEY TRACK; BONE SPRING								
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	D	9	19S	29E		1114'	FNL	475'	FWL	EDDY
BH:	1	7	19S	29E		345'	FNL	25'	FWL	EDDY
13. Date Spudded 03/16/2019	14. Date T.D. Reached 06/13/2019		15. Date Rig Released 6/15/2019			16. Date Completed (Ready to Produce) 8/22/19		17. Elevations (DF and RKB, RT, GR, etc.) 3396'		
18. Total Measured Depth of Well 18274'			19. Plug Back Measured Depth 18202'			20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR		
22. Producing Interval(s), of this completion - Top, Bottom, Name 8062' - 18160' MD; BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5 - J55		273'		17-1/2"		965sx - C		
9-5/8"		36.0 - J55		3140'		12-1/4"		911sx - C		
5-1/2"		20.0 - P110		19268'		8-1/2"		2866sx - H		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN					
25. TUBING RECORD										
SIZE	DEPTH SET		PACKER SET							
2-3/8"	7636'		7624							
26. Perforation record (interval, size, and number)										
8062'-18160', 1008 total holes										
27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.										
DEPTH INTERVAL					AMOUNT AND KIND MATERIAL USED					
8062' - 18160' MD					220538 bbls SW; 16110995 lbs sand; 220 bbls HCL 15%					
28. PRODUCTION										
Date First Production 10/14/2019		Production Method (Flowing, gas lift, pumping - Size and type pump) Gas Lift					Well Status (Prod. or Shut-in) Producing			
Date of Test 11/11/2019	Hours Tested 24	Choke Size 128/128	Prod'n For Test Period	Oil - Bbl 708	Gas - MCF 2595	Water - Bbl. 782	Gas - Oil Ratio 3667			
Flow Tubing Press. 134	Casing Pressure 925	Calculated 24-Hour Rate	Oil - Bbl. 708	Gas - MCF 2595	Water - Bbl. 782	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) TO BE SOLD							30. Test Witnessed By			
31. List Attachments FINAL C104, WBD, GR LOG (submitted online)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date: 6/15/2019			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude Longitude NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature Roni Mathew		Printed Name Roni Mathew		Title Regulatory Specialist			Date 12/8/2019			
E-mail Address roni_mathew@oxy.com										

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 250' est	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt Salado 320'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt NSL 964'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 1055'	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 1368'	T. Devonian	T. Cliff House	T. Leadville
T. Queen 2068'	T. Silurian	T. Menefee	T. Madison
T. Grayburg 2320'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 2903'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinbry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3071'	T. Morrison	
T. Drinkard	T. Bone Springs 3667'	T. Todilto	
T. Abo	T. 1st Bone Springs 6430'	T. Entrada	
T. Wolfcamp	T. 2nd Bone Springs 7009'	T. Wingate	
T. Penn	T. 3rd Bone Springs	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.


No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

OXY USA WTP LP
Turkey Track 8 7 State #201H
API No. 30-015-44681



Perfs @ 8062'-18160'

TD- 18274' M 7659' V