	June 2015) DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT				FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018		
;	SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.				 5. Lease Serial No. NMNM132673 6. If Indian, Allottee or Tribe Name 		
 _				· ·6.			
-	SUBMIT IN TRIPLICATE - Other instructions on page 2				If Unit of CA/Agree NMNM139453	ement, Name and/or N	
-	1. Type of Well 🖸 Gas Well 🖸 Other				8. Well Name and No. AJAX STATE COM 1H		
-	2. Name of Operator Contact: JERRY SHERRELL MACK ENERGY CORPORATION E-Mail: jerrys@mackenergycorp.com				9. API Well No. 30-005-64294-00-S1		
-	^{3a.} Address P.O. BOX 960 ARTESIA, NM 88211-0960		3b. Phone No. (include area code) Ph: 505.748.1288 Fx: 505.746.9539		10. Field and Pool of Exploratory Area ROUND TANK-SAN ANDRES		
-	 Location of Well <i>(Foolage, Sec., 1</i> Sec 36 T15S R28E NENE 73 32.977707 N Lat, 104.078194 	6FNL 464FEL))		County of Parish, CHAVES COUN		
-	12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA						
-	TYPE OF SUBMISSION			ACTION			
-	□ Notice of Intent	Acidize	Deepen	Production	(Start/Resume)	Uwater Shut-Of	
	Subsequent Report	Alter Casing	Hydraulic Fracturing	Reclamation	· · · ·	Well Integrity	
		Casing Repair	New Construction	Recomplete		🖄 Other Site Facility Diag	
	☐ Final Abandonment Notice	 Change Plans Convert to Injection 	Plug and Abandon Plug Back	 Temporarily Water Disponent 		m/Security Plan	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci	rk will be performed or provide l operations. If the operation re bandonment Notices must be fil inal inspection.	give subsurface locations and measure the Bond No. on file with BLM/BIA sults in a multiple completion or reco	red and true vertica Required subsequences 	I depths of all pertin aent reports must be interval, a Form 316 ve been completed a	ent markers and zones filed within 30 days	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f	I operations. If the operation re operations. If the operation re oandonment Notices must be fil inal inspection. Ity Diagram.	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ	red and true vertica Required subsequent mpletion in a new ing reclamation, ha	l depths of all pertin aent reports must be interval, a Form 316 ve been completed a	ent markers and zones filed within 30 days 0-4 must be filed once and the operator has	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f	I operations. If the operation re operations. If the operation re oandonment Notices must be fil inal inspection. Ity Diagram.	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ	red and true vertica Required subsequent mpletion in a new ing reclamation, ha	l depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	EIVED	
•	Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f	I operations. If the operation re operations. If the operation re oandonment Notices must be fil inal inspection. Ity Diagram.	give subsurface locations and measure the Bond No. on file with BLM/BIA sults in a multiple completion or reco	red and true vertica Required subsequent mpletion in a new ing reclamation, ha	I depths of all pertin aent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f	I operations. If the operation re operations. If the operation re oandonment Notices must be fil inal inspection. Ity Diagram.	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ	red and true vertica Required subsequent mpletion in a new ing reclamation, ha	I depths of all pertin aent reports must be interval, a Form 316 ve been completed a	EIVED	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final At determined that the site is ready for f	It will be performed or provide operations. If the operation re andonment Notices must be fil inal inspection. Ity Diagram.	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MANA PET I 2/18/19 Died for record - NMIOCD	red and true vertica Required subseq mpletion in a new ing reclamation, ha	I depths of all pertin aent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019	
=	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci 14. I hereby certify that the foregoing is Com	ipper and contect. Electronic Submission # Electronic Submission # For MACK ENE Mitted to AFMSS for proce	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MING PET PET (12/18/19 pted for record - NMOCD agent for record - NMOCD sing by JENNIFER SANCHEZ	red and true vertica Required subseq impletion in a new ing reclamation, ha reclamation Sy he Roswell on 12/09/2019 (2)	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci 14. I hereby certify that the foregoing is Name (Printed/Typed) JERRY Si	the and correct. Electronic Submission # Electronic Submission # Electronic Submission # Electronic Submission # Electronic Submission # Electronic Submission # Electronic Submission #	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MARC PET PET (12/18/19 pied for record - NMIOCD additional and the BLM Well record - NMIOCD sing by JENNIFER SANCHEZ Title PRODU	red and true vertica Required subseq impletion in a new ing reclamation, ha reclamation Sy hereoswell on 12/09/2019 (2)	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci 14. I hereby certify that the foregoing is Com	ive and correct. Electronic Submission # For MACK ENE Electronic Submission # For MACK ENE Electronic Submission # For MACK ENE Electronic Submission #	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MAINER PETT INCLOSED INCL	red and true vertica Required subseq ing reclamation, ha reclamation, ha reclamation Sy he Roswell on 12/09/2019 (2 ACOOM CEP EK	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci 14. I hereby certify that the foregoing is Name (Printed/Typed) JERRY Si	ive and correct. Electronic Submission # For MACK ENE Electronic Submission # For MACK ENE Electronic Submission # For MACK ENE Electronic Submission #	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco ed only after all requirements, includ MARC PET PET 12/18/19 pied for record - NMIOCD and for record - NMIOCD Sing by JENNIFER SANCHEZ Title PRODU Date 12/06/20	red and true vertica Required subseq impletion in a new ing reclamation, ha reclamation Sy here a subsequence here a subsequenc	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019	
-	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci I4. I hereby certify that the foregoing is Name (Printed/Typed) JERRY Si Signature (Electronic S Approved By	inde and contect. Electronic Submission # For MACK ENE Mitted to AFMSS for proce IERRELL Submission) THIS SPACE FOR SPACE FOR Submission	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MARC PET PET 12/18/19 peed for record - NMIOCD add for record - NMIOCD Sing by JENNIFER SANCHEZ Title PRODU Date 12/06/20 R FEDERAL OR STATE 1 BUF Title BUF	red and true vertica Required subseq impletion in a new ing reclamation, ha reclamation Sy here swell on 12/09/2019 (2 ACOON GRE RK 019 <u>DEC 0 SE</u>	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019	
- - - - -	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci I4. I hereby certify that the foregoing is Name (Printed/Typed) JERRY Si Signature (Electronic S	treval be performed or provide loperations. If the operation re lopandonment Notices must be fil inal inspection. lity Diagram. lity Diagram. Lity Diagram. Lity Diagram. CC CACCER Lity Diagram. Lity Diagram. Lity Diagram. CC CACCER Lity Diagram. Lity Diagram. CC CACCER Lity Diagram. Lity Diagram. CC CACCER Lity Diagram. CC Lity Diagram. CC CACCER Lity Diagram. CC CACCER Lity Diagram. CC Lity Dia	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MARC PET AGA PET AGA PET AGA CORPORT - NMOCD AGA CORPORATION, sent to t Ssing by JENNIFER SANCHEZ Title PRODU Date 12/06/20 OR FEDERAL OR STATE (Date 12/06/20 Date 12/06/20	red and true vertica Required subseq impletion in a new ing reclamation, ha reclamation Sy here a subsequence here a subsequenc	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	EIVED 12 2019 -ROOM	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci I4. I hereby certify that the foregoing is Name (Printed/Typed) JERRY Si Signature (Electronic S Approved By Conditions of approval; if any, are attache erify that the applicant holds legal or en	tere and correct. Electronic Submission # Electronic Submission # Electronic Submission # Electronic Submission # Electronic Submission # Electronic Submission # Eder MACK ENE mitted to AFMSS for proce IERRELL Submission) CHIS SPACE FO LERRELL Submission CHIS SPACE FO LERRELL LERRELL CORPORE FO LERRELL CORPORE FO LERRELL CORPORE FO CHIS SPACE FO CHIS	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MARC PET PET (12)/18/19 pated for record - NMOCD ate for record - NMOCD Title PRODU Date 12/06/20 PR FEDERAL OR STATE (Date 12/06/20 DR FEDERAL OR STATE (DATE 12/06/20 DATE 12/06/	red and true vertica Required subseq impletion in a new ing reclamation, ha reclamation sy he Roswell on 12/09/2019 (2) ACTOGN CELE RE OFFICE USE ROSWELL FII	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a	filed within 30 days 0-4 must be filed once and the operator has 1 2 2019 -ROOM	
	Attach the Bond under which the wo following completion of the involved testing has been completed. Final Al determined that the site is ready for f Please see attached Site Faci I I hereby certify that the foregoing is Name (Printed/Typed) JERRY Si Signature (Electronic S Approved By Conditions of approval; if any, are attache ertify that the applicant holds legal or equ this would/entitle the applicant to cond file 18 U.S.C. Section 1001 and Title 43 States any false, fictitious or fraudulent astrictions on page 2)	trevel be performed or provide loperations. If the operation re pandonment Notices must be fil- inal inspection. lity Diagram. lity Diagram. Lity Diagram. Lity Diagram. CC Accept inted to Armss for proce IERRELL Submission) CHIS SPACE For Accept Accept Distribution of this notice/does intel full to those fights in the ict operation sheet on U.S.C. Section 1212, make it a interents or representations as	give subsurface locations and measu the Bond No. on file with BLM/BIA sults in a multiple completion or reco led only after all requirements, includ MARC PET PET (12)/18/19 pated for record - NMOCD ate for record - NMOCD Title PRODU Date 12/06/20 PR FEDERAL OR STATE (Date 12/06/20 DR FEDERAL OR STATE (DATE 12/06/20 DATE 12/06/	red and true vertica Required subseq ingreclamation in a new ingreclamation, ha ingreclamation Sy he Roswell on 12/09/2019 (2) ACTODAT CELE RE OFFICE USE ROSWELL FIL ROSWELL FIL willfully to make t	I depths of all pertin Jent reports must be interval, a Form 316 ve been completed a REC DEC DEC MAIL stem DJS00395E) RECORD 2019 MANACEMEN ELD OFFICE o any department or	EIVED 12 2019 ROOM Date	

Revisions to Operator Submitted EC Data for Sundry Notice #494832

· · · · ·	Operator Submitted
Sundry Type:	SITE SR
Lease:	NMNM132673
Agreement:	NMNM139453
Operator:	MACK ENERGY CORPORATION PO BOX 960 ARTESIA, NM 88211-0960 Ph: 575-748-1288
Admin Contact:	JERRY SHERRELL PRODUCTION CLERK E-Mail: jerrys@mec.com Ph: 575-748-1288
Tech Contact:	JERRY SHERRELL PRODUCTION CLERK E-Mail: jerrys@mec.com Ph: 575-748-1288
Location: State: County:	NM CHAVES
Field/Pool:	ROUND TANK SAN ANDRES
Well/Facility:	AJAX STATE COM 1H Sec 36 T15S R28E Mer NMP NENE 736FNL 464FEL 32.977707 N Lat, 104.078194 W Lon

BLM Revised (AFMSS) SITE SR NMNM132673 NMNM132673 NMNM139453 (NMNM139453) MACK ENERGY CORPORATION P.O. BOX 960 ARTESIA, NM 88211-0960 Ph: 505.748-1288 JERRY SHERRELL PRODUCTION CLERK E-Mail: jerrys@mäckenergycorp.com Ph: 505.746.9539 JERRY SHERRELL PRODUCTION CLERK E-Mail: jerrys@mackenergycorp.com Ph: 505.746.9539 NM CHAVES ROUND TANK-SAN ANDRES

AJAX STATE COM 1H Sec 36 T15S R28E NENE 736FNL 464FEL 32.977707 N Lat, 104.078194 W Lon



