	SUNDRY	UREAU OF LAND MAN.	ORTS ON WEL	LS	F	5. Lease Serial No NMNM131583	inuary 31, 2018	
	Do not use th abandoned we	is form for proposals t II. Use form 3160-3 (Al	o drill or to re-ei PD) for such pro	nter an posals.		6. If Indian, Allottee o	r Tribe Name	4 197
	SUBMIT IN	TRIPLICATE - Other in	structions on pa	ige 2	<u> </u>	7. If Unit of CA/Agree NMNM139452	ement, Name a	nd/or No
	oe of Well Oil Well . □ Gas Well . ⊡ Otl				· · · · · · · ·	8. Well Name and No. PRINCE GEORG	E FEDERAL (COM 1F
2. Nar	me of Operator ACK ENERGY CORPORAT	Contact:	JERRY SHERF	RÉLL n		9. API Well No. 30-005-64310-0		
	ddress D. BOX 960 RTESIA, NM 88211-0960	<u></u>	3b. Phone No. (i Ph: 505.748. Fx: 505.746.9			10. Field and Pool of I ROUND TANK-	Exploratory Ar	ea ES
	cation of Well <i>(Foolage, Sec., T</i>	., R., M., ör Survey Descriptio		· · · · · · · · · · · · · · · · · · ·		11. County or Parish,	State	
Se 32	c 32 T15S R29E NWNE 66 977936 N Lat, 104.049667	OFNL 2285FEL W Lon		· · · · · · · · · · · · · · · · · · · 		CHAVES COUN	NTY, NM	· · · · · ·
	12. CHECK THE AI	PPROPRIATE BOX(ES) TO INDICATE	E NATURE O	F NOTICE, F	EPORT, OR OTH	IER DATA	
T	YPE OF SUBMISSION		· · · · · · · · · · · · · · · · · · ·	TYPE OF	ACTION			
	Notice of Intent Subsequent Report Final Abandonment Notice	 Acidize Alter Casing Casing Repair Change Plans Convert to Injectior 	□ New C □ Plug an	ulic Fracturing Construction nd Abandon	 Productio Reclamat Recomple Temporat Water District 	te ily Abandon	□ Water S □ Well In ⊠ Other Site Facili m/Security	tegrity ty Diagi
fr tr Atta folli testi dete	scribe Proposed or Completed Op he proposal is to deepen direction ach the Bond under which the wo owing completion of the involved ing has been completed. Final At emined that the site is ready for f ease see attached Site Faci	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices must be f inal inspection.	nent details, including y, give subsurface loo le the Bond No. on fi results in a multiple	ations and measu le with BLM/BIA	g date of any pro red and true vert Required subs	cal depths of all pertin equent reports must be winterval a Form 316	ent markers an filed within 30	id zones.) days
ff tr Atta folli test dete	the proposal is to deepen direction: ach the Bond under which the woi owing completion of the involved ing has been completed. Final At ermined that the site is ready for f	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices must be f inal inspection.	ient details, including y, give subsurface loo le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA ompletion or reco uirements, includ	g date of any pro red and true vert Required subs mpletion in a ne ing reclamation,	cal depths of all pertin equent reports must be winterval a Form 316	ent markers an filed within 30	id zones.) days
ff tr Atta folli test dete	the proposal is to deepen direction: ach the Bond under which the woi owing completion of the involved ing has been completed. Final At ermined that the site is ready for f	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices must be f inal inspection.	ient details, including y, give subsurface loo le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA ompletion or reco uirements, includ	g date of any pro red and true vert Required subs mpletion in a ne ing reclamation,	ical depths of all pertin equent reports must be w interval, a Form 316 have been completed a	ent markers an filed within 30 0-4 must be fil and the operato	id zones.) days ed once r has
ff tr Atta folli test dete	the proposal is to deepen direction: ach the Bond under which the woi owing completion of the involved ing has been completed. Final At ermined that the site is ready for f	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices must be f inal inspection.	nent details, including y, give subsurface loo le the Bond No. on fi results in a multiple	ations and measu le with BLM/BIA ompletion or reco uirements, includ	g date of any pro red and true vert Required subs mpletion in a ne ing reclamation,	ical depths of all pertin equent reports must be w interval, a Form 316 have been completed a	ECEIV	d zones.) days ed once r has
ff tr Atta folli test dete	the proposal is to deepen direction: ach the Bond under which the woi owing completion of the involved ing has been completed. Final At ermined that the site is ready for f	ally or recomplete horizontally rk will be performed or provid l operations. If the operation r bandonment Notices must be f inal inspection.	ient details, including y, give subsurface loo le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA ompletion or reco uirements, includ	g date of any pro red and true vert Required subs mpletion in a ne ing reclamation,	ical depths of all pertin equent reports must be w interval, a Form 316 have been completed a	ECEIV	d zones.) days ed once r has
Ple	e proposal is to deepen directions ach the Bond under which the wo ovying completion of the involved ing has been completed. Final Al emined that the site is ready for f sase see attached Site Faci ease see attached Site Faci tereny certify that the foregoing is com	Ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices must be f inal inspection. Hilty Diagram.	ent details, including y, give subsurface loc le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA completion or reco juirements, includ	g date of any pro red and true vert Required subs impletion in a ne ing reclamation, CENC 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,	ical depths of all pertin quent reports must be winterval, a Form 316 have been completed a	ECEIV	d zones.) days ed once r has
Ple	ach the Bond under which the wo ovving completion of the involved ing has been completed. Final Al emined that the site is ready for f vase see attached Site Faci ereny certify that the foregoing is ne (Printed/Typed) JERRY SI	Ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices must be f inal inspection. Hity Diagram.	ent details, including y, give subsurface loc le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA completion or reco juirements, includ	g date of any pro red and true vert Required subs impletion in a ne ing reclamation, CCD 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ical depths of all pertin quent reports must be winterval, a Form 316 have been completed a	ECEIV ECEIV EC 122	d zones.) days ed once r has
Ple	e proposal is to deepen directions ach the Bond under which the wo ovying completion of the involved ing has been completed. Final Al emined that the site is ready for f sase see attached Site Faci ease see attached Site Faci tereny certify that the foregoing is com	Ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices must be f inal inspection. ility Diagram. Electronic Submission For MACK EN mitted to AFMSS for proc HERREL	Hent details, including y, give subsurface loc le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA completion or reco- quirements, includ	g date of any pro red and true vert Required subs mpletion in a ne ing reclamation, CCD 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ical depths of all pertin quent reports must be winterval, a Form 316 have been completed a	ECEIV ECEIV EC 122 AILROC	d zones.) days ed once r has
Ple	ach the Bond under which the wo ovving completion of the involved ing has been completed. Final Al emined that the site is ready for f vase see attached Site Faci ereny certify that the foregoing is ne (Printed/Typed) JERRY SI	Ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices must be f inal inspection. ility Diagram. Electronic Submission For MACK EN mitted to AFMSS for proc HERREL	Hent details, including y, give subsurface loc le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA completion or reco- quirements, includ	g date of any pro red and true vert Required subs impletion in a ne ing reclamation,	ical depths of all pertin quent reports must be winterval, a Form 316 have been completed a	ent markers an filed within 30 0-4 must be fil and the operato EC 122 <u>AILRO(</u> CORD	d zones.) days ed once r has
Ple	The proposal is to deepen directions ach the Bond under which the wo ovying completion of the involved ing has been completed. Final Al emined that the site is ready for f pase see attached Site Faci eretry certify that the foregoing is ne (Printed/Typed) JERRY SI nature (Electronics	Ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices must be f inal inspection. Hity Diagram. Hity Diagram. For MACK EN Fitted to AFMSS for proc HERRELL Shomission)	ent details, including y, give subsurface loc le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA completion or reco- quirements, includ	g date of any pro red and true vert Required subs impletion in a ne ing reclamation, CENE 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ical depths of all pertin quent reports must be w interval, a Form 316 have been completed a magnetic second magnetic se	ECEIV ECEIV EC 122 AILROC	d zones.) days ed once r has
Ple	ereby certify that the foregoing is ne (Printed/Typed) JERRY S nature (ElectronicS	Ally or recomplete horizontally rk will be performed or provid operations. If the operation r bandonment Notices must be f inal inspection. Hity Diagram. Hity Diagram. Electronic Submission For MACK EN mitted to AFMSS for proc HERREL Submission)	ent details, including y, give subsurface loo le the Bond No. on fi results in a multiple c filed only after all req	ations and measu le with BLM/BIA ompletion or reco- uirements, includ	g date of any pro red and true vert Required subs mpletion in a ne ing reclamation, CEVE 7 CD 7 CD 7 CD 7 CD 7 CD 7 CD 7 CD 7 C	ical depths of all pertin quent reports must be winterval, a Form 316 have been completed a magnetic pertection (20JS0035SE) (COUSTON AND CEPTED FOR REC EDEC 0 9 2019 OF LAND MANA WELL FIELD OF	ECEIV ECEIV EC 122 AILRO(CORD	d zones.) days ed once r has 019 <u>DM</u>

Revisions to Operator-Submitted EC Data for Sundry Notice #494743

	Operator Submitted		
Sundry Type:	SITE SR		
Lease:	NMŃM131583		
Agreement:			
Operator:	MACK ENERGY CORPORATION PO BOX 960 ARTESIA, NM, 88211-0960 Ph: 575-748-1288		
Admin Contact:	JERRY SHERRELL PRODUCTION CLERK E-Mail: jerrys@mec.com Ph: 575-748-1288		<i>.</i>
Tech Contact:	JERRY SHERRELL PRODUCTION CLERK E-Mail: jerrys@mec.com Ph: 575-748-1288		
Location: State: County:	NM CHAVES	•	
Field/Pool:	ROUND TANK SAN ANDRES		
Well/Facility:	PRINCE GEORGE FEDERAL COM 1H Sec 32 T15S R29E Mer NMP NWNE 660FNL 228 32.977936 N Lat, 104.049667 W Lon	5FEL	

BLM Revised (AFMSS) SITE SR NMNM131583

NMNM139452 (NMNM139452)

MACK ENERGY CORPORATION P.O. BOX 960 ARTESIA, NM 88211-0960 Ph: 505-748-1288

JERRY SHERRELL PRODUCTION CLERK E-Mail: jerrys@mackenergycorp.com

Ph: 505.748.1288 Fx: 505.746.9539

JERRY SHERRËLL PRODUCTION CLERK E-Mail: jerrys@mackenergycorp.com

Ph: 505.748.1288 Fx: 505.746.9539

NM : CHAVES .

ROUND TANK-SAN ANDRES

PRINCE GEORGE FEDERAL COM 1H Sec 32 T15S R29E NWNE 660FNL 2285FEL 32.977936 N Lat, 104.049667 W Lon

SCANNED

