

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMNM81586

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

SUBMIT IN TRIPLICATE - Other instructions on page 2

8. Well Name and No.
GUACAMOLE CC 24-23 FEDERAL 11H

9. API Well No.
30-015-45870-00-X1

10. Field and Pool or Exploratory Area
PIERCE CROSSING-BONE SPRING, E

11. County or Parish, State
EDDY COUNTY, NM

1. Type of Well
 Oil Well Gas Well Other

2. Name of Operator
OXY USA INCORPORATED
Contact: JANA MENDIOLA
E-Mail: janalyn_mendiola@oxy.com

3a. Address
5 GREENWAY PLAZA SUITE 110
HOUSTON, TX 77046-0521

3b. Phone No. (include area code)
Ph: 432-685-5936

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 24 T24S R29E NENW 1290FNL 2490FWL
32.206684 N Lat, 103.938591 W Lon

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change to Original A PD
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

OXY USA Inc. respectfully requests the following bulk sundry changes to the approved APD's for the following wells:

- Guacamole CC 24-23 Federal #11H - 30-015-45870
- Guacamole CC 24-23 Federal #12H - 30-015-45871

Please see attached for the BOP Break Testing Request and Plan.

Carlsbad Field Office
OCD Artesia

NM OIL CONSERVATION
ARTESIA DISTRICT

NOV 21 2019

SEE ATTACHED COAs

14. I hereby certify that the foregoing is true and correct.

RECEIVED

Electronic Submission #492014 verified by the BLM Well Information System
For OXY USA INCORPORATED, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 11/13/2019 (20PP0386SE)

Name (Printed/Typed) JANA MENDIOLA	Title REGULATORY SPECIALIST
Signature (Electronic Submission)	Date 11/12/2019

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By NDUNGU KAMAU Title PETROLEUM ENGINEER Date 11/15/2019

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) **** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

RW 12-9-19

Revisions to Operator-Submitted EC Data for Sundry Notice #492014

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	NMNM81586	NMNM81586
Agreement:		
Operator:	OXY USA INC. P.O. BOX 50250 MIDLAND, TX 79710 Ph: 432-685-5936	OXY USA INCORPORATED 5 GREENWAY PLAZA SUITE 110 HOUSTON, TX 77046-0521 Ph: 713.350.4816
Admin Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936
Tech Contact:	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936	JANA MENDIOLA REGULATORY SPECIALIST E-Mail: janalyn_mendiola@oxy.com Ph: 432-685-5936
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PIERCE CROSSING;BN SPRG,E	PIERCE CROSSING-BONE SPRING, E
Well/Facility:	GUACAMOLE CC 24-23 FEDERAL 11H Sec 24 T24S R29E Mer NMP NENW 1290FNL 2490FWL 32.206684 N Lat, 103.938588 W Lon	GUACAMOLE CC 24-23 FEDERAL 11H Sec 24 T24S R29E NENW 1290FNL 2490FWL 32.206684 N Lat, 103.938591 W Lon

**PECOS DISTRICT
DRILLING CONDITIONS OF APPROVAL**

OPERATOR'S NAME:	OXY USA INCORPORATED
LEASE NO.:	NMNM081586
LOCATION:	SECTION 24, T24S, R29E, NMPM
COUNTY:	EDDY

WELL NAME & NO.:	GUACAMOLE CC 24-23 FEDERAL 11H
SURFACE HOLE FOOTAGE:	1290'/N & 2490'/W
BOTTOM HOLE FOOTAGE:	930'/N & 180'/W

WELL NAME & NO.:	GUACAMOLE CC 24-23 FEDERAL 12H
SURFACE HOLE FOOTAGE:	1395'/N & 2490'/W
BOTTOM HOLE FOOTAGE:	1700'/N & 180'/W

COA

ALL PREVIOUS COAs STILL APPLY.

A. SPECIAL REQUIREMENT (S)

BOP Break Testing Variance

- While in transfer between wells, the BOPE shall be secured by the hydraulic carrier or cradle.
- Any well control event while drilling require notification to the BLM Petroleum Engineer prior to the commencement of any BOP Break Testing operations.
- A full BOP test is required prior to drilling the first deep intermediate hole section. If any subsequent hole interval is deeper than the first, a full BOP test will be required.

NMK11152019

OXY USA Inc. - Guacamole CC 24-23 Federal 11H & 12H

This is a bulk sundry request for 2 wells in the Cedar Canyon area. The wells related to this sundry request are:

API#	Well Name
3001545870	GUACAMOLE CC 24-23 Federal 11H
3001545871	GUACAMOLE CC 24-23 Federal 12H

BOP Break Testing Request

Oxy requests permission to adjust the BOP break testing requirements as per the agreement reached in the OXY/BLM meeting on September 5, 2019. A separate sundry will be sent prior to spud that reflects the pad based break testing plan.

BOP break test under the following conditions:

- After a full BOP test is conducted
- When skidding to drill an intermediate section where ICP is set into the third Bone Spring or shallower.
- When skidding to drill a production section that does not penetrate into the third Bone Spring or deeper.

If the kill line is broken prior to skid, two tests will be performed.

- 1) Wellhead flange, co-flex hose, kill line connections and upper pipe rams
- 2) Wellhead flange, HCR valve, check valve, upper pipe rams

If the kill line is not broken prior to skid, only one test will be performed.

- 1) Wellhead flange, co-flex hose, check valve, upper pipe rams

Well	Hole Size	Casing String	Shoe Depth (TVD)	Formation	Intermediate/Production	Mud Weight	Shell Test
GUACAMOLE CC 24-23 Federal 11H	9.875"	26.4# - 7.625"	7640	1 st Bone Spring	Intermediate	9.0-9.4	No
GUACAMOLE CC 24-23 Federal 12H	9.875"	26.4# - 7.625"	7100	Bone Spring	Intermediate	9.0-9.4	Yes
GUACAMOLE CC 24-23 Federal 11H	6.75"	20# - 5.5"	8099	1 st Bone Spring	Production	8.6-9.4	No
GUACAMOLE CC 24-23 Federal 12H	6.75"	20# - 5.5"	7750	Bone Spring	Production	8.6-9.4	Yes