<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe


Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

office

Is pit or below-grade tan	k covered by a "general plan"? Yes 🛛 No [r below-grade tank 🗍 Closure of a pit or below-grad	HECEIVED		
Type of action. Registration of a pre-	1 Delow-grade tank [] Closure of a pit of below grade	JUN - 1 2006		
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 e	OUL-MOTE ON			
Address: 105 South 4th Street, Artesia, N.M. 88210		TO THE REAL PROPERTY.		
Facility or well name: Foundation ALO Federal Com 1 API #: 30-015-27	079_U/L or Qtr/QtrJ_Sec11T_20SR			
County: Eddy Latitude 32.58571	Longitude <u>103.93985</u> NAD: 1927 ⊠ 1983 □	1		
Surface Owner: Federal ☑ State ☐ Private ☐ Indian ☐				
<u>Pit</u>	Below-grade tank			
Type: Drilling ☐ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	<u> </u>		
Work over ⊠ Emergency □	Construction material:			
Lined ☑ Unlined □	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic ☑ Thickness 12 mil Clay □				
Pit Volume bbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points) XXXX		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points) XXXX		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) XXXX		
	Ranking Score (Total Points)	0 Points		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	relationship to other equipment and tanks (2) Indica	te disposal location: (check the onsite box if you		
are burying in place) on-site \(\text{off-site} \) off-site, name of facility.				
date and end date. (4) Groundwater encountered: No 🔲 Yes 🔲 If yes, sho		attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavat				
Additional Comments: Work plan for the Closure of Work-over Pit. A 20	mil liner will be placed 3' below grade with a minimum	m of 3' over-lap of the underlaying pit.		
Backfill encapsulated wastes with a minimum of 3' of clean soil or like ma	terial capable of supporting native plant growth.			
A one-call and 48 hour notice will be provided to OCD prior to pit closure	actions.			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline				
Date: 05/26/02006				
Printed Name/Title _Mike Stubblefield / Regulatory Agent	Signature male Suppliable			
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents	of the pit or tank contaminate ground water or ny other federal, state, or local laws and/or		
Approval: Getry Guye Printed Name/Title Deputy Field Inspector District II - Artesia	Signature Muy Druy	JUN 2 - 2006 Date:		



	· ·	Office of the State En ports and Download		10mmon	ALO	FEDE
Township: 20S	Range: 30E	Sections:			Con	∩ # I
NAD27 X:	Y : -	Zone:	Search R	adius:		
County:	Basin:	Num	ber:	Suffix:		
Owner Name: (First)	(La	ast). ② All	○ Non-D	omestic () Domes	tic
POD / Su	rface Data Report	t Er Column Report	th to Water R	eport		
	Clear Form	iWATERS Menu	Help			····

AVERAGE DEPTH OF WATER REPORT 05/25/2006

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
CP	20s	30E	21				1	150	150	150
CP	20S	30E	32				1	170	170	170
CP	20s	30E	33				2	187	195	191

Record Count: 4