District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

March 12, 2004

RECEIVED

Pit or Below-Grade Tank Registration or Closure

JUN 0 5 2006 Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)

	otom Brand came Came Came Came Came Came Came Came C	THE STATE OF THE O
Operator: Pogo Producing Company Tele	phone: <u>432-685-8100</u> e-mail address: <u>wright</u>	c@pogoproducing.com
Address: P. O. Box 10340, Midland, TX 79702-7340		
Facility or well name: Patton 18 Federal #5 AP	PI #:U/L or Qtr/QtrQ	Sec <u>18 T 24S R 31E</u>
County: <u>Eddy</u> <u>Latitude 32:12:42.8N</u> <u>Longitude 103:48</u>	8:55.6W NAD: 1927 ⊠ 1983 ☐ Surface Ow	vner Federal 🛭 State 🗌 Private 🔲 Indian 🛄
Pit	Below-grade tank	
<u>Type:</u> Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
Workover Emergency	Construction material:	
Lined Unlined		
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐ Volume		
		W-1-17
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more X	(0 points) 0
W. W	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No X	(0 points) 0
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more X	(0 points) 0
	Ranking Score (Total Points)	0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:		
onsite offsite If offsite, name of facility		
end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results		
and a diagram of sample locations and excavations.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has		
been/will be constructed or closed according to NMOCD guidelines 🛛, a general permit 🔲, or an (attached) alternative QCD-approved plan 🔲.		
Date: 06/02/06		
Printed Name/Title Cathy Wright, Sr. Eng Tech Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank-contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the regulations.	perator of its responsibility for compliance with any	the pit or tank-contaminate ground water or other federal, state, or local laws and/or
Approval: HINLOF 2006	<i></i>	Was designed to the second of
Date:JUN 0 5 2006		
Printed Name/Title Signature		

Water Resources

Data Category:
Site Information

Geographic Area: New Mexico



Site Map for New Mexico


USGS 320856103502801 25S.30E.12.113211

Available data for this site

site map

 Ξ





Questions about data

New Mexico NWISWeb Data Inquiries

Feedback on this websiteNew Mexico NWISWeb Maintainer

NWIS Site Inventory for New Mexico: Site Map http://waterdata.usgs.gov/nm/nwis/nwismap?

Top Explanation of terms

Retrieved on 2005-02-28 14:11:55 EST

Department of the Interior, U.S. Geological Survey
USGS Water Resources of New Mexico

Privacy Statement || Disclaimer || Accessibility || FOIA

Water Resources



Data Category: Ground Water Geographic Area:

New Mexico

go

Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

• 320856103502801 site no list =

Save file of selected sites to local disk for future upload

USGS 320856103502801 25S.30E.12.113211

Available data for this site

Ground-water: Levels

GO

Eddy County, New Mexico

Hydrologic Unit Code

Latitude 32°08'56", Longitude 103°50'28" NAD27

Gage datum 3,359.10 feet above sea level NGVD29

The depth of the well is 482 feet below land surface.

This well is completed in ALLUVIUM, BOLSON DEPOSITS AND OTHER SURFACE **DEPOSITS (110AVMB)**


Output formats

Table of data

Tab-separated data

Graph of data

Reselect period



Ouestions about data Feedback on this websiteNew Mexico NWISWeb Maintainer

Download a presentation-quality graph

New Mexico NWISWeb Data Inquiries

Top Explanation of terms

Great Circle Calculator.


By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.



Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Reset

Compute

Input data Lat1 Lon1 Ν× W 😎 0:00.00 0:00.00 Course 1-2 Distance 1-2 360 0.0