

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-10222
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Jezebel State Com
8. Well Number 1H
9. OGRID Number 233545
10. Pool name or Wildcat Wildcat; Wolfcamp Gas

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)
1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
BOLD ENERGY, LP

3. Address of Operator
415 W. Wall, Suite 500 Midland, Texas 79701

4. Well Location
Unit Letter A : 660 feet from the North line and 810 feet from the East line
Section 36 Township 18S Range 21E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
4122' GR

Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER ☒ Completion Liner Detail / Directional Survey

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Drlid 6 1/8" horizontal wellbore into Wolfcamp zone to 8040' MD TD on 5/27/06. Conditioned hole for liner – did not log horizontal leg. Ran 99 jts 4 1/2" 11.6# L-80 LTC csg w/ Peak Completion Technologies uncemented completion assembly consisting of 10 isolation packers and 9 sliding sleeve ports spaced across Wolfcamp open hole interval. Top packer set prematurely while running liner; landed liner w/ end set @ 7980' and hanger @ 3693'. Schlumberger applied required pressure and set isolation packers and liner hanger assembly. Released from liner, displaced hole w/ 2% KCL water and POH & LDDP. Removed BOP & installed WH equip, closed-in wellbore. RR @ 7:00 PM on 5/29/06. WO completion.

Attachments:

Wellbore Schematic
Directional Survey Report
C-102

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE [Signature] TITLE Agent for BOLD ENERGY, LP DATE 6/28/06
Type or print name D. C. Dodd E-mail address: ddodd@sierra-engineering.net Telephone No. 432 / 683-8000

For State Use Only

APPROVED BY: _____ TITLE _____ DATE JUL 14 2006
Conditions of Approval (if any): _____

FOR RECORDS ONLY

BOLD ENERGY, LP

Jezebel State Com #1H

WI: 18.75%
Elevation: 4,122 GL
KB: 12'
Meas. TD: 8,040'
TVD: 4,370'
PBD: 8,040' (MD)
Zone: Wolfcamp

NRI: 15.0%
API: 30-015-10222
Surface Location: 660' FNL & 810' FEL
BH Location: 660' FSL & 890' FEL
Legal Description: Section 36 - T18S - R21E
Field: Wildcat; Wolfcamp Gas
County: Eddy
State: New Mexico

Casing	Hole	Weight	Grade	MD	TVD	Burst	80%	TOC
13-3/8"	17-1/2"	48#	H-40	120'	120'	1,730	1,384	1" & pea gravel
8-5/8"	12-1/4"	24#	J-55	1,792'	1,792'	2,950	2,360	1" & pea gravel
7"	7-7/8"	26#	L-80	4,522'	4,332'	7,240	5,792	Circulated
4-1/2"	6-1/8"	11.6 #	L-80	7,980'	4375'	n/a	n/a	n/a

Date	Event
5/5/2006	Spud (re-entry)
5/18/2006	Set 7" casing
5/29/2006	TD Lateral
	Run PEAK assembly. Set 60 ft off bottom.

Surface Casing
13-3/8" 48# H-40 at 120'
TOC - 1" w/ pea gravel

Intermediate Casing
8-5/8" 24# J-55 at 1,792'
TOC - 1" w/ pea gravel

KOP = 3,807'

Intermediate Casing
7" 26# (F) L-80 at 4,522'
(4,332' TVD)
TOC - Surface (circ.)

Liner top packer at 3,693


BTM of KO plug
4,367'

CMT plug 4,398' - 4,498'

Model "D" pkr @ 7,250'
Sqz'd Strawn perms
7,277' - 7,297' (TOC 7,160')

4-1/2" 9.5 - 10# J55 at 7,445'
Casing top at 4,491'
TOC 6,375' (TS)

TD at 7,445"
PBTD at 7,412"



Pathfinder Energy

Survey Report

Company: Bold Energy Field: Jezebel State Site: Jezebel State #1 Well: Jezebel State #1 Wellpath: Jezebel State #1	Date: 5/30/2006 Co-ordinate(NE) Reference: Site: Jezebel State #1, Grid North Vertical (TVD) Reference: System: Mean Sea Level Section (VS) Reference: Well (0.00N,0.00E,177.83Azi) Survey Calculation Method: Minimum Curvature	Time: 11:53:02 Page: 1 Db: Sybase
---	---	--

Field: Jezebel State Eddy Co. NM USA Map System: US State Plane Coordinate System 1927 Geo Datum: NAD27 (Clarke 1866) Sys Datum: Mean Sea Level	Map Zone: New Mexico, Eastern Zone Coordinate System: Site Centre Geomagnetic Model: igrf2005
--	--

Site: Jezebel State #1 Section 36 - T18S - R21 E Eddy Co. NM Site Position: From: Geographic Position Uncertainty: 0.00 ft Ground Level: 4122.00 ft	Northing: 622060.79 ft Easting: 374519.79 ft	Latitude: 32 42 34.124 N Longitude: 104 44 28.630 W North Reference: Grid Grid Convergence: -0.22 deg
--	---	--

Well: Jezebel State #1 Well Position: +N/-S 0.00 ft +E/-W 0.00 ft Position Uncertainty: 0.00 ft	Slot Name: Northing: 622060.79 ft Easting: 374519.79 ft Latitude: 32 42 34.124 N Longitude: 104 44 28.630 W
---	--

Wellpath: Jezebel State #1 Current Datum: Mean Sea Level Magnetic Data: 1/16/2006 Field Strength: 49352 nT Vertical Section: Depth From (TVD) ft	Drilled From: Surface Tie-on Depth: 0.00 ft Above System Datum: Mean Sea Level Declination: 8.78 deg Mag Dip Angle: 60.56 deg +N/-S ft +E/-W ft Direction deg
--	--

Survey: Pathfinder MWD Final Survey Company: Pathfinder Energy Tool:	Start Date: 5/11/2006 Engineer: Tied-to: From: Gyro Survey
---	---

Survey: Pathfinder MWD Final Survey										
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
3800.00	1.50	101.31	3797.93	-41.05	80.44	44.06	0.00	0.00	0.00	
3859.00	3.61	160.96	3856.87	-42.95	81.80	46.02	5.31	3.58	101.10	
3890.00	8.27	175.46	3887.70	-46.10	82.30	49.18	15.67	15.03	46.77	
3920.00	13.19	178.01	3917.17	-51.68	82.59	54.77	16.47	16.40	8.50	
3952.00	16.44	179.16	3948.10	-59.85	82.78	62.95	10.20	10.16	3.59	
3984.00	19.17	179.16	3978.56	-69.64	82.92	72.73	8.53	8.53	0.00	
4016.00	21.90	179.51	4008.53	-80.86	83.05	83.95	8.54	8.53	1.09	
4047.00	24.62	178.54	4037.01	-93.10	83.27	96.18	8.86	8.77	-3.13	
4078.00	27.35	178.37	4064.87	-106.67	83.63	109.76	8.81	8.81	-0.55	
4112.00	30.95	178.89	4094.56	-123.23	84.03	126.32	10.61	10.59	1.53	
4143.00	34.38	180.04	4120.65	-139.96	84.17	143.04	11.24	11.06	3.71	
4175.00	37.37	181.44	4146.58	-158.70	83.92	161.77	9.69	9.34	4.37	
4207.00	41.15	182.15	4171.35	-178.94	83.28	181.97	11.90	11.81	2.22	
4238.00	44.76	181.79	4194.04	-200.05	82.56	203.03	11.67	11.65	-1.16	
4270.00	47.92	181.53	4216.13	-223.19	81.89	226.13	9.89	9.87	-0.81	
4301.00	51.35	181.44	4236.20	-246.79	81.28	249.70	11.07	11.06	-0.29	
4333.00	55.13	181.79	4255.35	-272.42	80.56	275.27	11.84	11.81	1.09	
4365.00	59.09	181.62	4272.72	-299.27	79.76	302.08	12.38	12.37	-0.53	
4396.00	62.78	181.62	4287.78	-326.35	78.99	329.11	11.90	11.90	0.00	
4429.00	66.04	181.27	4302.03	-356.10	78.24	358.81	9.92	9.88	-1.06	
4460.00	69.38	181.18	4313.79	-384.77	77.63	387.44	10.78	10.77	-0.29	
4559.00	76.94	181.62	4342.45	-479.43	75.31	481.94	7.65	7.64	0.44	
4590.00	78.88	181.62	4348.94	-509.73	74.45	512.18	6.26	6.26	0.00	
4622.00	80.72	181.79	4354.60	-541.21	73.51	543.60	5.77	5.75	0.53	

Pathfinder Energy

Survey Report

Company: Bold Energy Field: Jezebel State Site: Jezebel State #1 Well: Jezebel State #1 Wellpath: Jezebel State #1	Date: 5/30/2006 Co-ordinate(NE) Reference: Vertical (TVD) Reference: Section (VS) Reference: Survey Calculation Method:	Time: 11:53:02 Site: Jezebel State #1, Grid North System: Mean Sea Level Well (0.00N,0.00E,177.83Azi) Minimum Curvature Db: Sybase
---	--	---

Survey: Pathfinder MWD Final Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
4654.00	82.75	181.62	4359.20	-572.86	72.57	575.20	6.37	6.34	-0.53	
4685.00	84.50	181.09	4362.65	-603.66	71.84	605.95	5.90	5.65	-1.71	
4717.00	86.53	180.91	4365.15	-635.55	71.29	637.80	6.37	6.34	-0.56	
4749.00	88.37	180.83	4366.57	-667.52	70.80	669.72	5.76	5.75	-0.25	
4781.00	88.64	180.74	4367.41	-699.50	70.36	701.67	0.89	0.84	-0.28	
4812.00	88.99	181.09	4368.05	-730.49	69.87	732.61	1.60	1.13	1.13	
4844.00	89.25	180.65	4368.54	-762.49	69.38	764.57	1.60	0.81	-1.37	
4876.00	90.57	181.18	4368.59	-794.48	68.87	796.52	4.45	4.12	1.66	
4908.00	90.84	181.53	4368.20	-826.47	68.12	828.46	1.38	0.84	1.09	
4971.00	89.08	179.68	4368.24	-889.46	67.45	891.38	4.05	-2.79	-2.94	
5034.00	91.01	180.12	4368.19	-952.46	67.56	954.33	3.14	3.06	0.70	
5098.00	90.66	179.51	4367.26	-1016.45	67.77	1018.29	1.10	-0.55	-0.95	
5161.00	91.01	179.60	4366.34	-1079.44	68.26	1081.25	0.57	0.56	0.14	
5224.00	91.54	179.51	4364.94	-1142.42	68.75	1144.21	0.85	0.84	-0.14	
5288.00	92.42	179.95	4362.73	-1206.38	69.05	1208.13	1.54	1.37	0.69	
5351.00	91.19	179.68	4360.74	-1269.35	69.25	1271.06	2.00	-1.95	-0.43	
5414.00	91.36	180.21	4359.34	-1332.33	69.31	1334.00	0.88	0.27	0.84	
5478.00	91.36	180.12	4357.82	-1396.32	69.13	1397.93	0.14	0.00	-0.14	
5541.00	91.28	180.21	4356.37	-1459.30	68.95	1460.86	0.19	-0.13	0.14	
5604.00	90.66	181.35	4355.30	-1522.28	68.09	1523.77	2.06	-0.98	1.81	
5668.00	90.75	182.85	4354.52	-1586.23	65.74	1587.59	2.35	0.14	2.34	
5731.00	90.13	183.55	4354.03	-1649.13	62.23	1650.31	1.48	-0.98	1.11	
5794.00	90.48	183.46	4353.70	-1712.01	58.37	1713.00	0.57	0.56	-0.14	
5858.00	89.60	183.64	4353.65	-1775.89	54.41	1776.68	1.40	-1.37	0.28	
5921.00	89.87	183.73	4353.94	-1838.76	50.36	1839.35	0.45	0.43	0.14	
5984.00	89.16	183.90	4354.48	-1901.62	46.17	1902.00	1.16	-1.13	0.27	
6048.00	89.69	184.17	4355.12	-1965.45	41.67	1965.62	0.93	0.83	0.42	
6111.00	89.16	184.69	4355.75	-2028.26	36.80	2028.20	1.18	-0.84	0.83	
6175.00	89.52	184.78	4356.49	-2092.04	31.52	2091.73	0.58	0.56	0.14	
6238.00	88.72	184.34	4357.46	-2154.83	26.51	2154.29	1.45	-1.27	-0.70	
6301.00	89.08	183.64	4358.67	-2217.67	22.13	2216.92	1.25	0.57	-1.11	
6365.00	90.40	184.17	4358.96	-2281.52	17.77	2280.55	2.22	2.06	0.83	
6428.00	87.76	184.87	4359.97	-2344.31	12.81	2343.11	4.34	-4.19	1.11	
6491.00	87.67	184.17	4362.48	-2407.06	7.85	2405.63	1.12	-0.14	-1.11	
6554.00	88.11	183.90	4364.80	-2469.86	3.42	2468.22	0.82	0.70	-0.43	
6617.00	88.99	184.08	4366.39	-2532.69	-0.97	2530.84	1.43	1.40	0.29	
6681.00	90.40	185.04	4366.73	-2596.48	-6.05	2594.39	2.67	2.20	1.50	
6744.00	89.34	184.25	4366.88	-2659.27	-11.16	2656.94	2.10	-1.68	-1.25	
6807.00	89.96	185.04	4367.26	-2722.07	-16.26	2719.50	1.59	0.98	1.25	
6871.00	88.99	183.99	4367.85	-2785.86	-21.30	2783.06	2.23	-1.52	-1.64	
6934.00	89.96	183.81	4368.43	-2848.71	-25.58	2845.70	1.57	1.54	-0.29	
6997.00	89.78	183.81	4368.57	-2911.57	-29.77	2908.36	0.29	-0.29	0.00	
7060.00	90.40	183.20	4368.47	-2974.45	-33.62	2971.05	1.38	0.98	-0.97	
7123.00	90.04	183.02	4368.23	-3037.36	-37.04	3033.78	0.64	-0.57	-0.29	
7186.00	89.60	182.58	4368.43	-3100.29	-40.11	3096.54	0.99	-0.70	-0.70	
7250.00	90.75	182.15	4368.23	-3164.23	-42.75	3160.34	1.92	1.80	-0.67	
7312.00	90.84	181.79	4367.37	-3226.19	-44.89	3222.17	0.60	0.15	-0.58	
7376.00	90.48	182.06	4366.63	-3290.15	-47.04	3286.01	0.70	-0.56	0.42	
7438.00	90.57	182.23	4366.06	-3352.10	-49.36	3347.83	0.31	0.15	0.27	
7502.00	90.92	183.38	4365.23	-3416.02	-52.49	3411.58	1.88	0.55	1.80	
7565.00	90.84	183.29	4364.26	-3478.90	-56.15	3474.28	0.19	-0.13	-0.14	
7628.00	90.66	183.55	4363.44	-3541.79	-59.91	3536.98	0.50	-0.29	0.41	
7755.00	88.55	183.20	4364.32	-3668.55	-67.39	3663.37	1.68	-1.66	-0.28	

Pathfinder Energy

Survey Report

Company: Bold Energy Field: Jezebel State Site: Jezebel State #1 Well: Jezebel State #1 Wellpath: Jezebel State #1	Date: 5/30/2006 Co-ordinate(NE) Reference: Site: Jezebel State #1, Grid North Vertical (TVD) Reference: System: Mean Sea Level Section (VS) Reference: Well (0.00N,0.00E,177.83Azi) Survey Calculation Method: Minimum Curvature	Time: 11:53:02 Page: 3 Db: Sybase
---	---	--

Survey: Pathfinder MWD Final Survey

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
7882.00	87.67	182.32	4368.50	-3795.34	-73.50	3789.83	0.98	-0.69	-0.69	
8040.00	87.67	182.32	4374.93	-3953.08	-79.89	3947.22	0.00	0.00	0.00	

Bold Energy

Field: Jezebel State

Site: Jezebel State #1

Well: Jezebel State #1

Wellpath: Jezebel State #1

Survey: Pathfinder MWD Final Survey

COMPANY DETAILS

Bold Energy
Calculation Method: Minimum Curvature
Error System: Systematic Ellipse
Scan Method: Closest Approach 3D
Error Surface: Elliptical Conic
Warning Method: Error Ratio

SITE DETAILS

Jezebel State #1
Section 36 - T18S - R21 E
Eddy Co. NM
Site Centre Latitude: 32°42'34.124N
Longitude: 104°44'28.630W
Ground Level: 4122.00
Positional Uncertainty: 0.00
Convergence: -0.22




WELLPATH DETAILS

Jezebel State #1
Rig: Ref Datum: Mean Sea Level 0.00ft
V Section Angle: 177.83°
Origin: +N-S 0.00
Starting From TVD: 0.00

BHL IS BASED ON A SECTION OF 5280'

ANNOTATIONS

No.	TVD	MD	Annotation
1	3797.93	3800.00	Tie-In to Gyro
2	3856.87	3859.00	Begin Pathfinder MWD Surveys
3	4368.00	4372.00	Last Pathfinder Survey
4	4374.93	8040.00	Projection to TD



District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30 - 015 - 10222		² Pool Code	³ Pool Name Wildcat; Wolfcamp Gas
⁴ Property Code	⁵ Property Name Jezebel State		⁶ Well Number 1H
⁷ OGRID No. 233545	⁸ Operator Name BOLD ENERGY, LP		⁹ Elevation 4122'

¹⁰ Surface Location

UL or lot no. A	Section 36	Township 18S	Range 21E	Lot Idn	Feet from the 660	North/South line North	Feet from the 810	East/West line East	County Eddy
---------------------------	----------------------	------------------------	---------------------	---------	-----------------------------	----------------------------------	-----------------------------	-------------------------------	-----------------------

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. P	Section 36	Township 18S	Range 21E	Lot Idn	Feet from the 667	North/South line South	Feet from the 890	East/West line East	County Eddy
---------------------------	----------------------	------------------------	---------------------	---------	-----------------------------	----------------------------------	-----------------------------	-------------------------------	-----------------------

¹² Dedicated Acres 320	¹³ Joint or Infill N	¹⁴ Consolidation Code P	¹⁵ Order No.
---	---	--	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

¹⁶ 	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Signature Date 6/28/06 D. C. Dodd, Agent for BOLD ENERGY, LP Printed Name ddodd@sierra-engineering.net
	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Original: 6/5/63 Date of Survey Signature and Seal of Professional Surveyor: 676 - John W. West Certificate Number