<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

office

I with a last of the last of the world at a 20 May 10 May	
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)	

Type of action: Registration of a pit or below-grade tank [] Closure of a pit or below-grade tank []				
Operator: Bold Telephone: 505-748-1238 e-mail address blarson@swea HConstruction				
Address: DOBOX 827 Artesin 1	1.M 8821U.			
Facility or well name: TDC Cowtown Sr 1 API#: 30-015-33054 U/L or Qtr/Qtr 0 Sec 6 T 19 R 23				
County: Eddy Latitude	Longitude	NAD: 1927 ☐ 1983 ☐		
Surface Owner: Federal State X Private Indian				
Pit	Below-grade tank			
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:	RECEIVED		
Workover Emergency	Construction material:			
Lined Unlined	7000			
Liner type: Synthetic Thicknessmil Clay [Double-walled, with leak detection? Yes If not, explain why not.			
Pit Volumebbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points)		
	V	(20 mainte)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	(Ma)	(0 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canais, ditches, and pereninal and epitemetal watercourses.	1000 feet or more	(0 points)		
,	Ranking Score (Total Points)	0		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit your are burying in place) onsite \(\) offsite \(\) If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No \(\) (5) Attach soil sample results and a diagram of sample locations and excava	Yes If yes, show depth below ground surface	description of remedial action taken including		
Additional Comments:				
Sweat Const. plan to trench bury the drilling pit at the Bold TAC Cowtown as per				
Rule 50 of the Pithand Below-Grade TANK Buidelines, we will time tranch with 12 mil				
liner and bury pit contents and liner then over with zo mil plastic. We will cap willy				
3' OF NATIVE MATERIAL CAPABLE OF SUPPORTING NATIVE Plant growth we will contour				
thepat Arch to prevent crosion and ponding of RAINWAITE over thesit				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines. A general permit , or an (attached) alternative OCD-approved plan .				
Date:	,			
Printed Name/TitleSignature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval: Gerry Guye	<i>b b</i>	JUL 1 4 2006		
Printed Name/Title Deputy Field Inspector Signature Date:				
District II - Artesia				