District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

RECEIVED
JUL 2 6 2006

Form C-144 June 1, 2004

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No } \text{X} \)

Type of action: Registration of a pit or below-grade tank \(\text{X} \) Closure of a pit or below-grade tank \(\text{L} \)

| Type of action. Registration of a pit of | below-grade talk [A] Closure of a pit of below-gra | ide talik 🔲 😘 |
|---|--|---|
| Operator: Stephens & Johnson Operating Co. Telephone: 940-723-2166 e-mail address: mkincaid@s.joc.net Address: P.O. Box 2249 Wichita Falls, Texas 76307-2249 | | |
| Facility or well name: East Millman Pool Unit #6-10 | | B s 13 T195 p 28F |
| • | | |
| County: Eddy Latitude Longitude | NAD: 1927 1983 Surface Ov | vner Federal State X Private Indian |
| Pit | Below-grade tank | |
| Type: Drilling X Production Disposal | Drilling Production Disposal Volume:bbl Type of fluid: | |
| Workover Emergency | Construction material: | |
| Lined X Unlimited | Double-walled, with leak detection? Yes If not, explain why not. | |
| Liner type: Synthetic XThickness 12 mil Clay | | |
| Pit Volume | | , |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) | Less than 50 feet | (20 points) |
| | 50 feet or more, but less than 100 feet | (10 points) |
| | 100 feet or more | (0 points) X |
| Wellhead protection area. (Less than 200 feet from a private domestic | Yes | (20 points) |
| water source, or less than 1000 feet from all other water sources.) | No | (0 points) X |
| Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) | Less than 200 feet | (20 points) |
| | 200 feet or more, but less than 1000 feet | (10 points) X* |
| | 1000 feet or more | (0 points) |
| | Ranking Score (Total Points) | |
| | Ranking Score (Total Tollits) | 10 |
| If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite offsite, name of facility | | |
| | | |
| | | |
| | | |
| | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit , or an (attached) alternative OCD-approved plan . | | |
| Date: 7/25/06 | | |
| Printed Name/Title: William M. Kincaid - Petroleum Engineer Signature: William M. Kincaid | | |
| Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. | | |
| Approval: | 4 | |
| Approval: Date: Printed Name/Title: Approval: See Simple See See Simple See See Simple See See See Simple See See See Simple See See See See See See See See See S | | |
| Printed Name/Title: 8/1/06 | | |