District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

	k covered by a "general plan"? Yes D N or below-grade tank Closure of a pit or below-g	
Operator: Fasken Oil and Ranch, Ltd. Telephone Address: 303 West Wall, Suite 1800 Midland Facility or well name: Pegasus "10" Fed No. 1 API #: 30 County: Eddy Latitude _ Surface Owner: Federal X State Private Indian _	d, TX 79701	Sec 10 T 21S R 24E
Pit Type: Drilling Production Disposal Workover Emergency Lined Unlined Liner type: Synthetic Thickness 12 mil Clay Pit Volume bbl 24000	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes	_
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more Ranking Score (Total Points)	(20 points) (10 points) (0 points) 0
See attached for proposed	. (3) Attach a genera Yes If yes, show depth below ground surface tions. proximately 5200' to the Sou d pit closure procedure.	description of remedial action taken includingft. and attach sample results. theast in Section 10.
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline Date:	s, a general permit, or an (attached) alternative section of the section	ative OCD-approved plan . College The of the niter tank contaminate ground water or r local laws and/or a that can be tive area or where other





Fasken Oil and Ranch, Ltd. proposes to close the reserve pit at the Pegasus "10" Federal No. 1 in the following manner.

Pit contents are completely dried out and the original liner is undisturbed. We porpose to lay a 20 mil synthetic liner over the existing pit and backfill the pit with a minimum of 3' of clean material, compacted and contoured to match the surrounding terrain.





