





Survey Report


Report Date: March 27, 2006 Client: Oxy USA, Inc. Field: Eddy County, NM Structure / Slot: Right Hand Canyon 35 Fed #5 / Right Hand Canyon 35 Fed #5 Well: Right Hand Canyon 35 Fed #5 Borehole: Right Hand Canyon 35 Fed #5 UW/API#: Survey Name / Date: RHC 35-5_surveys / March 14, 2006 Tort / AHD / DDI / ERD ratio: 70.440° / 1498.73 ft / 5.038 / 0.174 Grid Coordinate System: NAD27 New Mexico State Planes, Eastern Zone, US Feet Location Lat/Long: N 32 26 13.300, W 104 28 21.800 Location Grid N/E Y/X: N 522732.580 ftUS, E 456996.370 ftUS Grid Convergence Angle: -0.07476445° Grid Scale Factor: 0.99991121	Survey / DLS Computation Method: Minimum Curvature / Lubinski Vertical Section Azimuth: 328.460° Vertical Section Origin: N 0.000 ft, E 0.000 ft TVD Reference Datum: RKB TVD Reference Elevation: 0.0 ft relative to Sea Bed / Ground Level Elevation: 0.000 ft relative to Magnetic Declination: 8.621° Total Field Strength: 49205.825 nT Magnetic Dip: 60.352° Declination Date: March 14, 2006 Magnetic Declination Model: IGRF 2005 North Reference: Grid North Total Corr Mag North -> Grid North: +8.696° Local Coordinates Referenced To: Well Head
--	--


Comments	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)	Tool Face (deg)
Tie-In	4451.00	0.63	343.68	4450.16	65.77	30.41	-76.19	82.03	291.76	0.00	-35.00M
	4507.00	1.10	325.00	4506.15	66.60	31.15	-76.58	82.67	292.13	0.97	-41.10M
	4539.00	1.80	318.90	4538.14	67.41	31.78	-77.09	83.38	292.40	2.24	-46.20M
	4570.00	2.80	313.80	4569.12	68.62	32.67	-77.95	84.52	292.74	3.29	-41.70M
	4602.00	3.50	318.30	4601.07	70.34	33.94	-79.17	86.14	293.20	2.32	-39.80M
	4634.00	4.00	320.20	4633.00	72.40	35.52	-80.53	88.02	293.80	1.61	-40.70M
	4665.00	4.30	319.30	4663.92	74.62	37.24	-81.98	90.04	294.43	0.99	-38.00M
	4696.00	4.80	322.00	4694.82	77.06	39.14	-83.54	92.25	295.10	1.75	-38.10M
	4728.00	5.20	321.90	4726.70	79.83	41.34	-85.26	94.75	295.87	1.25	31.63G
	4760.00	5.40	323.20	4758.56	82.77	43.68	-87.06	97.40	296.65	0.73	8.92G
	4791.00	6.00	324.10	4789.41	85.84	46.16	-88.88	100.15	297.45	1.96	32.16G
	4822.00	6.70	327.80	4820.22	89.26	49.01	-90.79	103.17	298.36	2.61	10.81G
	4854.00	7.30	328.70	4851.98	93.16	52.32	-92.84	106.57	299.40	1.91	24.92G
	4886.00	7.80	330.40	4883.70	97.36	55.95	-94.97	110.23	300.50	1.71	-56.56G
	4918.00	8.10	327.30	4915.39	101.79	59.73	-97.26	114.14	301.56	1.63	24.01G
	4949.00	8.50	328.50	4946.07	106.26	63.52	-99.64	118.17	302.52	1.41	-23.13G
	4981.00	8.90	327.40	4977.70	111.10	67.63	-102.21	122.56	303.49	1.35	-12.04G
	5013.00	9.20	327.00	5009.30	116.13	71.86	-104.94	127.18	304.40	0.96	54.61G
	5044.00	9.80	331.70	5039.88	121.24	76.26	-107.54	131.83	305.34	3.16	-62.56G
	5076.00	9.90	330.60	5071.41	126.71	81.05	-110.18	136.78	306.34	0.67	-66.25G
	5108.00	10.20	327.00	5102.92	132.29	85.83	-113.07	141.95	307.20	2.18	69.87G
	5139.00	10.70	333.40	5133.40	137.91	90.70	-115.86	147.14	308.06	4.07	-24.69G
	5171.00	11.30	332.00	5164.81	143.99	96.13	-118.66	152.71	309.01	2.05	-33.42G
	5202.00	11.90	330.10	5195.18	150.22	101.58	-121.68	158.50	309.86	2.29	-4.13G
	5234.00	12.50	329.90	5226.46	156.98	107.43	-125.06	164.87	310.66	1.88	-24.48G
	5266.00	13.10	328.70	5257.66	164.07	113.53	-128.68	171.60	311.42	2.05	13.15G
	5297.00	13.50	329.10	5287.83	171.20	119.64	-132.36	178.42	312.11	1.32	65.58G
	5329.00	13.70	330.90	5318.93	178.72	126.15	-136.12	185.59	312.82	1.46	62.53G
	5359.00	14.00	333.20	5348.06	185.89	132.49	-139.49	192.38	313.53	2.09	24.90G
	5391.00	14.60	334.30	5379.07	193.76	139.58	-142.98	199.82	314.31	2.06	57.28G
	5423.00	14.80	335.50	5410.02	201.82	146.94	-146.43	207.44	315.10	1.14	35.97G
	5454.00	15.20	336.60	5439.97	209.78	154.27	-149.68	214.95	315.86	1.58	-22.28G
	5485.00	15.80	335.70	5469.84	217.99	161.85	-153.03	222.74	316.60	2.09	-15.42G
	5517.00	16.00	335.50	5500.62	226.69	169.83	-156.65	231.05	317.31	0.65	-20.90G
	5548.00	16.60	334.70	5530.37	235.33	177.72	-160.32	239.35	317.95	2.07	-41.50G
	5579.00	17.00	333.50	5560.05	244.24	185.78	-164.23	247.96	318.52	1.71	-16.66G
	5611.00	17.40	333.10	5590.62	253.67	194.23	-168.48	257.13	319.06	1.30	8.79G
	5642.00	18.00	333.40	5620.15	263.07	202.65	-172.73	266.27	319.56	1.96	-48.22G

Comments	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)	Tool Face (deg)
	5674.00	18.40	332.00	5650.55	273.03	211.53	-177.31	276.01	320.03	1.85	0.00G
	5706.00	19.10	332.00	5680.85	283.30	220.61	-182.14	286.08	320.46	2.19	16.21G
	5738.00	19.80	332.60	5711.02	293.93	230.05	-187.09	296.52	320.88	2.27	0.00G
	5770.00	19.90	332.60	5741.12	304.77	239.69	-192.09	307.17	321.29	0.31	-127.06G
	5801.00	19.60	331.40	5770.30	315.22	248.94	-197.01	317.47	321.64	1.63	-60.09G
	5832.00	19.90	329.90	5799.47	325.69	258.07	-202.14	327.82	321.93	1.90	7.94G
	5864.00	20.40	330.10	5829.52	336.71	267.62	-207.66	338.73	322.19	1.58	-49.95G
	5895.00	20.70	329.10	5858.54	347.59	277.00	-213.16	349.53	322.42	1.49	0.00G
	5927.00	21.10	329.10	5888.44	359.00	286.80	-219.03	360.87	322.63	1.25	-23.88G
	5957.00	21.60	328.50	5916.38	369.92	296.14	-224.68	371.73	322.81	1.82	-31.93G
	5989.00	21.90	328.00	5946.10	381.78	306.22	-230.92	383.53	322.98	1.10	-29.47G
	6021.00	22.10	327.70	5975.77	393.77	316.37	-237.30	395.48	323.13	0.72	20.88G
	6053.00	22.40	328.00	6005.39	405.88	326.63	-243.75	407.56	323.27	1.00	46.56G
	6084.00	23.00	329.60	6033.99	417.85	336.86	-249.94	419.46	323.43	2.78	42.41G
	6116.00	23.90	331.60	6063.34	430.57	347.96	-256.19	432.10	323.64	3.75	43.88G
	6148.00	24.20	332.30	6092.57	443.59	359.47	-262.32	445.01	323.88	1.29	-90.00G
	6180.00	24.20	331.70	6121.75	456.68	371.05	-268.48	458.00	324.11	0.77	0.00G
	6211.00	24.30	331.70	6150.02	469.39	382.26	-274.52	470.62	324.32	0.32	-174.22G
	6243.00	23.90	331.60	6179.23	482.44	393.76	-280.72	483.58	324.51	1.26	121.91G
	6275.00	23.80	332.00	6208.50	495.35	405.16	-286.84	496.42	324.70	0.59	-50.83G
	6308.00	24.00	331.40	6238.67	508.70	416.94	-293.18	509.69	324.89	0.95	10.16G
	6339.00	24.70	331.70	6266.91	521.46	428.17	-299.26	522.39	325.05	2.29	-64.69G
	6371.00	24.80	331.20	6295.97	534.84	439.94	-305.67	535.71	325.21	0.72	-162.80G
	6402.00	24.40	330.90	6324.16	547.73	451.23	-311.91	548.54	325.35	1.35	-157.98G
	6434.00	23.90	330.40	6353.35	560.82	462.65	-318.33	561.58	325.47	1.69	-39.31G
	6466.00	24.10	330.00	6382.59	573.83	473.94	-324.80	574.55	325.58	0.81	15.41G
	6498.00	24.40	330.20	6411.76	586.96	485.33	-331.35	587.66	325.68	0.97	107.23G
	6530.00	24.30	331.00	6440.92	600.15	496.83	-337.83	600.80	325.79	1.08	157.89G
	6561.00	24.00	331.30	6469.20	612.82	507.94	-343.95	613.43	325.90	1.05	50.86G
	6592.00	24.10	331.60	6497.51	625.43	519.03	-349.98	626.01	326.01	0.51	36.99G
	6624.00	24.60	332.50	6526.67	638.60	530.69	-356.17	639.13	326.13	1.95	90.00G
	6655.00	24.60	332.70	6554.85	651.47	542.15	-362.11	651.95	326.26	0.27	-109.29G
	6687.00	24.50	332.00	6583.96	664.74	553.92	-368.28	665.17	326.38	0.96	180.00G
	6718.00	24.30	332.00	6612.19	677.52	565.23	-374.29	677.92	326.49	0.65	157.72G
	6750.00	24.20	332.10	6641.37	690.64	576.84	-380.45	691.00	326.59	0.34	27.54G
	6780.00	24.60	332.60	6668.69	703.00	587.82	-386.20	703.33	326.69	1.50	68.49G
	6812.00	24.70	333.20	6697.77	716.31	599.70	-392.28	716.60	326.81	0.84	-172.16G
	6844.00	24.40	333.10	6726.88	729.56	611.56	-398.28	729.82	326.93	0.95	59.05G
	6875.00	24.50	333.50	6755.10	742.34	623.02	-404.05	742.57	327.04	0.62	-140.47G
	6906.00	24.40	333.30	6783.32	755.13	634.50	-409.79	755.33	327.14	0.42	39.71G
	6938.00	24.50	333.50	6812.45	768.32	646.34	-415.72	768.49	327.25	0.41	164.72G
	6970.00	24.20	333.70	6841.60	781.46	658.16	-421.59	781.61	327.36	0.97	55.55G
	7002.00	24.40	334.40	6870.77	794.57	670.00	-427.35	794.69	327.47	1.10	-168.42G
	7033.00	24.20	334.30	6899.02	807.26	681.50	-432.88	807.35	327.58	0.66	180.00G
	7065.00	23.80	334.30	6928.26	820.21	693.23	-438.52	820.28	327.68	1.25	-22.23G
	7097.00	24.10	334.00	6957.50	833.13	704.92	-444.18	833.19	327.78	1.01	-7.93G
	7128.00	24.70	333.80	6985.73	845.88	716.42	-449.82	845.92	327.88	1.95	128.77G
	7160.00	24.60	334.10	7014.82	859.17	728.41	-455.68	859.20	327.97	0.50	180.00G
	7191.00	24.30	334.10	7043.04	871.93	739.95	-461.28	871.96	328.06	0.97	129.20G
	7222.00	24.20	334.40	7071.30	884.60	751.42	-466.81	884.61	328.15	0.51	22.54G
	7254.00	24.50	334.70	7100.45	897.72	763.33	-472.48	897.73	328.24	1.01	-128.98G
	7285.00	24.40	334.40	7128.67	910.48	774.92	-478.00	910.48	328.33	0.51	39.71G
	7317.00	24.50	334.60	7157.80	923.65	786.87	-483.70	923.65	328.42	0.41	0.00G
	7348.00	24.80	334.60	7185.98	936.51	798.55	-489.25	936.51	328.51	0.97	0.00G
	7380.00	24.80	334.60	7215.03	949.85	810.67	-495.00	949.85	328.59	0.00	180.00G



Comments	Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	TVD (ft)	Vertical Section (ft)	NS (ft)	EW (ft)	Closure (ft)	Closure Azimuth (deg)	DLS (deg/100 ft)	Open Face Angle (deg)
	7411.00	24.70	334.60	7243.18	962.75	822.40	-500.57	962.76	328.67	0.32	-90.00G
	7443.00	24.70	334.50	7272.25	976.05	834.47	-506.32	976.06	328.75	0.13	8.02G
	7474.00	25.00	334.60	7300.38	989.01	846.24	-511.91	989.03	328.83	0.98	-125.97G
	7507.00	24.70	333.60	7330.33	1002.81	858.71	-517.97	1002.84	328.90	1.56	-90.00G
	7538.00	24.70	333.50	7358.49	1015.71	870.31	-523.74	1015.75	328.96	0.13	148.62G
	7569.00	24.10	334.40	7386.72	1028.46	881.81	-529.37	1028.51	329.02	2.28	144.92G
	7601.00	23.00	336.40	7416.06	1041.15	893.43	-534.69	1041.21	329.10	4.25	165.33G
	7632.00	22.00	337.10	7444.70	1052.89	904.33	-539.38	1052.97	329.19	3.34	159.90G
	7664.00	21.50	337.60	7474.42	1064.60	915.28	-543.94	1064.71	329.28	1.67	-169.24G
	7696.00	20.40	337.00	7504.30	1075.91	925.83	-548.36	1076.04	329.36	3.50	-141.93G
	7727.00	19.80	335.60	7533.41	1086.46	935.59	-552.64	1086.61	329.43	2.48	-146.68G
	7759.00	19.30	334.60	7563.57	1097.09	945.30	-557.14	1097.27	329.49	1.88	-121.78G
	7790.00	19.10	333.60	7592.84	1107.24	954.47	-561.60	1107.43	329.53	1.24	90.00G
	7822.00	19.10	333.70	7623.08	1117.67	963.85	-566.24	1117.88	329.57	0.10	147.28G
	7854.00	18.80	334.30	7653.35	1128.01	973.19	-570.80	1128.24	329.61	1.12	-58.78G
	7885.00	19.00	333.30	7682.68	1138.01	982.20	-575.23	1138.25	329.64	1.23	-38.92G
	7917.00	19.50	332.10	7712.89	1148.53	991.58	-580.07	1148.79	329.67	1.99	-26.85G
	7949.00	20.40	330.80	7742.97	1159.43	1001.17	-585.29	1159.70	329.69	3.14	0.00G
	7980.00	21.00	330.80	7771.97	1170.38	1010.73	-590.64	1170.65	329.70	1.94	-153.95G
	8012.00	20.50	330.10	7801.89	1181.71	1020.59	-596.23	1181.99	329.71	1.74	167.47G
	8043.00	18.90	331.20	7831.08	1192.15	1029.70	-601.36	1192.44	329.71	5.30	162.96G
	8074.00	17.90	332.20	7860.49	1201.92	1038.31	-606.00	1202.22	329.73	3.38	149.24G
	8106.00	17.40	333.20	7890.98	1211.60	1046.93	-610.45	1211.91	329.75	1.83	29.05G
	8138.00	17.90	334.10	7921.48	1221.26	1055.63	-614.75	1221.59	329.79	1.78	-10.12G
	8170.00	19.80	333.10	7951.76	1231.56	1064.89	-619.35	1231.90	329.82	6.02	-14.84G
	8201.00	22.40	331.30	7980.68	1242.69	1074.75	-624.57	1243.05	329.84	8.64	-16.75G
	8233.00	23.60	330.40	8010.14	1255.18	1085.67	-630.66	1255.55	329.85	3.91	-14.49G
	8264.00	24.40	329.90	8038.46	1267.79	1096.61	-636.93	1268.16	329.85	2.66	-5.99G
	8296.00	24.80	329.80	8067.55	1281.10	1108.12	-643.63	1281.48	329.85	1.26	9.70G
	8327.00	25.30	330.00	8095.63	1294.22	1119.48	-650.21	1294.61	329.85	1.64	-35.84G
	8359.00	25.60	329.50	8124.53	1307.97	1131.36	-657.14	1308.36	329.85	1.15	-30.26G
	8391.00	25.90	329.10	8153.35	1321.87	1143.31	-664.23	1322.26	329.84	1.08	6.32G
	8422.00	26.30	329.20	8181.19	1335.51	1155.02	-671.23	1335.90	329.84	1.30	-14.55G
	8454.00	27.00	328.80	8209.79	1349.86	1167.32	-678.62	1350.25	329.83	2.26	-24.74G
	8486.00	27.40	328.40	8238.25	1364.49	1179.81	-686.24	1364.87	329.82	1.37	0.00G
	8518.00	27.90	328.40	8266.60	1379.34	1192.46	-694.02	1379.72	329.80	1.56	-129.20G
	8549.00	27.60	327.60	8294.03	1393.77	1204.70	-701.67	1394.14	329.78	1.54	-43.09G
	8581.00	27.80	327.20	8322.36	1408.65	1217.23	-709.68	1409.01	329.76	0.85	0.00G
	8613.00	28.10	327.20	8350.63	1423.64	1229.84	-717.81	1423.99	329.73	0.94	-11.67G
	8644.00	28.80	326.90	8377.89	1438.40	1242.23	-725.84	1438.74	329.70	2.30	180.00G
	8676.00	28.00	326.90	8406.04	1453.62	1254.98	-734.15	1453.94	329.67	2.50	-137.07G
	8708.00	27.80	326.50	8434.32	1468.58	1267.49	-742.37	1468.90	329.64	0.86	171.43G
	8740.00	26.90	326.80	8462.74	1483.28	1279.77	-750.46	1483.58	329.61	2.85	180.00G
	8772.00	26.80	326.80	8491.29	1497.73	1291.87	-758.37	1498.01	329.59	0.31	0.00G
	8803.00	26.80	326.80	8518.96	1511.70	1303.56	-766.02	1511.98	329.56	0.00	-24.43G
	8835.00	27.00	326.60	8547.50	1526.17	1315.66	-773.97	1526.44	329.53	0.69	31.50G
	8866.00	27.30	327.00	8575.08	1540.31	1327.50	-781.72	1540.57	329.51	1.13	0.00G
Projected TD	8910.00	27.30	327.00	8614.18	1560.48	1344.43	-792.71	1560.73	329.48	0.00	0.00G





Scientific Drilling



OCCIDENTAL PERMIAN LTD.


Field: Indian Basin
Site: Eddy County, NM
Well: Righthand Canyon 35 Fed #5
Wellpath: VH - Job #32K0306198
Survey: 03/12/06

This survey is correct to the best of my knowledge
and is supported by actual field data.

Blanton.....Company Representative

Notorized this date 18th of April, 2006.

Deborah Sue Bynum
Notary Signature
County of Midland
State of Texas





Scientific Drilling International Survey Report

Company: OCCIDENTAL PERMIAN LTD.	Date: 04/18/2006	Time: 11:53:11	Page: 1
Field: Indian Basin	Co-ordinate(NE) Reference:	Site: Eddy County, NM, Grid North	
Site: Eddy County, NM	Vertical (TVD) Reference:	SITE 0.0	
Well: Righthand Canyon 35 Fed #5	Section (VS) Reference:	Well (0.00N,0.00E,291.76Azi)	
Wellpath: VH - Job #32K0306198	Survey Calculation Method:	Minimum Curvature	Db: Sybase

Survey: 03/12/06	Start Date: 03/12/2006
KSRG 0'-4451'	
Company: Scientific Drilling Internatio	Engineer: Madrid/Rehders
Tool: Keeper, Keeper Surface Readout	Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ChD ft	ChA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.29	0.98	100.00	0.09	0.25	0.00	0.29	0.25	0.98
200.00	0.54	315.11	200.00	0.61	0.84	-0.32	0.40	0.90	338.91
300.00	0.55	322.58	299.99	1.46	1.55	-0.95	0.07	1.82	328.63
400.00	0.77	320.78	399.99	2.46	2.46	-1.66	0.22	2.97	325.88
500.00	0.73	319.41	499.98	3.61	3.46	-2.50	0.04	4.27	324.11
600.00	0.89	320.32	599.97	4.86	4.54	-3.41	0.16	5.68	323.07
700.00	1.17	302.56	699.95	6.54	5.69	-4.77	0.42	7.43	320.02
800.00	0.92	295.73	799.93	8.34	6.59	-6.35	0.28	9.15	316.03
900.00	0.78	296.31	899.92	9.82	7.24	-7.69	0.14	10.56	313.27
1000.00	0.96	290.87	999.91	11.34	7.84	-9.08	0.20	12.00	310.80
1100.00	1.18	290.19	1099.89	13.21	8.49	-10.83	0.22	13.76	308.10
1200.00	1.19	292.89	1199.87	15.27	9.25	-12.75	0.06	15.75	305.96
1300.00	1.10	278.93	1299.85	17.25	9.80	-14.66	0.29	17.63	303.78
1400.00	1.04	277.48	1399.84	19.06	10.07	-16.51	0.07	19.34	301.39
1500.00	0.97	286.32	1499.82	20.79	10.43	-18.22	0.17	20.99	299.78
1600.00	1.04	285.50	1599.81	22.53	10.91	-19.90	0.07	22.70	298.72
1700.00	1.08	288.96	1699.79	24.37	11.46	-21.67	0.08	24.51	297.86
1800.00	1.30	284.77	1799.77	26.44	12.05	-23.66	0.24	26.55	296.99
1900.00	1.30	287.56	1899.74	28.70	12.68	-25.84	0.06	28.78	296.15
2000.00	1.43	286.95	1999.71	31.07	13.39	-28.11	0.13	31.14	295.47
2100.00	1.56	286.62	2099.68	33.67	14.14	-30.81	0.13	33.72	294.80
2200.00	1.42	285.95	2199.64	36.26	14.87	-33.11	0.14	36.29	294.19
2300.00	1.41	285.75	2299.61	38.72	15.55	-35.48	0.01	38.74	293.66
2400.00	1.27	288.57	2399.59	41.05	16.23	-37.72	0.15	41.06	293.29
2500.00	1.28	299.17	2499.56	43.26	17.13	-39.74	0.24	43.28	293.32
2600.00	1.24	296.34	2599.54	45.45	18.16	-41.69	0.07	45.47	293.53
2700.00	1.07	298.62	2699.52	47.45	19.08	-43.48	0.18	47.48	293.70
2800.00	1.26	292.21	2799.50	49.48	19.95	-45.31	0.23	49.51	293.76
2900.00	1.46	292.01	2899.47	51.85	20.84	-47.51	0.20	51.88	293.68
3000.00	1.42	294.91	2999.44	54.36	21.84	-49.82	0.08	54.39	293.67
3100.00	1.49	288.36	3099.40	56.90	22.77	-52.18	0.18	56.93	293.58
3200.00	1.29	285.92	3199.38	59.32	23.49	-54.49	0.21	59.34	293.32
3300.00	1.25	288.43	3299.35	61.52	24.14	-56.61	0.07	61.54	293.10
3400.00	1.19	288.69	3399.33	63.65	24.82	-58.63	0.06	63.66	292.94
3500.00	1.10	288.48	3499.31	65.65	25.46	-60.52	0.09	65.66	292.81
3600.00	1.08	295.08	3599.29	67.54	26.16	-62.29	0.13	67.56	292.78
3700.00	0.93	299.06	3699.27	69.29	26.95	-63.85	0.17	69.30	292.89
3800.00	1.01	286.90	3799.26	70.97	27.60	-65.40	0.22	70.99	292.88
3900.00	1.11	285.66	3899.24	72.82	28.12	-67.18	0.10	72.83	292.71
4000.00	0.86	278.50	3999.23	74.51	28.49	-68.85	0.28	74.51	292.48
4100.00	1.12	281.76	4099.21	76.20	28.80	-70.55	0.27	76.20	292.21
4200.00	1.11	273.72	4199.19	78.08	29.07	-72.47	0.16	78.09	291.85
4300.00	1.24	285.61	4299.17	80.08	29.42	-74.48	0.28	80.08	291.55
4400.00	0.55	306.42	4399.16	81.62	30.00	-75.91	0.75	81.62	291.56
4451.00	0.63	343.68	4450.16	82.03	30.41	-76.19	0.75	82.03	291.76



**Scientific
Drilling**


Field: Indian Basin
Site: Eddy County, NM
Well: Righthand Canyon 35 Fed #5
Wellpath: VH - Job #32K0306198
Survey: 03/12/06



Azimuths to Grid North
True North: 0.00°
Magnetic North: 0.00°

Magnetic Field
Strength: 0nT
Dip Angle: 0.00°
Date: 04/18/2006
Model: igrf2000

South(-)/North(+) [10ft/in]



West(-)/East(+) [10ft/in]