Form 3 160-5 (August 1999)

## UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

OCD-ARTESIA Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS 9 70 Do not use this form for proposals to drill or reenter any

NM-045276 6. If Indian, Allottee or Tribe Name

abandoned well. Use Form 3160-3 (APD) for such proposals						
SUBMIT IN TRIPL	CATE - Other instruction	ins on reverse s	ide	7. If Unit or CA	/Agreement, Name and/o	
Oil Well X Gas Well	Other		<b>Y</b> /	8. Well Name a	and No.	
2. Name of Operator				Diamond	AKI Federal #5	
Yates Petroleum Corporati	on	Sec. ST. Prop.		9. API Well No		
3a. Address	3ъ.	Phone No. (include a	rea code)	30-015-3299	00	
105 South Fourth Street, A	rtesia, NM 88210 (50	05) 748-1471		10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec.,				Undes. C	emetary Morrow	
990' FNL & 660' FWL, Unit I	)			11. County or Pa	arish, State	
Section 34, T20S-R24E					nty, New Mexico	
12. CHECK APPRO	PRIATE BOX(ES) TO INDICA	TE NATURE OF N	OTICE, REP	ORT, OR OTHE	ER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION			
Notice of Intent  Subsequent Report	Acidize	Deepen Fracture Treat New Construction Plug and Abandon	Production Reclamation Recomplete Temporaril	e y Abandon	Water Shut-Off Well Integrity Other Extend APD	
Final Abandonment Notice	Convert to Injection	Plug Back	■ Water Disp	oosal		
13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days Following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once Testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)						
Yates Petroleum Corporation wishes to extend the captioned well's APD expiration date for one (1) year to September 9, 2007. (C-144 attached)						
Sources at Yates Petroleum Corporation have relayed information to me that they believe there will not be enough H2S anticipated from the surface to the Morrow formation to meet the OCD's minimum requirements for the submission of a contingency plan per rule 118.						
		,	A DDD ()VF	D FOR 12_	MONTH PERIOD	
Thank you.  APPROVED FOR 12_MONTH PERIOD ENDING						
14. I hereby certify that the foregoin						
Name (Printed/Typed)		Email: debbiec@ypcm		acut / Land D	\on orders ont	
Signature © CVC	Cowan	Date Title: Re	egulatory A	gent / Land D	рераптент	
Dolle Estled	& for Ca Concers.	August 11, 2006				
THIS SPACE FOR FEDERAL OR STATE USE						
Approved by /s/ Tony J.			NAGEF	Pate AUG	3 0 2006	
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent to conduct the applicant the	rant or Office CA	RLSBA	D FIELD	OFFICE		

District
1301 W. Cand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Parency Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 WF

Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. To downstream facilities, submit to Santa Fe office

Pit or	Below-	Grade	Tank	Registration	or Closure

Is pit or below-grade tank covered by a "general plan"? Yes xx No 
Type of action: Registration of a pit or below-grade tank 
Closure of a pit or below-grade tank

Operator: Yutes Petroleum Corporation Telephone: (955) 748-1372	Omerator: Vates Petroleum Cornoration T.	elenhane: (505) 748.4377 e-mail address: d	19 27 22 72 VZ QQ					
Facility or well name:		0-11 and 100 100 100 100 100 100 100 100 100 10	coorcea ypenineoin					
County: Eddy_Latitude								
Pit _ Type: Drilling   Production   Disposal   Workover   Emergency   Linet   Depth to ground water   Emergency   Double-walled, with leak detection? Yes   If not, explain why not.	Control of the Contro							
Workover   Emergency   Volume:   bbl Type of fluid:   Construction material:   Duble-walled, with leak detection? Yes   If not, explain why not.	County: Eddy Latitude Longitude NAD: 1927   1983   Surface Owner - Federal X State Private I Indian							
Workover   Emergency   Volume:   bbl Type of fluid:   Construction material:   Duble-walled, with leak detection? Yes   If not, explain why not.	Pit Type: Drilling 🔯 Production 🗀 Disposal 🗀	Below-grade tank						
Linet Vpe: Synthetic Thickness								
Limer type: Symthetic   Thickness   2m    Double-walled, with leak detection? Yes   If not, explain why not.								
Clay   Volume   20,000   bb    Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Less than 50 feet   (20 points)   (10 points)    Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  It this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.  Intereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/vill be constructed or closed according to NMOCD guidelines   a general permit								
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)  Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) [100 feet or more]  Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Less than 200 feet 200 feet or more, but less than 1000 feet (10 points) (10 points) (10 points) (10 points)  Ranking Score (Total Points)  Ranking Score (Total Points)  If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  conside offsite from the facility from the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  conside diagram of sample locations and excavations.  Ithereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines a general permit of its proposal provided plan from the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of liability should ble-contents of the pit or tank contaminate ground water or regulations.  Approval: SEP 14 2005; Gld Supervisor		Double-waited, with leak decedent. Tes n not, explain why not.						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)    So feet or more, but less than 100 feet   (10 points)	Clay   Volume 20,000 001							
high water elevation of ground water.)    So feet or more, but less than 100 feet   (10 points)	Denth to ground water (vertical distance from hottom of nit to seasonal	Less than 50 feet	(20 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)    Less than 200 feet   (20 points)		50 feet or more, but less than 100 feet	(10 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Ranking Score (Total Points)  Ranking Score (Total Points)    Points	mgi water crevation of ground water.	100 feet or more	( 0 points)					
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Ranking Score (Total Points)  Ranking Score (Total Points)    Points		Yes	(20 points)					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)    Less than 200 feet   200 feet or more, but less than 1000 feet   (10 points)   (10 points)			1					
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)    Ranking Score (Total Points)   0 Points	water source, or less than 1000 feet from all other water sources.)	[ E19	R o bonnes					
irrigation canals, ditches, and perennial and ephemeral watercourses.)    200 feet or more   100 points   100		Less than 200 feet	(20 points)					
Ranking Score (Total Points)   Points	1	200 feet or more, but less than 1000 feet	(10 points)					
Ranking Score (Total Points)   Points	irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	( 0 points)					
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:  onsite □ offsite □ If offsite, name of facility □ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No □ Yes □ If yes, show depth below ground surface □ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.    Ithereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines □, a general permit ☑, or an (attached) alternative OCD-approved plan □.  Date: August 9th 2005  Printed Name/Title Debbie L Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should decontents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 14 2005    SEP 14 2005   Gld Supervisor   Supervi								
onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.    Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines   n a general permit   n or an (attached) alternative OCD-approved plan   .    Date: August 9th, 2005   Printed Name/Title   Debbie L. Caffall/Regulatory Technician   Signature   OCD-approved plan   n or otherwise endanger public health or the environment. Nor does it relieve the operator of liability should doe ontents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.    Approval: SEP 1 4 2005   Iglid Supervisor   OCD-approval   OCD-approval   Iglid Supervisor   OCD-approval   OCD-a		Ranking Score (Total Points)	0 Points					
onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.    Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines   n a general permit   n or an (attached) alternative OCD-approved plan   .    Date: August 9th, 2005   Printed Name/Title   Debbie L. Caffall/Regulatory Technician   Signature   OCD-approved plan   n or otherwise endanger public health or the environment. Nor does it relieve the operator of liability should doe ontents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.    Approval: SEP 1 4 2005   Iglid Supervisor   OCD-approval   OCD-approval   Iglid Supervisor   OCD-approval   OCD-a		<u> </u>						
end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.  Ithereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: August 9th, 2005  Printed Name/Title Debbie L Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 14 2005  Approval: SEP 14 2005	· · · · · · · · · · · · · · · · · · ·							
and a diagram of sample locations and excavations.  Ithereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: August 9th, 2005  Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 1 4 2005-ield Supervisor	onsite offsite If offsite, name of facility	. (3) Attach a general description of remedial ac	tion taken including remediation start date and					
Ithereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: August 9th, 2005  Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 14 2005  Teleid Supervisor	end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show de	pth below ground surface ft. and attach	sample results. (5) Attach soil sample results					
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: August 9th, 2005  Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 14 2005    Date: SEP 14 2005   Caffall Supervisor   Caffall Supervis								
Date: August 9th, 2005  Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 14 2005    Complete Contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.								
Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 1 4 2005 ield Supervisor	was neem ann ne communicae or crosed according to Minocon Runcimes 's Remersu belling M' or su (structure) sites manae occu-abbitaten bran							
Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 1 4 2005 ield Supervisor	Date: August 9th, 2005							
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 14 2005 ield Supervisor	Printed Name/Title Debbie L. Caffall/Regulatory Technician Signature Wolder & College							
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.  Approval: SEP 14 2005 ield Supervisor								
Approval: SEP 14 2005 ield Supervisor	otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or							
	regulations.							
	Approval: CED 1 & 2005							
	Date: <u>SEP 1 4 ZUUField Supervisor</u>							