Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103
District 1 Energy, Minerals and Natural Resources			Revised March 25, 1999 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II OH. CONSERVATION DIVISION			30-005-61202
District II 811 South First, Artesia, NM 88210 District III OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		5. Indicate Type of Lease	
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe NM 87504			STATE FEE X
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87504			6. State Oil & Gas Lease No.
SUNDRY NOTIC (DO NOT USE THIS FORM FOR PROPOSA DIFFERENT RESERVOIR. USE "APPLICA PROPOSALS.) 1. Type of Well:	ATION FOR PERMIT" (FÖRM C-101) المحادثة المحادث	DR SUCH	7. Lease Name or Unit Agreement Name:
	Other of	ECEIVED (S)	Wagner - SCR -= 272
2. Name of Operator The Eastland Oil Com	pany 000	ARTESIA NO	8. Well No.
3. Address of Operator	1 70 70 70	165	9. Pool name or Wildcat
P. O. Box 3488 Mid1a 4. Well Location	and, TX 79702	-25862 <u>6</u> 36	Pecos slope ABO
The state of the s			
Unit Letter N : 1980 feet from the West line and 660 feet from the South line			
Section 10 Township 7-S Range 26E NMPM County Chaves			
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3725 KB - 3715 GR			
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INT		4	SEQUENT REPORT OF: K ALTERING CASING
PERFORM REMEDIAL WORK	PLUG AND ABANDON [X]	REMEDIAL WOR	
			LLING OPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING X	MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB	ND
OTHER:		OTHER:	
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation. Casing in Well: 10 3/4" set at 965' with cement circulated to surface. 4/1/2' - 9.5# set at 4801' Cement w/450 sk. Did not circulate. 1) Pull tubing & packer 2) Set 25 sk plug at 4382' across perfs. & tag. Mast Tag @ 3980' of Higher. 3) Load Hole with mud laden fluid. 4) Check free point on casing. Cut and pull. 5) Set 35 sk plug across stub - Set Plug 50' is teat - TAG. 6) Set 35 sk plug at 1015' across surface pipe & tag. 7) Set 10 sk plug at surface TC. 8) Set dry hole marker, remove equipment & restore location.			
	, — 100°	01. 1717	'-1827' in tout C\$9.
I hereby certify that the information			
	^		
SIGNATURE JANIA		Agent	DATE 8-31-06
Type or print name Travis Reed Telephone No.432-683-6293 (This space for State use)			
APPPROVED BY	TITLE_	fix Lip	DATE 9/22/CC.
Conditions of approval, if any If e	arthen pits are used i	n	/ /
association with this work a ROHY OCU 24 143.			Notify OCD 24 hrs. prior
pit permit is required prior To any work done.			
to construction.			