District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.


For downstream facilities, submit to Santa Feoffice.

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tan Type of action: Registration of a pit	k covered by a "general plan"? Yes 🔀 t or below-grade tank 🔲 Closure of a pit or below-	No ☐ grade tank ⊠				
Operator: Yates Petroleum Corporation Telephone: 505-748-4500 Address: 105 South 4 th Street, Artesia, NM 88210 Facility or well name: Cordova SWD #1 API #: 30-015-23751 U/L or Qtr/Q County: Eddy Latitude 32,19019 Longitude 104. Surface Owner: Federal State Private Indian	0.00 RECEIVED A 10.00 STATE OF					
Pit Type: Disposal Work over Emergency Lined Unlined Liner type: Synthetic Thickness 12 mil Clay Pit Volume bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes					
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points XXXX (10 points) (0 points))				
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXXX				
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX				
	Ranking Score (Total Points)	20 Points				
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relatin place) onsite ☐ offsite ☐ If offsite, name of facility: N/A (3) At Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surfacts (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Closure work plan for workover pit. The workover pit of the excavated area will be backfilled to grade using a minimum of 3' of clean soil Pit Closure start date: N/A. Final closure date: N/A.	ttach a general description of remedial action taken in aceft. and attach sample results.	ncluding remediation start date and end date. (4)				
I hereby certify that the information above is true and complete to the best of m been/will be constructed or closed according to NMOCD guidelines	y knowledge and belief. I further certify that the a general permit \(\subseteq \), or an (attached) alternative O	nbove-described pit or below-grade tank has CD-approved plan □.				
Date: _09/08/2006 Printed Name/TitleMike Stubblefield / Regulatory Agent Your certification and NMOCD approval of this application/closure does not re endanger public health or the environment. Nor does it relieve the operator of i	lieve the operator of liability should the contents of t	the pit or tank contaminate ground water or otherwise al, state, or local laws and/or regulations.				
Approval: Printed Name Approval:	Signature	Date:				



New Mexico Office of the State Engineer **POD Reports and Downloads** CORDOYA SWD #1 Township: 24S Range: 27E Sections: NAD27 X: Zone: **Y**: Search Radius: County: Basin: Number: Suffix: Owner Name: (First) (Last) O Non-Domestic O Domestic All POD / Surface Data Report Avg Depth to Water Report Water Column Report Clear Form **iWATERS Menu** Help

AVERAGE DEPTH OF WATER REPORT 09/08/2006

								(Depth	Water in	Feet)	
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg	
C	24S	27E	80				9	17	37	26	
С	24S	27E	09				2	35	50	43	
С	24S	27E	12				4	25	32	27	
/ C_	24S	27E	13				2	30	31	31	
С	24S	27E	18				2	33	35	34	
С	24S	27E	22				1	70	70	70	

Record Count: 20