District 1 1625 N. French Dr., Hobbs, NM 88240 District []
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

June I. For drilling and production facilities, submit to appropriate NMOCD District Office. 2006
For downstream facilities, submit to Santa Fe office

5 A 5 6 7 8 9 7 C-144

och

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

500 C		02000		
Operator: EOG Resources Inc Telephone: 432.682.524) e-mail address: Seay ou @ leaco . Mall				
Address: P. D Box 1659 Midland Totas 79702 Facility or well name: Burnatt Dil 24 Fed *2 API #: 30.015.34586 U/L or Qtr/Qtr I Sec 24 T 17 R 30				
Facility or well name:	20 81 4 2 4 8 2 I angitude 10 3	Sec 24 T 17 R 30		
	32.8172083 Longitude 103	140014 NAD: 1327 HI 1363 LI		
Surface Owner: Federal X State Private Indian	I Polani anada tanb	· · · · · · · · · · · · · · · · · · ·		
Pit	Below-grade tank			
Type: Drilling 🗓 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:			
Workover	Construction material: Double-walled, with leak detection? Yes If not, explain why not.			
Lined William Unlined	Double-walled, with leak detection? Yes [] If not, explain why not.			
Liner type: Synthetic Thickness 12 mil Clay Pic Volume 1994 bbl		· · · · · · · · · · · · · · · · · · ·		
Pit Volume 18940 bbl	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal				
high water elevation of ground water.) 300 + 1	50 feet or more, but less than 100 feet	(10 points)		
3.0 1	100 feet or more	(0 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No ·	(0 points)		
	Less than 200 feet	(20 points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0 4		
if this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indic	eate disposal location: (check the onsite box if		
your are burying in place) onsite 🔀 offsite 🗌 If offsite, name of facility	. (3) Attach a general	description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered; No 🔲 Y	es 🔲 If yes, show depth below ground surface	ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.			
Additional Comments: Our plan is to tran	ed busy on beation	excavate a trans		
	re trench with 12 mil	1 + 1 1 1		
of drilling pit is tranch, gover with 20 mil plantic and 3 ft of classic.				
Backfell, but and contour.				
Molity ISLIM and DCD before standing and file sundry nation of closing.				
will statt annoyle approval.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines I, a general permit , or an (attached) alternative OCD-approved plan []				
Date: 9/7/06				
Printed Name/Title Eddie W Sear Bank Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or				
regulations. Juni W. Benne				
Approval: Printed Name/Title Of 101				
Printed Name/Title Date:				

3 N. French Dr., Hobbs, NM 88240

1301 W. Grand Avenue, Artesia, NM 88210

State of New Mexico

Form C-102 Revised August 15, 2000

Energy, Minerals, and Natural Resources Department

Submit to Appropriate District Office

State Lease - 4 copies Fee Lease - 3 copies

OIL CONSERVATION DIVISION

Santa Fe, New Mexico 87505

1220 South St. Francis Dr.

AMENDED REPORT

1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT II

DISTRICT III

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

WELL LUCATION AND ACKEAGE DEDICATION PLAT				
API Number	Pool Code	Pool Name	Pool Name	
	74560	Cedar Lake, Horrow Gas		
Property Code	BURNETT	Property Name OIL 24 FED COM	Well Number	
70GRID №. 7377	EOG R	Operator Name ESOURCES, INC.	' Elevation 3645'	

Surface Location UL or lot no. Section Range Lot Idn Feet from the North/South line Feet from the Rost/West line 850' **EDDY** I 24 17 SOUTH 30 EAST, N.M.P.M. 1680' SOUTH EAST

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
12 Dedicated Acre	s ¹³ Jo	int or Infill	14 Consolidation Code	15 Order N	<u>.</u>				
320									

NO ALLOWABLE WELL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

16	LC-029339(a) N/2NE/4	17 OPERATOR CERTIFICATION I havely swelly that the information contained furnite to
	N/ZNE/4	Mile Francis
		Mike Francis Agent
	LC-055264 S/2NE/4	12 /18/2005
	X = 627264 Y = 661261 LAT.: N 32.8172083 LONG: W 103.9190819	"SURVEYOR CERTIFICATION
	*************	I have been the second of the
	NM2747 SE/4	DECEMPER 5 2005
	SE/4	PARTO LAND SUFFIE
	1680'	Hand B. man
		V. & BEZNER R.P.S. \$7920 JOB \$108727 / 98SW / J.W.W.

1680 FSL 850 FEL Eddy Co. APT# 30-015-34586 Sec 24 7175 R30 F Burnettoil 24 Fed Com#2

