Submit 3 Copies To Appropriate District Office	State of I tow Mexico		Form C-103
District I	Energy, Minerals and Natural Resources		WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II			30-005-60714
1301 W. Grand Ave., Artesia, NM 88210 District III	OIL CONSERVATION DIVISION		5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr.		STATE FEE
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM	Santa Fe, NM 87505		6. State Oil & Gas Lease No.
87505	93031-	1234	LG-4347
SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement National Sunday Notices and Report Son Wells			7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM CLOSE) FOR SUBJECT OF A DIFFERENT RESERVOIR.			West Disease NV Charles
PROPOSALS.)		West Dixon NX State 8. Well Number	
1. Type of Well: Oil Well	Gas Well \ Other		1
2. Name of Operator	100	7.	9. OGRID Number
Yates Petroleum Corporat	ion (2)		025575
3. Address of Operator 105 S. 4th Street, Artesia, NM 88210		10. Pool name or Wildcat Pecos Slope; Abo	
4. Well Location			
Unit Letter E: 1980 feet from the North line and 660 feet from the West line			
Section 27	Township 7S Ra	nge 24E	NMPM Chaves County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
3697'GR			
Pit or Below-grade Tank Application □ or Closure □			
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water			
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ REMEDIAL WORK ☐ ALTERING CASING ☐			
PULL OR ALTER CASING	MULTIPLE COMPL CASING/CEMENT JOB		
OTHER: OTHER:			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion			
or recompletion.			
·			
Yates Petroleum Corporation plans to plug and abandon this well as follows:			
1. MIRU safety equipment as needed. No casing recovery will be attempted.			
2. Set a CIBP at 3085' with 35' cement on top. This puts a plug over the Abo.			
3. Perforate at 1012' and spot a 40 sx Class "C" cement plug from 912'-1012'. This puts a 100' plug across the Glorieta top, inside and			
outside casing. WOC and tag plug. 4. Perforate at 1603' and spot a 30 sx Class "C" cement plug from 1503'-1603'. This puts a 100' plug across the intermediate casing			
shoe, inside and outside the casing. WOC and tag plug.			
5. Perforate at 335' and spot a 25 sx Class "C" cement plug from 235'-335'. This puts a 100' plug across the surface casing shoe, inside			
and outside the casing. WOC and tag plug.			
6. Perforate at 150' and circulate a 40 sx Class "C" cement plug from 150' up to the surface, inside and outside the casing.7. Remove all surface equipment, weld dry hole marker and clean location as per regulations.			
The property of the policy of			
NOTE: Yates Petroleum Corporation will use steel pits and no earth pits			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-			
grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan.			
SIGNATURE TITLE Regulatory Compliance Supervisor DATE September 7, 2006			
Type or print name Tina Huerta E-mail address: tinah@ypcnm.com Telephone No. 505-748-1471			
APPROVED BY: DATE 9/21/1/			
APPROVED BY: TITLE TITLE DATE 9/21/06 Conditions of Approval (if any):			
Conditions of Approval (if any):			

WELL NAME: West Dixon NX State #1 FIELD: Wildcat LOCATION: 1980' FEL & 660' FNL Sec 27-7S-24E Chaves County, NM GL: 3697' ZERO: KB: 3705' **CASING PROGRAM** SPUD DATE: <u>5/23/80</u> **COMPLETION DATE**: <u>11/12/81</u> 13-3/8" 48# K-55 285' COMMENTS: 8-5/8" 24# J-55 1553' 5-1/2" 14# K-55 LT&C 4987' 17-1/2" Hole **Before** 13-3/8" @ 285' w/400 sx 12-1/4" Hole 8-5/8" @ 1,553' w/850 sx circ **TOPS** TOC 2430' Temp Survey San Andres 394' Glorieta 1012' Abo Perfs: 3135' Abo 3148' Abo Perfs: 3414-21' Wolfcamp 3860' Penn 4174' Abo Perfs: 3480-85' 7-7/8" Hole CIBP at 4255' w/35' of cement Abo Perfs: 4260-63' CIBP @ 4525' w/35' of cement Abo Perfs: 4617-4674' Not to Scale 10/5/05 DC 5-1/2" @ 4987' w/740 sx circ PBTD: 4220'

TD 5273"

WELL NAME: West Dixon NX State #1 FIELD: Wildcat LOCATION: 1980' FEL & 660' FNL Sec 27-7S-24E Chaves County, NM **GL**: 3697' **ZERO**: **KB**: 3705' **CASING PROGRAM SPUD DATE**: 5/23/80 **COMPLETION DATE**: 11/12/81 13-3/8" 48# K-55 COMMENTS: 8-5/8" 24# J-55 5-1/2" 14# K-55 LT&C 150' cmt plug, surface to 150'. 40 sx 17-1/2" Hole After 13-3/8" @ 285' w/400 sx 100' cmt plug, 235'-335'. 25 sx 12-1/4" Hole **TOPS** 8-5/8" @ 1,553' w/850 sx 100' cmt plug, 1,503'-1,603'. 30 sx San Andres 394' Takes at the 100' cmt plug, 912-1,012'. 40 sx 1012' Glorieta TOC 2430' Temp Survey Abo 3148 Wolfcamp 3860' Penn 4174' CIBP at 3,085' w/35' of cement 1111 Abo Perfs: 3135' Abo Perfs: 3414-21' Abo Perfs: 3480-85' 7-7/8" Hole CIBP at 4255' w/35' of cement Abo Perfs: 4260-63' CIBP @ 4525' w/35' of cement Abo Perfs: 4617-4674' Not to Scale 08/25/05 MMFH 5-1/2" @ 4987' w/740 sx circ PBTD: 4220'

TD 5273"

285'

1553'

4987'