

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
REC-2008
OCD - ARTESIA

Form C-103
May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-34794
1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator BOLD ENERGY, LP 233545		6. State Oil & Gas Lease No. 35608
3. Address of Operator 415 W. Wall, Suite 500 Midland, Texas 79701		7. Lease Name or Unit Agreement Name Delilah State
4. Well Location Unit Letter M : 660 feet from the South line and 660 feet from the West line Section 36 Township 18S Range 21E NMPM County Eddy		8. Well Number 1H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4061' GR		9. OGRID Number 233545
Pit or Below-grade Tank Application ☐ or Closure ☐		10. Pool name or Wildcat Wildcat; Wolfcamp (Gas) 96086
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: 12 mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☒
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: Revise BHL, MD, Well Name ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐
OTHER ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Change Bottom Hole Location from Unit D, 660' FNL, 660' FWL to new Bottom Hole Location:

Unit Letter "C" 660' FNL & 1980' FWL of Sec 36 - T18S - R21E

With the change in directional plan, the estimated Total MD is now: 8369'

Change Lease Name from "Delilah State" to: Delilah State Com

36014

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Denise Menoud TITLE Agent for BOLD ENERGY, LP DATE 8/25/06
Type or print name Denise Menoud E-mail address: denise@graysurfacespecialties.com Telephone No. 432 / 685-9158

For State Use Only

BRYAN G. ARANT

APPROVED BY: DISTRICT II GEOLOGIST TITLE _____

AUG 29 2006
DATE

Conditions of Approval (if any):


District I
1625 N. French Dr., Hobbs, NM 88240

District II
1301 W. Grand Avenue, Artesia, NM 88210

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-102
Revised October 12, 2005
State Lease - 4 Copies
Fee Lease - 3 Copies
☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-34794	² Pool Code 96086	³ Pool Name Wildcat; Wolfcamp Gas
⁴ Property Code 35608	⁵ Property Name Delilah State Com	⁶ Well Number 1H
⁷ OGRID No. 233545	⁸ Operator Name BOLD ENERGY, LP	⁹ Elevation 4061'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	36	18S	21E		660	South	660	West	Eddy

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
C	36	18S	21E		660	North	1980	West	Eddy

¹² Dedicated Acres 320	¹³ Joint or Infill N	¹⁴ Consolidation Code P	¹⁵ Order No.
---	---	--	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>Denise Menoud</i> 2/7/06 Signature Date Denise Menoud, Printed Name Agent for Bold Energy ¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor: Certificate Number
--	--

Bold Energy, LP
Delilah State # 1H
Eddy County, New Mexico
Quote # 5497

WELL DETAILS							
Name	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot
Well #1	0.00	0.00	618088.20	370699.10	32°41'54.66"N	104°45'13.16"W	N/A

SECTION DETAILS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TPacc	VSec	Target
1	3500.00	0.00	18.85	3500.00	0.00	0.00	0.00	0.00	0.00	
2	3892.54	0.00	18.85	3892.54	0.00	0.00	0.00	0.00	0.00	
3	4642.54	90.00	18.85	4370.00	451.86	154.24	12.00	18.85	477.46	PBHL
4	8369.40	90.00	18.85	4370.00	3978.90	1358.20	0.00	0.00	4204.33	

TARGET DETAILS								
Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
PBHL	4370.00	3978.90	1358.20	622067.10	372057.30	32°42'34.09"N	104°44'57.45"W	Point



Plan 2: Q5497.gps32

Created By: Dwayne Smith Date: 08/23/2006

Checked: _____ Date: _____

Reviewed: _____ Date: _____

Approved: _____ Date: _____

Leam Drilling Systems, Inc.

Well Planning Report

Company: Bold Energy, LP Field: Eddy County, NM Site: Delilah State Well: Well # 1 Wellpath: 1	Date: 8/23/2006 Co-ordinate(NE) Reference: Site: Delilah State, Grid North Vertical (TVD) Reference: SITE 4061.0 Section (VS) Reference: Well (0.00N,0.00E,18.85Azi) Survey Calculation Method: Minimum Curvature	Page: 1 Db: Adapti
---	--	-------------------------------------

Field: Eddy County, NM

Map System: US State Plane Coordinate System 1927
Geo Datum: NAD27 (Clarke 1866)
Sys Datum: Mean Sea Level

Map Zone: New Mexico, Eastern Zone
Coordinate System: Site Centre
Geomagnetic Model: igrf200510

Site: Delilah State

Site Position: From: Map Position Uncertainty: 0.00 ft Ground Level: 4061.00 ft	Northing: 618088.20 ft Easting: 370699.10 ft	Latitude: 32 41 54.666 N Longitude: 104 45 13.162 W North Reference: Grid Grid Convergence: -0.23 deg
--	---	--

Well: Well # 1

Slot Name:

Well Position: +N/-S 0.00 ft +E/-W 0.00 ft Position Uncertainty: 0.00 ft	Northing: 618088.20 ft Easting: 370699.10 ft	Latitude: 32 41 54.666 N Longitude: 104 45 13.162 W
--	---	--

Wellpath: 1

Current Datum: SITE Magnetic Data: 8/3/2006 Field Strength: 49292 nT Vertical Section: Depth From (TVD) ft	Height 4061.00 ft +N/-S 0.00 ft	Drilled From: Surface Tie-on Depth: 0.00 ft Above System Datum: Mean Sea Level Declination: 8.72 deg Mag Dip Angle: 60.54 deg +E/-W 0.00 ft	Direction deg 18.85
---	---	---	-------------------------------

Annotation

MD	TVD

Plan Section Information

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg	Target
3500.00	0.00	18.85	3500.00	0.00	0.00	0.00	0.00	0.00	0.00	
3892.54	0.00	18.85	3892.54	0.00	0.00	0.00	0.00	0.00	0.00	
4642.54	90.00	18.85	4370.00	451.86	154.24	12.00	12.00	0.00	18.85	
8369.40	90.00	18.85	4370.00	3978.90	1358.20	0.00	0.00	0.00	0.00	PBHL

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
3500.00	0.00	18.85	3500.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3600.00	0.00	18.85	3600.00	0.00	0.00	0.00	0.00	0.00	0.00	18.85
3700.00	0.00	18.85	3700.00	0.00	0.00	0.00	0.00	0.00	0.00	18.85
3800.00	0.00	18.85	3800.00	0.00	0.00	0.00	0.00	0.00	0.00	18.85
3892.54	0.00	18.85	3892.54	0.00	0.00	0.00	0.00	0.00	0.00	18.85
3900.00	0.90	18.85	3900.00	0.06	0.02	0.06	12.00	12.00	0.00	0.00
3925.00	3.90	18.85	3924.97	1.04	0.36	1.10	12.00	12.00	0.00	360.00
3950.00	6.90	18.85	3949.86	3.27	1.12	3.45	12.00	12.00	0.00	0.00
3975.00	9.90	18.85	3974.59	6.72	2.29	7.10	12.00	12.00	0.00	0.00
4000.00	12.90	18.85	3999.09	11.40	3.89	12.04	12.00	12.00	0.00	360.00
4025.00	15.90	18.85	4023.31	17.28	5.90	18.26	12.00	12.00	0.00	0.00
4050.00	18.90	18.85	4047.16	24.35	8.31	25.73	12.00	12.00	0.00	0.00
4075.00	21.90	18.85	4070.59	32.60	11.13	34.44	12.00	12.00	0.00	0.00
4100.00	24.90	18.85	4093.53	41.99	14.33	44.37	12.00	12.00	0.00	0.00
4125.00	27.90	18.85	4115.92	52.51	17.92	55.48	12.00	12.00	0.00	0.00

Leam Drilling Systems, Inc.

Well Planning Report

Company: Bold Energy, LP
Field: Eddy County, NM
Site: Delilah State
Well: Well # 1
Wellpath: 1

Date: 8/23/2006 Time: 10:05:45 Page: 2
Co-ordinate(NE) Reference: Site: Delilah State, Grid North
Vertical (TVD) Reference: SITE 4061.0
Section (VS) Reference: Well (0.00N,0.00E,18.85Azi)
Survey Calculation Method: Minimum Curvature Db: Adapti

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
4150.00	30.90	18.85	4137.70	64.12	21.89	67.75	12.00	12.00	0.00	0.00
4175.00	33.90	18.85	4158.81	76.79	26.21	81.14	12.00	12.00	0.00	0.00
4200.00	36.90	18.85	4179.19	90.50	30.89	95.62	12.00	12.00	0.00	0.00
4225.00	39.90	18.85	4198.78	105.19	35.91	111.15	12.00	12.00	0.00	360.00
4250.00	42.90	18.85	4217.53	120.83	41.25	127.68	12.00	12.00	0.00	0.00
4275.00	45.90	18.85	4235.39	137.38	46.90	145.17	12.00	12.00	0.00	0.00
4300.00	48.90	18.85	4252.31	154.79	52.84	163.56	12.00	12.00	0.00	360.00
4325.00	51.90	18.85	4268.25	173.02	59.06	182.82	12.00	12.00	0.00	0.00
4350.00	54.90	18.85	4283.15	192.01	65.54	202.89	12.00	12.00	0.00	0.00
4375.00	57.90	18.85	4296.99	211.72	72.27	223.71	12.00	12.00	0.00	0.00
4400.00	60.90	18.85	4309.71	232.08	79.22	245.23	12.00	12.00	0.00	360.00
4425.00	63.90	18.85	4321.30	253.04	86.38	267.38	12.00	12.00	0.00	0.00
4450.00	66.90	18.85	4331.70	274.55	93.72	290.11	12.00	12.00	0.00	0.00
4475.00	69.90	18.85	4340.91	296.55	101.23	313.35	12.00	12.00	0.00	360.00
4500.00	72.90	18.85	4348.88	318.97	108.88	337.04	12.00	12.00	0.00	0.00
4525.00	75.90	18.85	4355.61	341.75	116.66	361.11	12.00	12.00	0.00	360.00
4550.00	78.90	18.85	4361.06	364.84	124.54	385.51	12.00	12.00	0.00	0.00
4575.00	81.90	18.85	4365.23	388.16	132.50	410.15	12.00	12.00	0.00	0.00
4600.00	84.90	18.85	4368.11	411.66	140.52	434.99	12.00	12.00	0.00	360.00
4625.00	87.90	18.85	4369.68	435.27	148.58	459.93	12.00	12.00	0.00	0.00
4642.54	90.00	18.85	4370.00	451.86	154.24	477.46	12.00	12.00	0.00	0.00
4700.00	90.00	18.85	4370.00	506.25	172.81	534.93	0.00	0.00	0.00	0.00
4800.00	90.00	18.85	4370.00	600.89	205.11	634.93	0.00	0.00	0.00	0.00
4900.00	90.00	18.85	4370.00	695.52	237.42	734.93	0.00	0.00	0.00	0.00
5000.00	90.00	18.85	4370.00	790.16	269.72	834.93	0.00	0.00	0.00	0.00
5100.00	90.00	18.85	4370.00	884.80	302.03	934.93	0.00	0.00	0.00	0.00
5200.00	90.00	18.85	4370.00	979.44	334.33	1034.93	0.00	0.00	0.00	0.00
5300.00	90.00	18.85	4370.00	1074.08	366.64	1134.93	0.00	0.00	0.00	0.00
5400.00	90.00	18.85	4370.00	1168.72	398.94	1234.93	0.00	0.00	0.00	0.00
5500.00	90.00	18.85	4370.00	1263.35	431.25	1334.93	0.00	0.00	0.00	0.00
5600.00	90.00	18.85	4370.00	1357.99	463.55	1434.93	0.00	0.00	0.00	0.00
5700.00	90.00	18.85	4370.00	1452.63	495.86	1534.93	0.00	0.00	0.00	0.00
5800.00	90.00	18.85	4370.00	1547.27	528.16	1634.93	0.00	0.00	0.00	0.00
5900.00	90.00	18.85	4370.00	1641.91	560.47	1734.93	0.00	0.00	0.00	0.00
6000.00	90.00	18.85	4370.00	1736.55	592.77	1834.93	0.00	0.00	0.00	0.00
6100.00	90.00	18.85	4370.00	1831.18	625.08	1934.93	0.00	0.00	0.00	0.00
6200.00	90.00	18.85	4370.00	1925.82	657.38	2034.93	0.00	0.00	0.00	0.00
6300.00	90.00	18.85	4370.00	2020.46	689.69	2134.93	0.00	0.00	0.00	0.00
6400.00	90.00	18.85	4370.00	2115.10	721.99	2234.93	0.00	0.00	0.00	0.00
6500.00	90.00	18.85	4370.00	2209.74	754.29	2334.93	0.00	0.00	0.00	0.00
6600.00	90.00	18.85	4370.00	2304.37	786.60	2434.93	0.00	0.00	0.00	0.00
6700.00	90.00	18.85	4370.00	2399.01	818.90	2534.93	0.00	0.00	0.00	0.00
6800.00	90.00	18.85	4370.00	2493.65	851.21	2634.93	0.00	0.00	0.00	0.00
6900.00	90.00	18.85	4370.00	2588.29	883.51	2734.93	0.00	0.00	0.00	0.00
7000.00	90.00	18.85	4370.00	2682.93	915.82	2834.93	0.00	0.00	0.00	0.00
7100.00	90.00	18.85	4370.00	2777.57	948.12	2934.93	0.00	0.00	0.00	0.00
7200.00	90.00	18.85	4370.00	2872.20	980.43	3034.93	0.00	0.00	0.00	0.00
7300.00	90.00	18.85	4370.00	2966.84	1012.73	3134.93	0.00	0.00	0.00	0.00
7400.00	90.00	18.85	4370.00	3061.48	1045.04	3234.93	0.00	0.00	0.00	0.00
7500.00	90.00	18.85	4370.00	3156.12	1077.34	3334.93	0.00	0.00	0.00	0.00
7600.00	90.00	18.85	4370.00	3250.76	1109.65	3434.93	0.00	0.00	0.00	0.00
7700.00	90.00	18.85	4370.00	3345.40	1141.95	3534.93	0.00	0.00	0.00	0.00
7800.00	90.00	18.85	4370.00	3440.03	1174.26	3634.93	0.00	0.00	0.00	0.00

Leam Drilling Systems, Inc.

Well Planning Report

Company: Bold Energy, LP Field: Eddy County, NM Site: Delilah State Well: Well # 1 Wellpath: 1	Date: 8/23/2006 Time: 10:05:45 Page: 3 Co-ordinate(NE) Reference: Site: Delilah State, Grid North Vertical (TVD) Reference: SITE 4061.0 Section (VS) Reference: Well (0.00N,0.00E,18.85Azi) Survey Calculation Method: Minimum Curvature Db: Adapti
---	---

Survey

MD ft	Incl deg	Azim deg	TVD ft	N/S ft	E/W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	TFO deg
7900.00	90.00	18.85	4370.00	3534.67	1206.56	3734.93	0.00	0.00	0.00	0.00
8000.00	90.00	18.85	4370.00	3629.31	1238.87	3834.93	0.00	0.00	0.00	0.00
8100.00	90.00	18.85	4370.00	3723.95	1271.17	3934.93	0.00	0.00	0.00	0.00
8200.00	90.00	18.85	4370.00	3818.59	1303.48	4034.93	0.00	0.00	0.00	0.00
8300.00	90.00	18.85	4370.00	3913.23	1335.78	4134.93	0.00	0.00	0.00	0.00
8369.40	90.00	18.85	4370.00	3978.90	1358.20	4204.33	0.00	0.00	0.00	0.00

Targets

Name	Description Dip. Dir.	TVD	+N/-S	+E/-W	Map Northing	Map Easting	<--- Latitude ---> Deg Min Sec			<--- Longitude ---> Deg Min Sec		

Formations

MD	TVD	Formations	Lithology	Dip Angle	Dip Direction

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-34794
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Delilah State
8. Well Number 1H
9. OGRID Number 233545
10. Pool name or Wildcat Wildcat; Wolfcamp (Gas) 96086
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4061' GR
Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: 12 mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

RECEIVED

2. Name of Operator

BOLD ENERGY, LP

JUL 19 2006

3. Address of Operator

415 W. Wall, Suite 500

Midland, Texas 79701

4. Well Location

Unit Letter **M**: **660** feet from the **South** line and **660** feet from the **West** line

Section **36**

Township **18S**

Range **21E**

NMPM

County **Eddy**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

4061' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☒

PULL OR ALTER CASING ☐

MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

P AND A ☐

CASING/CEMENT JOB ☐

OTHER ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. ** Must be submitted to OCD.*

BOLD ENERGY requests approval to change the Casing and Cement Program from that originally proposed on C-101 form, which was approved on 4/19/06. The proposed drilling program: Spud w/ 17 1/2" bit and drill to 300'; if hole is stable reduce hole size to 12 1/2" and drill to 1300' casing point using FW spud mud (note: if upper hole is unstable, 13 3/8" structural casing will be set and cmt'd to surface w/ 270 sx 35:65 POZ-Class "C" w/ additives followed by 225 sx Class "C" w/ 2% CaCl.) Set 9 5/8" casing @ 1300' & cmt w/ 350 sx 35:65 POZ-Class "C" w/ additives followed by 250 sx Class "C" w/ 2% CaCl. If necessary, use 1" tbg for top job to bring cmt to surface. Install & test BOP & csg. Drill 8 1/2" hole to 4800' TVD w/ cut brine, adjusting MW - VIS - WL as needed to maintain hole stability and well control. Log and determine optimum depth for lateral into Wolfcamp zone. Plug back wellbore to desired KOP, build curve to approx 75° at approx 4500' and set 7" casing w/ 300 sx PVL cont'g 12% gel, 0.3% antifoam, 0.1% FLA & 0.1% pps cello-flakes followed by 225 sx PVL w/ 0.3% FLA, 0.2% dispersant & 0.2% anti-foam. Install WH & BOPE, test BOPE & casing, drill out 7" shoe and continue to build angle to 90° at approx 4500' TVD with an azimuth of 0°. Drill +/- 4000' lateral into Wolfcamp producing interval, estimated TD = 8100' MD. Run 4 1/2" liner from approx 3800' - 8100' with a series of open hole packers and mechanically shifted sliding sleeves to allow frac stimulation of the Wolfcamp horizontal. The proposed BHL remains as originally proposed: 660' FNL & 660' FWL Section 36 - T18S - R21E.

Revised Casing and Cement Program:

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
12 1/2"	9.625"	36.0#	1300'	600	Circulated
8 1/2"	7.000"	26.0#	4500'	500	1100'
6 1/8"	4 1/2"	11.6#	3850' - 8100'	Uncemented	

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE *D. C. Dodd* TITLE Agent for BOLD ENERGY, LP DATE 7/17/06

Type or print name D. C. Dodd E-mail address: ddodd@sierra-engineering.net Telephone No. 432 / 683-8000

For State Use Only

BRYAN G. ARRANT

DISTRICT II GEOLOGIST

APPROVED BY:

Conditions of Approval (if any):

DATE

JUL 21 2006



COPY

3106 N. Big Spring St. Ste. 100
Midland, TX 79705
Tel: (432) 685-9158



August 25, 2006

NMOCD
1301 W. Grand Avenue
Artesia, New Mexico 88210
Attn: Bryan Arrant

RE: Bold Energy, L.P.
C-103 Revise BHL, MD, Well Name
Delilah State # 1H
Wildcat; Wolfcamp Gas Field
Sec 36, T18S, R21E
Eddy County, New Mexico
API # 30-015-34794

Dear Bryan:

Enclosed is the last amended C103 on the above referenced well, dated 7/17/06. This request seeks approval to revise the Bottom Hole location, the Well Name, and the Measured Depth of said well.

Also enclosed is the new directional drilling plan for this well and a new C102.

Please advise if you have any questions regarding this matter or need additional information. I can be reached at 432-685-9158. Thank you.

Sincerely,

A handwritten signature in cursive script that reads 'Denise Menoud'.

Denise Menoud
Regulatory Specialist
Gray Surface Specialties,
Agent for Bold Energy, L.P.
denise@graysurfacespecialties.com