



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Lori Wrotenberg

Director

Oil Conservation Division

22-Aug-03

C F M OIL CO

PO BOX 1176

ARTESIA, NM 88210-0000

NOTICE OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

STATE B 1111 008		H-22-17S-28E		30-015-23138-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323448332
Comments on Inspection: No Well Sign (Rule 103).						
STATE B 1969 014		J-22-17S-28E		30-015-23141-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323447766
Comments on Inspection: No Well Sign (Rule 103).						
STATE B 1969 015		J-22-17S-28E		30-015-23142-00-00		
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323447240
Comments on Inspection: Well sign does not reflect current operator (Rule 103)						

STATE B 1969 017 J-22-17S-28E 30-015-23143-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323447611
Comments on Inspection: No well sign (Rule 103).						

STATE B 1111 010 H-22-17S-28E 30-015-23231-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323449238
Comments on Inspection: No Well Sign (Rule 103).						

STATE B 1969 016 J-22-17S-28E 30-015-23232-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323447422
Comments on Inspection: No Well Sign (Rule 103).						

STATE B 1969 018 K-22-17S-28E 30-015-23244-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323451669
Comments on Inspection: No Well Sign (Rule 103).						

STATE B 1969 019Y K-22-17S-28E 30-015-23395-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323451850
Comments on Inspection: No Well Sign (Rule 103).						

STATE B 1111 012 F-22-17S-28E 30-015-23451-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323450635
Comments on Inspection: Well sign does not reflect current operator (Rule 103)						

STATE B 1111 013 G-22-17S-28E 30-015-23452-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323450253
Comments on Inspection: Well sign does not reflect current operator (Rule 103)						

STATE B 1111 014 G-22-17S-28E 30-015-23453-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323449448
Comments on Inspection: Well sign does not reflect current operator (Rule 103)						

STATE B 1111 015A G-22-17S-28E 30-015-23454-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323449654
Comments on Inspection: Well sign does not reflect current operator (Rule 103)						

STATE B 1111 016

F-22-17S-28E

30-015-23455-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323451110
Comments on Inspection: No Well Sign (Rule 103). No production equipment.						

STATE B 1111 018

A-22-17S-28E

30-015-23569-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323448901
Comments on Inspection: Well sign is illegible (Rule 103).						

STATE B 1111 022

G-22-17S-28E

30-015-23661-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
08/22/2003	Routine/Periodic	Gerry Guye	Yes	No	9/22/2003	iGEG0323450436
Comments on Inspection: No Well Sign (Rule 103).						

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,


Artesia OCD District Office

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data.

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas.