District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W nue, Artesia, NM 88210 District IV 1000 R. Poad, Aztec, NM 87410 District IV 1220 S. St. Francis S. Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

	3456789107	77 porm C-144
or drilling	·	~ /
ppropriate or downstr	md production fac MOCD Marie 75 eam facilities, subn	re. nit to Santa
office 8		SIA

Santa Fe, INIVI 0/303

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes W No

Souther Banistration of a pit or below-grade tank Closure of a pit or below-grade tank Covered tank

Type of action: Registration of a pit of	or below-grade tank [Closure of a pit of below-gr	aue talik K. Co		
Type of action: Registration of a pit of below-grade tank Closure of a pit of below-grade tank				
Operator: David H. Arrington Oil & Ga ^T elephone:e-mail address:e				
Address: PO Box 2071, Midland, TX 79702	-2071 			
Facility or well name: <u>Orange Comet #1-H</u> API#: <u>30-015-3467</u> U/L or Qtr/Qtr <u>0</u> Sec <u>35</u> T <u>17S</u> R <u>23E</u>				
County:				
Surface Owner: Federal State Private Indian				
<u>Pit</u>	Below-grade tank			
Type: Drilling X Production Disposal	Volume:bbl Type of fluid:			
Workover ☐ Emergency ☐	Construction material:			
Lined \(\int(\text{Unlined}\)	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic ▼ Thickness 12 mil Clay □				
Pit Volume 20,000		i		
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water.)	100 feet or more	(0 points)		
	Yes	(20 points)		
Wellhead protection area: (Less than 200 feet from a private domestic	No)	(0 points)		
water source, or less than 1000 feet from all other water sources.)	NO	(o points)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
, , , ,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	• • • • • • • • • • • • • • • • • • • •	•		
your are burying in place) onsite 💢 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including				
remediation start date and end date. (4) Groundwater encountered: No 💢 Y	es If yes, show depth below ground surface	ft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavati	ions.			
Additional Comments: Dig deep burial hole, li	ne with 12 mil plastic; mix	call contents to		
stiffen, place in deep burial hole. Cover with 20 mil, with 3' to 4' overlap.				
Cover entire pit with 4-ft. top soil.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank				
has been/will be constructed or closed according to NMOCD guidelines [X], a general permit [_], or an (attached) alternative OCD-approved plan [_].				
Date: 11/8/06 Morgan Tools Co. LLC				
Printed Name/Title Stephen Wilson, Foreman Signature, Stephen Wilson				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval: Seeme				
Printed Name/Title				
Printed Name/Title Signature Date: 1/9/06				