

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Title **SR PROD & REG TECH** Date **11-28-2006**

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

OIL OR GAS SANDS OR ZONES

IMPORTANT WATER SANDS

No. 1, from	to	feet
No. 2, from	to	feet
No. 3, from	to	feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology

SEABISQUIT #2
API: 30-005-63786

ATTACHMENT TO C-105

#27: ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

6400 – 7002	4000 GAL 15% NEFE, 179,466 GAL SLICK WATER, 37# 100 MESH WHITE SAND, 42# 20/40 MESH WHITE SAND + 104 TONS CO2
7380 – 8282	4000 GAL 15% NEFE, 172,620 GAL SLICK WATER, 35# 100 MESH WHITE SAND, 43# 20/40 MESH WHITE SAND + 101 TONS CO2
8660 – 9312	4000 GAL 15% NEFE, 149,443 GAL SLICK WATER, 42# 100 MESH WHITE SAND, 39# 20/40 MESH WHITE SAND + 120 TONS CO2