Form 3160-5 (September 2001)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED OMB No. 1004-0135 Expires: January 31, 2004

Lease Serial No.

| 1. Type of Well | Do not use the | Y NOTICES AND REPOI is form for proposals to ell. Use Form 3160-3 (APD) | RTS ON WELLS drill or to re-enter a for such proposals | SECENTED AND THE PROPERTY OF T | M-029588 | lottee or Tribe Name | |
|--|---|--|--|--|---|---|--|
| Oil Well Gras Well Other | | เปลียเอรเลกะ ล้อมท้องกับสมัย เกลียรสมาชาติ | Glons onlievelse | side s | N / | A/Agreement, Name and/or No. | |
| 2. Name of Operator Mewbourne Oil Company 14744 3b. Phone No. (include area code) 505-393-5905 10. Field and Pool, or Exploratory Area Glotlen Morrow 77560 11. County or Parish, State Eddy, NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Alter Casing Practure Report Subsequent Report Casing Repair New Construction Recomplete Convert to Injection Plug Back Water Disposal 3. Deepen Production (Start/Resume) Water Shut-Off Water Shut-Off Water Shut-Off Water Shut-Off Subsequent Report Convert to Injection Plug Back Water Disposal 3. Deepen Production (Start/Resume) Plug Back Water Disposal 3. Deepen Production (Start/Resume) Policy Abandon BOPE test Plug Back Water Disposal 3. Deepen Production (Start/Resume) Policy Abandon BOPE test Plug Back Water Disposal 3. Deepen Production (Start/Resume) Policy Abandon BOPE test Plug Back Water Disposal 3. Deepen Production (Start/Resume) Policy Abandon BOPE test Plug Back Water Disposal 4. Like Casing Repair Production (Start/Resume) Policy Abandon BOPE test Polic | | 7 out | | | 9 Well Name | and No | |
| Mewhourse Oil Company 14744 3.6 Address 3.6 Phone No. (Include area code) 505-393-5905 3.6 Objects of Intent 10. Field and Pool, or Exploratory Area Golden Lane Morrow 77560 1.1 County Parish, State Eddy, NM 1.2 CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 1.2 CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 1.3 Acidize Deepen Production (Sturt/Resume) Water Shut-Off Water Casing Fracture Treat Reclamation Well Integrity Water Study Other TD 12 14" hole & BOPE test 3. Describe Proposed or Completed Operation (Iclearly state all pertinent details, including estimated starting date of any proposed work and approximate duration there If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and finesured and true vertical depths of all pertinent markers and zone following completion of the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion of the morphiston of the involved operations. If the operation results in a multiple completion or the morphiston of the involved operations. If the operation results in a multiple completion of the morphiston of the involved operations. If the operation results in a multiple completion of the morphiston of the morph | | Utner | | | | | |
| 30. Phone No. (tackude area code) 505-593-5905 10. Field and Pool, or Exploratory Area Golden Lane Morrow. 77560 11. County or Parish, State Eddy, NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 13. Deepen Production (Start/Resums) Well Integrity Subsequent Report Casing Flans New Construction Recomplete Plug and Abandon Temporarily Abandon Plug Back Water Disposal 3. Describe Proposed or Completed Operation (clearly state all pertinent details, including extended and true vertical depths of all pertinent markers and zone Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be tilted within 30 day following completion of the involved operations. If the operation results in a multiple completion of the involved operations. If the operation results in a multiple completion of the completion of the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be tilted within 30 day fellowing completion of the microbial port recompleted in the work will be performed to provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be tilted within 30 day fellowing completion of the microbial port of the determined that the site is ready for final inspection.) 11/01/06TD 12 1/4" hole at 3525'. Ran 3525' 9 5/8" 40# N80/K55 LT&C csg. Cemented 1st stage with 300 sks BJ Lite Class "C" (35:65:6) with 196 CaCl2. Mixed @12.5 #g with 196 vd. Followed with 200 sks Class Cm. 21 and 196 vd. Plug down at 9:00 am 11/03. Inflates ECP. Open DV tool & attempt to the completion of the microbial port of the determined that the site is ready for final inspection.) 11/01/06TD 12 1/4" hole at 3525'. Ran 3525' 9 5/8" 40# N80/K55 LT&C csg. Cemented 1st stage with 300 sks BJ Lite Class "C" (35:65:6) with 196 vd. Followed with 200 sks Clas | - | '44 | | | | | |
| Golden Lane Morrow 77560 | | | 3b. Phone No. (include | area code) | 30-015-3517 | 1 | |
| 4. Location of Well (Footage, Sec., T. R., M., or Survey Description) 3500' FSL & 1980' FWL of Sec 5-T21S-R29E Lot 14 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of latent | PO Box 5270 Hobbs NM 88 | 240 | 505-393-5905 | | | | |
| 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION | | | | | | | |
| TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent | 3500' FSL & 1980' FWL of Se | c 5-T21S-R29E Lot 14 | | | | Parish, State | |
| TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent | 12. CHECK AP | PROPRIATE BOX(ES) TO | INDICATE NATUR | E OF NOTICE, R | EPORT, OR C | THER DATA | |
| Notice of Intent | | | | | | | |
| Name (PrintedITyped) Kristi Green Signature Date 11/07/06 Name | Notice of Intent Subsequent Report Final Abandonment Notice 3. Describe Proposed or Complete If the proposal is to deepen dire. Attach the Bond under which the following completion of the investing has been completed. Find determined that the site is ready 11/01/06TD 12 1/4" hole at 352 1/8#/sks Celloflake. Idown at 9:00 am 11/0 Lite Class "C" (35:65: with 1.34 yd. Tail with TOC at 1720'. Ran 1" 5000# & annular to 25: | Alter Casing Casing Repair Change Plans Convert to Injection d Operation (clearly state all pertinctionally or recomplete horizontally ne work will be performed or provided operations. If the operation related Abandonment Notices shall be for final inspection.) 25'. Ran 3525' 9 5/8" 40# N80 Mixed @ 12.5 #/g with 1.96 yd. 1/06. Inflate ECP. Open DV to with 1% CaCl2. Mixed @ 1 th 180 sks Thixsad H with additing pipe & tag at 1664'. Cmt w/ 5. 1600#. At 8:00 pm 11/03/06, tes | Deepen Fracture Treat New Construction Plug and Abandon Plug Back The test of the Bond No. on file we subsurface location ide the Bond No. on file we sults in a multiple comp filed only after all required to the Bond No. On file we sults in a multiple comp filed only after all required to the Bond No. On file we sults in a multiple comp filed only after all required to the Bond No. On file we subsurface to th | Production (Star Reclamation Recomplete Temporarily Ab Water Disposal mated starting date of as and measured and truith BLM/BIA. Requiretion or recompletion ments, including reclamated 1st stage with 3 ss "C" with 1% CaC tumped 1000 bbls w/followed with 200 sk f/g with 1.52 yd. Distages. Circulate 15 | pandon any proposed work as vertical depths of the vertical depths | Well Integrity Other TD 12 1/4" hole & BOPE test and approximate duration there fall pertinent markers and zones orts shall be filed within 30 day a Form 3160-4 shall be filed onc completed, and the operator had lass "C" (35:65:6) with .8 #/g with 1.34 yd. Plug 2nd stage with 300 sks BJ CaCl2. Mixed @ 14.8 #/g mt. Ran Temp Survey. C 24 hrs. Test BOPE to | |
| Approved by (Signature) Name (Printed/Typed) Titless DECORD | Name (PrintedlTyped) Kristi Green | guen | Date 11/ | 07/06 | | | |
| | Approved by (Signature) | STATE OF THE PARTY | | | Tit | top DECORD | |

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make 1000 department or agency States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on next page)

Accepted for record - NMOCD

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

isle

Office

FREDERICK WRIGHT PETROLEUM ENGINEER

of the United

WELDING SERVICES, INC. P.O. Box 1541 • Lovington, N.M. 88260 BUS: 505 396-4540 • FAX: 505 396-0044



INVOICE B 5071

| ease | NEW SOUROS | | | | | Start Time | |
|---|---|------------------------------|-------------|----------------|--|-----------------|--------------------------|
| | Qualque Kilye | 5 10/11/2 | | | | County <u> </u> | <u>∕</u> State <u>√∠</u> |
| Company | Man | 1, 1 | | | | | |
| <i>Nellhead</i> | Vendor | | | _ Tester | 11 34/24/2 | Mucha | |
| Orlg. Cont | tractor <u>PATE 6 v</u> ier <u>Sawby B</u> | Ulli | | | | Rig #_ <i>_</i> | <u> </u> |
| Tool Push | er <u>Samby B</u> | 355 | | | | | |
| Plug Type | 0-22 | | PI | ug Size | <u> </u> | Drill Pipe Size | <u> </u> |
| | ulve Opened | | | | | | |
| ANNUL | RAMS 12 RAMS 13 RAMS 14 | 26 2 4 4 8b 6 | Rotating | Head | 24 × 22 + 22 + 22 + 22 + 24 × 22 + 2 | 19 | .17 |
| TEST # | 9 10 7 8 ITEMS TESTED | 25 TEST LENGTH | LOW PSI | HIGH PSI | 21_ | 20 REMARKS | <u>16</u> |
| 1531#1 | | 1201 22110111 | | | | | |
| 1501# | | 1 | *** * ** * | | | | |
| 1501# | <u> </u> | | Agenta em 1 | y 3 - 1 | | | |
| j | | ." | | , 1 · · | | | |
| - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | | / | , y-0 | 3 3 1 3 3 1 | | | |
| 7 27 27 27 27 27 | | ." | , y-0 | | | | |
| - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
|) kj 7 7 | | / | , y-0 | | | | |
| 1 | | / | , y-0 | | | | |
|) kj 7 7 | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| | | / | , y-0 | | | | |
| 1 3 4 4 5 7 5 7 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | | / | , y-0 | | | SUB TOTALTAX | |

