

DISTRICT I
1636 N. French Dr., Hobbs, NM 88240

DISTRICT II
1301 W. Grand Avenue, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Ateeo, NM 87410

DISTRICT IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Form C-102
Revised October 12, 2006

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number <i>30-015-35344</i>	Pool Code <i>72170</i>	Pool Name <i>Black River; Morrow (Gas)</i>
Property Code	Property Name LONG NOSE COM	Well Number 1
OGRID No. <i>217955</i>	Operator Name OGX RESOURCES, L.L.C.	Elevation 3181'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
M	9	24 S	27 E		660	SOUTH	1310	WEST	EDDY

Bottom Hole Location If Different From Surface


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres <i>320</i>	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

	OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <i>[Signature]</i> <i>1-5-07</i> Signature Date <i>Ann E. Ritchie, Agent</i> Printed Name SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. DECEMBER 20, 2006 Date Surveyed <i>[Signature]</i> Signature of Professional Surveyor 7977 No. Certificate No. Gary L. Jones 7977 BASIN SURVEYS
--	---



LONG NOSE COM #1
 660' FSL & 1310' FWL
 Section 9, Township 24 South, Range 27 East,
 N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786
 1120 N. West County Rd.
 Hobbs, New Mexico 88241
 (505) 393-7316 - Office
 (505) 392-3074 - Fax
 basinsurveys.com



W.O. Number: 17484T

Survey Date: 12-22-2006

Scale: 1" = 2 MILES

Date: 12-27-2006

OGX
 RESOURCES
 L.L.C.



FROM THE JUNCTION OF CO. RD. 748 (OLD CAVERN RD) AND CO RD 720 (BLACK RIVER), PROCEED EAST ON CO. RD. 720 FOR 1.7 MILES TO LEASE ROAD, ON LEASE ROAD PROCEED SOUTH APPROX. 0.15 MILE TO LEASE ROAD, ON LEASE ROAD PROCEED WEST APPROX. 0.2 MILES TO PROPOSED LEASE ROAD.

N.M.P.M., EDDY COUNTY, NEW MEXICO.

Sheet 1 of 1 Sheets

OGX Resources, LLC
Long Nose Com, Well #1
Sec 9, T24S, R27E; 660 FSL & 1310' FWL
Eddy County, New Mexico

Estimated tops:

Wolfcamp	9200'
Strawn	11,400'
Atoka	11,600'
Morrow	12,000'

Primary Objective: Morrow

Casing:


Surface: 13 3/8", 54.5/48# H-40 ST & C new casing to 520' – witness
400 sx 35:65 Pox/C w/6% betonite w/2% CaCl₂, .25#/sx celloseal; 200 sx CI w/2% CaCl₂
Intermediate: 9 5/8", 35# K55 ST & C new casing from 0-2100'
900 sx 35:65 Poz/C w/6% bentonite & 2% CaCl w .25# celloseal
Production: 7" 26#, P-110, LT & C new casing from 0-9400'
DV tool @ approx 500', 1st stage w/350 sx IFH followed w/300 sx; tail w/700 sx IFH.
Liner: 4.5", 11.6# P-110, LT & C casing from approx 9400-12,500'
250 sx Super H cement w/.5% LFLC + 4% CFR-3 + 5#/sx + 1#/sx salt + .2# HR-7

Mud:

0-650' – fresh water/native mud. Lime for pH control 9-10. Paper for seepage.
Wt. 8.6-9.0 ppg, vis 32-36 sec.
520-2100' – Fresh/brine water. Lime for pH control. 10-10.5, paper for seepage.
Wt. 9-10.0 ppg. Vis 28-29 sec.
2600-9400' – Cut brine, lime for pH control 10-10.5. Wt 8.4-10.0 ppg Vis 28-29
9400-12500' – Mud up w/andue Vis/Flotrol system. Wt. 10-31.5-10 ppg, vis 28-45



No DST's are anticipated. Mud logging from 650-TD. Electric logs –
CNL/LDT/CAL/GR/DLL/CAL/GR. No coring. No abnormal temperature or H₂S.
Highest anticipated pressure gradient .55 psi/ft. Adequate flare lines to be
installed. Drilling and completion duration 60 days.

OGX Resources LLC



DRILLING RIG LAYOUT

OGX Resources, LLC.



January 5, 2007

Oil Conservation Division
Attn: Bryan Arrant
1301 Grand Ave.
Artesia, NM 88210

RE: OGX Resources, LLC, Long Nose Com, Well #1, (M), Sec 9, T24S, R27E,
Eddy County, New Mexico

We do not anticipate encountering any H2S during the drilling or completion of the well as referenced above, as per offset drilling and the Morrow formation.


We are respectfully requesting an exemption from the H2S requirements as per NMOCD Rule 118. The anticipated total depth is 12,500' for this Black River; Morrow (Gas) well.

Yours truly,



Ann E. Ritchie, Regulatory Agent
OGX Resources, LLC
c/o P.O. Box 953
Midland, TX 79702
432 684-6381; 682-1458-fax
ann.ritchie@wtor.net

cc: OGX Resources/Midland



OGX Resources, LLC
Long Nose Com, Well #1
Sec 9, T24S, R27E; 660 FSL & 1310' FWL
Eddy County, New Mexico

Estimated tops:

Wolfcamp	9200'
Strawn	11,400'
Atoka	11,600'
Morrow	12,000'

Primary Objective: Morrow

Casing:

Surface: 13 3/8", 54.5/48# H-40 ST & C new casing to 520' – witness
400 sx 35:65 Poz/C w/6% bentonite w/2% CaCl₂, .25#/sx celloseal; 200 sx Cl w/2% CaCl₂
Intermediate: 9 5/8", 35# K55 ST & C new casing from 0-2100'
900 sx 35:65 Poz/C w/6% bentonite & 2% CaCl w .25# celloseal
Production: 7" 26#, P-110, LT & C new casing from 0-9400'
DV tool @ approx 500', 1st stage w/350 sx IFH followed w/300 sx; tail w/700 sx IFH.
Liner: 4.5", 11.6# P-110, LT & C casing from approx 9400-12,500'
250 sx Super H cement w/.5% LFLC + 4% CFR-3 + 5#/sx + 1#/sx salt+.2# HR-7

Mud:

0-650' – fresh water/native mud. Lime for pH control 9-10. Paper for seepage.
Wt. 8.6-9.0 ppg, vis 32-36 sec.
520-2100' – Fresh/brine water. Lime for pH control. 10-10.5, paper for seepage.
Wt. 9-10.0 ppg. Vis 28-29 sec.
2600-9400' – Cut brine, lime for pH control 10-10.5. Wt 8.4-10.0 ppg Vis 28-29
9400-12500' – Mud up w/andue Vis/Flotrol system. Wt. 10-31.5-10 ppg, vis 28-45

No DST's are anticipated. Mud logging from 650-TD. Electric logs –
CNL/LDT/CAL/GR/DLL/CAL/GR. No coring. No abnormal temperature or H₂S.
Highest anticipated pressure gradient .55 psi/ft. Adequate flare lines to be
installed. Drilling and completion duration 60 days.

January 5, 2007

Oil Conservation Division
Attn: Bryan Arrant
1301 Grand Ave.
Artesia, NM 88210

RE: OGX Resources, LLC, Long Nose Com, Well #1, (M), Sec 9, T24S, R27E,
Eddy County, New Mexico

We do not anticipate encountering any H₂S during the drilling or completion of the well as referenced above, as per offset drilling and the Morrow formation.


We are respectfully requesting an exemption from the H₂S requirements as per NMOCD Rule 118. The anticipated total depth is 12,500' for this Black River; Morrow (Gas) well.

Yours truly,



Ann E. Ritchie, Regulatory Agent
OGX Resources, LLC
c/o P.O. Box 953
Midland, TX 79702
432 684-6381; 682-1458-fax
ann.ritchie@wtor.net

cc: OGX Resources/Midland



LONG NOSE COM #1

660' FSL & 1310' FWL

Section 9, Township 24 South, Range 27 East,
N.M.P.M., Eddy County, New Mexico.

basin
surveys
focused on excellence
in the oilfield

P.O. Box 1786
1120 N. West County Rd.
Hobbs, New Mexico 88241
(505) 393-7316 - Office
(505) 392-3074 - Fax
basinsurveys.com

W.O. Number: 17484T


Survey Date: 12-22-2006

Scale: 1" = 2 MILES

Date: 12-27-2006

OGX
RESOURCES
L.L.C.

SECTION 9, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO.



DIRECTIONS TO LOCATION:

FROM THE JUNCTION OF CO. RD. 748 (OLD CAVERN RD) AND CO RD 720 (BLACK RIVER), PROCEED EAST ON CO. RD. 720 FOR 1.7 MILES TO LEASE ROAD, ON LEASE ROAD PROCEED SOUTH APPROX. 0.15 MILE TO LEASE ROAD, ON LEASE ROAD PROCEED WEST APPROX. 0.2 MILES TO PROPOSED LEASE ROAD.

BASIN SURVEYS P.O. BOX 1786 - HOBBS, NEW MEXICO

W.O. Number: 17484

Drawn By: J. M. SMALL

Date: 12-27-2006

Disk: 17484W


OGX RESOURCES, L.L.C.

REF: LONG NOSE COM #1 / Well Pad Topo

THE LONG NOSE COM No. 1 LOCATED 660' FROM THE SOUTH LINE AND 1310' FROM THE WEST LINE OF SECTION 9, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, NEW MEXICO.

Survey Date: 12-22-2006

Sheet 1 of 1 Sheets



LONG NOSE COM #1

660' FSL & 1310' FWL

Section 9, Township 24 South, Range 27 East,
N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786
1120 N. West County Rd.
Hobbs, New Mexico 88241
(505) 393-7316 - Office
(505) 392-3074 - Fax
basinsurveys.com

W.O. Number: 17484T

Survey Date: 12-22-2006

Scale: 1" = 2000'

Date: 12-27-2006

**OGX
RESOURCES
L.L.C.**