Submit 3 Copies To Appropriate District Office District I	State of New Mexico Energy, Minerals and Natural Resources		Form C-10 May 27, 20 WELL API NO.	
1625 N. French Dr., Hobbs, NM 88240 District II	OIL CONCEDIVATION DIVIGION		30-015-31906	
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.		5. Indicate Type of Lease	
District III 1000 Rio Brazos Rd., Aztec, NM 87410			STATE FEE	
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe,	NM 87505	6. State Oil & Gas Lease No.	į
SUNDRY NOT (DO NOT USE THIS FORM FOR PROPE DIFFERENT RESERVOIR. USE "APPL	TICES AND REPORTS ON OSALS TO DRILL OR TO DEEP ICATION FOR PERMIT" (FORM	EN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name Suburb AZS State Com	;
PROPOSALS.) 1. Type of Well: Oil Well	Gas Well 🔯 Other		8. Well Number	
1. Type of wen. On wen	Oas well Z Oller	OF RECORDER S	1	
Name of Operator Yates Petroleum Corporat	tion (2)	OCD ARTESIA N	9. OGRID Number 025575	
3. Address of Operator	187	North line and	10. Pool name or Wildcat	
105 S. 4 th Street, Artesia,	NM 88210	e 400	Wildcat Wolfcamp	
4. Well Location		10168 Fa		
Unit Letter A :	660 feet from the	North line and	660 feet from the East lin	.e
Section 36	Township 18	SS Range 25E	NMPM Eddy County	
	11. Elevation (Show whe	ether DR, RKB, RT, GR, et	c.)	
Pit or Below-grade Tank Application	or Closure	3460'GR		
		out from househouses III	N.A 6	
			Distance from nearest surface water	-
Pit Liner Thickness: mi			Construction Material	
12. Check	Appropriate Box to Ind	licate Nature of Notice	e, Report or Other Data	
NOTICE OF II PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING	CHANGE PLANS	☐ REMEDIAL WO	RILLING OPNS. PLUG AND ABANDON	
		state all pertinent details, a	ack and recomplete and give pertinent dates, including estimated of Attach wellbore diagram of proposed complete	
11/20/06 – Set a 5-1/2" 17# CIBP at 8913' with 35' cement on top. Perforate Strawn 8358'-8364' (24), 8488'-8496' (32) and 8534'-8542' (32).				
11/21/06 - Acidize Strawn 8534'-8542' with 750g 7-1/2% MSA acid with 40 ball sealers. Acidize Strawn 8488'-8542' with 750g 7-1/2% MSA with 80 ball sealers. Acidize Strawn 8358'-8364' with 750g 7-1/2% MSA with 40 ball sealers.				
11/29/06 – Set a 5-1/2" 17# CIBP a NEFE acid with 30 ball sealers.	it 8224' with 35' cement on	top. Perforate Wolfcamp	6244'-6252' (32). Acidize with 3000g 15%	
12/5/06 – Set RBP at 6050'. Set 5-1/2" 17# AS-1 packer with 2.25" on/off tool at 5759'. Perforate Wolfcamp 5840'-5848' (32) and 5864'-5878' (56). Acidize with 3000g 15% NEFE acid with 85 ball sealers.				
, , , , , , , , , , , , , , , , , , , ,				
I hereby certify that the information grade tank has been/will be constructed o	n above is true and complete r closed according to NMOCD gr	to the best of my knowled uidelines \square , a general permit [lge and belief. I further certify that any pit or belo ☐ or an (attached) alternative OCD-approved plan [ow-
SIGNATURE (Signature)	furta TITLE	Regulatory Compliance	Supervisor DATE December 18, 200	<u>6</u>
Type or print name Tina Hue	rta E-mail a	address: <u>tinah@ypcnm.</u>	com Telephone No. <u>505-748-1471</u>	L
APPROVED BY:	R RECORDS ONLY	TTLE	DEC 2 7 2006	
Conditions of Approval (if any):				