District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District KI
1000 Rio Brazos Road, Astec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, support to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank 🛛 Closure of a pit or below-grade tank 🔲 😿		
Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Operator: Pogo Producing Company Telephone: 432-685-8100 e-mail address: wrigthc@pogoproducing.com		
Address: P. O. Box 10340, Midland, TX 79702-7340		
Facility or well name: Pure Gold B Federal #11 API #: 30	•015 • 35302 U/L or Qtr/Qtr K	Sec <u>20 T 23S R 31E</u>
County: Eddy Latitude 32.286972	Longitude <u>103.800409</u>	NAD: 1927 ⊠ 1983 □
Surface Owner: Federal ⊠ State ☐ Private ☐ Indian ☐		
Pit	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	
. Workover Emergency	Construction material:	
Lined \(\sum \) Unlined \(\sum \)	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic ⊠ Thickness 12 mil Clay □	bounte-wanted, with reak detection: Tes If not, explain why not.	
		
Pit Volume 16000 bbl		1/20
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
· ·	100 feet or more X	(0 points) 0
W. III	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No X	(0 points) 0 ·
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
Triguism surfaces, and personnal and spiremental materiolassess.	1000 feet or more X	(0 points) 0
	Ranking Score (Total Points)	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗌 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
- A 19-19-19-19-19-19-19-19-19-19-19-19-19-1		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: 01/02/07		
Printed Name/Title Cathy Wright, Sr. Eng Tech Signature CAthy What		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval: Accepted for record - NIMOCD Signature Date: 18 17		

Water Resources National Water Information System: Web Interface

Data Category:
Site Information

Geographic Area: New Mexico

∃ go

Site Map for New Mexico

USGS 322114103524801 22S.30E.33.212243

Available data for this site

Site map



Eddy County, New Mexico Hydrologic Unit Code Latitude 32°21'14", Longitude 103°52'48" NAD27 Land-surface elevation 3,161.57 feet above sea level NGVD29 The depth of the well is 248 feet below land surface. This well is completed in the RUSTLER FORMATION (312RSLR) local aquifer. Location of the site in New Mexico. Site map. USGS Station 32211410352480 USGS Station 322114103524801 ZOOM IN <u>2X, 4X, 6X, 8X,</u> or ZOOM OUT <u>2X, 4X</u>. <u>6X</u>. <u>8X</u>.

Maps are generated by US Census Bureau TIGER Mapping Service.

Questions about sites/data?

Feedback on this web site

NWIS Site Inventory for New Mexico: Site Map http://waterdata.usgs.gov/nm/nwis/nwismap?

Top Explanation of terms

Retrieved on 2006-12-19 16:22:53 EST Department of the Interior, U.S. Geological Survey

http://nwis.waterdata.usgs.gov/nm/nwis/nwismap/?site_no=322114103524801&

12/19/2006

Web Interface

Water Resources National Water Information System:

Data Category:
Ground Water

Geographic Area:

New Mexico

GO

Ground-water levels for New Mexico

Search Results -- 1 sites found

Search Criteria

site no list = • 322114103524801


Save file of selected sites to local disk for future upload

USGS 322114103524801 22S.30E.33,212243

Available data for this site

Ground-water: Field measurements 👻

GO



Questions about sites/data?

Top

http://nwis.waterdata.usgs.gov/nm/nwis/gwlevels/?site_no=322114103524801&

Great Circle Calculator.


By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD;MM.MM or DD;MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.



Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Reset

Compute

Input data