District 1

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

320

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-102

Revised October 12, 2005

AMENDED REPORT

Submit to Appropriate District Office

State Lease- 4 Copies


Fee Lease-3 Copies

WELL LOCATION AND ACREAGE DEDICATION PLAT

| 30-015-3      | F 75250 Pool Code 75250 | COTTONWOOD CREEK WOLFCAM | P (GAS)   |
|---------------|-------------------------|--------------------------|-----------|
| Property Code | MEI                     | Well Number 1H           |           |
| OGRID No.     |                         | Operator Name            | Elevation |
| 7377          | EOG                     | RESOURCES, INC.          | 3470'     |

Surface Location County Lot Idn | Feet from the | North/South line | Feet from the East/West line Range UL or lot no. Section Township 9 16 SOUTH 25 EAST, N.M.P.M. **NORTH EAST EDDY** 4 2517' 660 Bottom Hole Location If Different From Surface UL or lot no. Section Township Range Lot Idn Feet from the North/South line Feet from the East/West line County 12 16 SOUTH 25 EAST, N.M.P.M. **NORTH** WEST **EDDY** 2515' 660' Dedicated Acres Joint or Infill Consolidation Code Order No.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



## **Permit Information:**

Well Name: Meramec B 4 Fee #1H

Location:

SL 2517' FNL & 660' FEL, Section 4, T-16-S, R-25-E, Eddy Co., N.M. BHL 2515' FNL & 660' FWL, Section 4, T-16-S, R-25-E, Eddy Co., N.M.

## **Casing Program:**

| Casing     | Setting<br>Depth | Hole<br>Size | Casing<br>Size | Casing<br>Weight | Casing<br>Grade | Desired<br>TOC |
|------------|------------------|--------------|----------------|------------------|-----------------|----------------|
| Surface    | 950'             | 12-1/4"      | 8-5/8"         | 32#              | J-55            | Surface        |
| Production | 8,590'           | 7-7/8"       | 5 1/2"         | 17#              | N-80            | Surface        |

## **Cement Program:**

| Depth  | No.   | Slurries:  |
|--------|-------|--|
|        | Sacks |  |
| 950'   | 150   | Lead: Premium Plus + 2% CaCl <sub>2</sub> + 3% Econolite + ¼ pps Flocele |
|        | 175   | Tail: Premium Plus + 2% CaCl <sub>2</sub> + ¼ pps Flocele                |
| 8,590' | 400   | Lead: Interfill C + 1/4 pps Flocele                                      |
|        | 300   | Tail: Premium Cement + 100% Acid Soluble Additive + 0.6% Halad®-         |
|        |       | 344 + 0.8% Econolite + 0.2% HR-55  |
|        |       |  |

## Mud Program:

| Depth           | Туре              | Weight (ppg) | Viscosity | Water Loss |
|-----------------|-------------------|--------------|-----------|------------|
| 0 – 950'        | Fresh - Gel       | 8.6-8.8      | 55-65     | N/C        |
| 950' – 4,500'   | Cut Brine         | 8.8-9.2      | 28-34     | N/C        |
| 4,500' – 5,200' | Cut Brine         | 8.8-9.2      | 28-34     | 10-15      |
| 4,358' – 8,590' | Polymer (Lateral) | 9.0-9.4      | 40-45     | 10-20      |