Form 3160-5 (September 2001)

## UNITED STATES

Oil Cons. N.M. DIV-Dist. 2 DEPARTMENT OF THE INTERIOR 301 W. Grand Avenue BUREAU OF LAND MANAGEMENT 301 W. Grand Avenue

Water Disposal

FORM APPROVED OMB No. 1004-0135 Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLESIA, NM 8821 05. Lease Serial No.

6. If Indian, Allottee or Tribe Name

	Do not us	e this fo	rm for p	proposa	Is to dr	ill or to	re-enter	r an
	abandone	d well. U	se Form	3160-3	(APD) f	or such	proposa	Ils.
i e	SUBMITIN	វាសុខមា	onie:	<b>Oth</b> er l	nstruci	ions or	ı revers	esi

abanconeu we	en. Ose Polin S100-3 (APD)	, ioi sacii proposais.		EMPIRE ABO UNIT	
SUBMITINIFR	IPLECATE 2 Other Instru	ctions on reverse s	ide/s	7. If Unit or 1441 Type of Name and/or No.	•
<ol> <li>Type of Well</li> <li>Oil Well ☐ Gas Well ☐</li> </ol>	Other	(33	-123956	8. Well Name and No.	
<ol><li>Name of Operator</li><li>BP America Production Compan</li></ol>	у	(6) 30		Empire Abo Unit "N" 11 9. API Well No.	•
P.O. Box 1089, Eunice, NM 882		3b. Phone No Vinclude area pode 30.015.00856  505.394.1660  RECEIVED  30.015.00856  10. Field and Pool, or Exploratory Area Empire Abo			
<ol> <li>Location of Well (Footage, Sec., Unit Letter G, 1650' FNL &amp; 2310 Section 10, T18S, R27E</li> </ol>		247.575 24 OCD	- ARTESIA	/ 11. County or Parish, State  Eddy, NM	
12. CHECK AP	PROPRIATE BOX(ES) TO	INDICATE NATUR	<b>ZOF SVO</b> TIČE, RE	PORT, OR OTHER DATA	•
TYPE OF SUBMISSION		TYPI	E OF ACTION		
Notice of Intent  Subsequent Report	Acidize Alter Casing Casing Repair	Deepen Fracture Treat New Construction	Production (Start/) Reclamation Recomplete	Well Integrity Other	
_	Change Plans	☑ Plug and Abandon	Temporarily Abar	ndon	

Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Plug Back

TD: 6172' PBD: 6138' PERFS: 5925-5944' CIBP: 5899'

MIRUPU. NDWH. NUBOP.

Final Abandonment Notice

PU 2-3/8" WS. RIH & tag CIBP @ 5899'.

35' CMT ON TOD Spot 25 cmt on top of CIBP. Circ 9.5# KCL. Test csg to 300#.

Convert to Injection

PUH and spot 25 sxs cmt across glorietta 3202-3302'. WOC. RIH & tag top of plug.

POH w/tbg. RUWL & perf @ 314'.

RIH w/tbg & spot 25 sxs cmt across Yates 214-314' (100' outside & 100' inside csg). WOC. RIH & tag top of plug.

POH w/tbg. Perf 1505' (50' below 8-5/8" csg).

RIH w/pkr & set @ 1405'. Squeeze 50 sxs cmt (100' outside & 100' inside). WOC. Tag top of plug.

POH w/pkr & tbg. Perf csg @ 60'. RIH w/60' tbg & circ 10 sxs cmt to surf (inside & outside). WOC 24 hours & tag.

ean location, RDPU

which would entitle the applicant to conduct operations thereon.

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED

Cut off will & anchors. Clean location. 1001 C.		
		APPROVED
14. 1 hereby certify that the foregoing is true and correct		ALIG 2 9 2003
Name (PrintedlTyped)		AUG 2 9 2003
Kellie D. Murrish	Title Sr. Administrative Assistant	
Signature Live II. Musara	Date 08.25.03	LES BABYAK PETROLEUM ENGINEER
PAIS SPACEHEORIEI	ederakor svaje ogecebse.	
Approved by (Signature)	Name (Printed/Typed)	Title
Conditions of approval, if any, are seached. Approval of this notice does certify that the applicant holds legal or equitable title to those rights in the		Date

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## PLUGGING PROCEDURE EAU N-11

- 1. MIRU PULLING UNIT ND WH NU BOP
- 2. PICK UP 2 3/8" WS AND RIH TAG CIBP @ 5899'
- 3. SPOT 25' CMT ON TOP OF CIBP
- 4. CIRCULATE 9.5 KCL TEST CSG TO 300#
- 5. PULL UP HOLE AND SPOT 25 SX CMT ACROSS GLORIETA 3202'- 3302'
- 6. WOC RIH AND TAG TOP OF PLUG
- 7. POOH W/TBG RU WIRELINE AND PERFORATE @ 314'
- 8. RIH W/ TBG AND SPOT 25 SX CMT ACROSS YATES 214' 314'(100' INSIDE & OUTSIDE CSG)
- 9. WOC RIH AND TAG TOP OF PLUG
- 10. POOH W/TBG PERFORATE @ 1505' (50' BELOW 8 5/8" CSG)
- 11. RIH W/ PKR AND SET @ 1405' SQUEEZE 50 SX CMT 100' OUTSIDE AND 100' INSIDE
- 12. WOC TAG TOP OF PLUG
- 13. POOH W/ PKR AND TBG PERFORATE CSG @ 60'
- 14. RIH W/ 60' TBG AND CIRCULATE 10 SX CMT TO SURFACE INSIDE AND OUTSIDE.
- 15. WOC 24 HRS AND TAG
- 16. CUT OFF WELL HEAD AND ACHORS CLEAN LOCATION RD

## **WELLBORE SCHEMATIC**

10 SX CMT 60' TO SURF. EMPIRE ABO UNIT N-11
1650' FNL & 2310' FEL
SEC 10, T - 18S, RANGE 27E EDDY COUNTY, NM
API 30-015-00856
GR 3485' KB: 14'

8-5/8" casing @ 1505' Cmt Circulated to surface

PERF 50' BELOW SHOE 50' OUT AND 50' IN (50 SX)

25 sx cmt across yates 214' - 314'

25 sx cmt across glorieta 3202' - 3302'

25' CMT PLUG

CIBP @ 5899<sup>1</sup>

**PERFORATION 5925'-5944'** 

TD @ 6172'

PBD @ 6138'

5-1/2" csg @ 6172'

cmt circlulated to surface