Form C-144 June 1, 2004

servation Division 20 S. oth St. Francis Dr. Santa Fe. NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

APR - 2 2007

Is pit or below-grade tank covered by a "general plan"? Yes No X

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank **BOUTHE** ss: Box 5270, Hobbs NM m: Avalon Ridge 33 Fed Com# [API #: 30-015-33687 Sec 33 T 205 R 28 E U/Lor Qtr/Qtr M Longitude 16 16 11 19. 7" NAD: 1927 1983 Surface Owner: Federal State Private Indian Below-grade tank Type: Drilling Production Disposal Volume: ____bbl Type of fluid: Workover Emergency Construction material: Double-walled, with leak detection? Yes- The not, explain why not. Lined Unlined Liner type: Synthetic Thickness /2 mil Clay Pit Volume Less than 50 feet (20 points) 25 Depth to ground water (vertical distance from bottom of pit to seasonal) 50 feet or more, but less than 100 feet (10 points) 20 high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) I can then 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 0 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) Ranking Score (Total Points) 20 If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🔲 offsite 🕍 If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 📉 Yes 🔲 If yes, show depth below ground surface. ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations a I hereby certify that the information above is true and comp picte to the best of myknowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan . ts of the pit or tank conta blic health or the enviro otherwise ends nce with any other federal, state, or local laws and/or regulations. Sample Analysis for pit area to be submitted to OCS prin to backfilling Approval: Printed Name/Title

P.O. Box 310 Hobbs, NM 88241-0310

New Mexic Environmental Services

Hobbs. New Mexico 505.392.8584 Cell 505.631.2442 Fax 505.392.3085

Hobbs, New Mexico

Reserve Pit Remediation

SURFACE PIT CLOSURE PLAN

PIT PARAMETERS

COMPANY: Mewbourne oil

WELL SITE: Avalon Ridge 33 Fed. Com. #1

LEGAL DESCRIPTION: Unit M Sec 33 T20s R28e, 810

FSL 810 FWL, Eddy co.

The reserve pit inset on this leasehold is being permitted to close as per New Mexico OCD "Pit and Below Grade Tank Guidelines" dated November 1, 2004.

This pit was excavated and formed to the dimensions roughly 150' X 150' X 6' deep. A 12 mil membrane liner and pad was used to prevent leakage to the surface soils. A visual examination of the membrane liner indicates that the liner had maintained its integrity.

After the drilling and completion phase of this project, the water phase of the pit contents were pumped and hauled to an approved water injection facility. It is estimated that the volume of solids remaining are to +/- 2800 yards. The remaining Drilling Mud Solids will be removed from the drilling site and transported to an approved disposal site for such materials, as to not contaminate any ground water sources beneath the drilling pit area. The remaining clean soil will be mechanically shaped as to prevent erosion of the well site until vegetation is established. A minimum of 36" of top soil will be used to cover the drilling pit area. This soil must be capable of supporting plant growth. A seed mixture will be used as to conform to local BLM and OCD requirements.

LOCATION DIAGRAM

Mewbourne Oil, Avalon Ridge 33 Fed Com #1 API #30-015-33687 V-DOOR East

