Form 3160-5 (April 2004) **UNITED STATES**

FORM APPROVED OM B No. 1004-0137

DEPARTMENT OF THE INTERIOR						Expires: March 31, 2007	
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS						5. Lease Serial No. NMLC 068430	
NA Do not use th	NOTICES AND REF is form for proposals t ell. Use Form 3160-3 ()	o drill or t	o re-enter an			Allottee or Tribe Name	
SUBMIT IN TRIPLICATE- Other instructions on reverse side.						7. If Unit or CA/Agreement, Name and/or No. NMNM 71016 X	
1. Type of Well ☐ ☐ Gas Well ☐ ☐ Other ☐ ☐ Other					8. Well Name and No.		
2. Name of Operator BEPCO, L. P.						ake Unit #168 No.	
3a. Address 3b. Phone N			(include area code	,)	30-015-34341		
P. O. Box 2760 Midland, TX 79702 432-683-2 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			, , , ,			Pool, or Exploratory Area aw (Delaware)	
NWSW, UL L, 1730' FSL & 660' FWL, Sec 5, T24S, R30E, Mer NMP Lat N 32.244111 deg, Lon W 103.910250 deg					11. County or Parish, State Eddy Co., NM		
12. CHECK AF	PPROPRIATE BOX(ES) TO	INDICATE 1	NATURE OF N	OTICE, RE	EPORT, OR	OTHER DATA	
TYPE OF SUBMISSION							
TYPE OF SUBMISSION Acidize Deepen Acidize Deepen Acidize Deepen Acidize Deepen Acidize Production (Start/Resume) Well Integrity Other Drilling Operations Final Abandonument Notice Casing Repair Change Plans Plug and Abandon Plug and Abandon Temporarily Abandon Temporarily Abandon Operations Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completted. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) Spud well on 3/16/07. Drlg 12-1/4" hole to 727', ran 16 jits 8-5/8", 32#, J-55, LTC csg, set at 714', cement with 215 sx 35/65 Poz C + 6% D020 + 5 pps D024 + 3% S001 + 0.125 pps D130 (wt 12.7, yld 1.95) followed with 200 sx Class C + 2% S001 + 0.125 pps D130 (wt 14.8, yld 1.35). Circ 55 sx to surface. WOC 15.5 shrs, tested BOPs to 1000 psi for 30 mins - ok. Drlg 7-7/8" hole to 57-510', ran 28 jits 5-1/2", 17H, 3-55, 8rd, LTC and 136 jits 15.5#, J-55, 8rd, LTC csg, set at 7525'. Cement with 575 sx Litecrete + 2% D153 + 2 pps D24 + 0.05 gps D64AM + 0.03 gps M45 + 0.44 gps D84 (wt 10.2, yld 2.33) lead and 170 sx Litecrete + 2% D153 + 2 pps D24 + 0.05 gps D604 + 0.03 M45 + 0.44 gps D84 + CemNet 2.0 #/bbl (wt 10.5, yld 2.01). Dispalced with Acetic Acid & FW. Bumped plug to 1600 psig. Released rig on 03/30/07. Ran temp survey - TOC 3730'. Prep for completion operations.							
14. Thereby certify that the fore Name (Printed/Typed)			Tid- All				
Annette Childers			Title Administrative Assistant				

-5 - 200 TACCEPTED FOR RECORD notte Unilders Date THIS SPACE FOR FEDERAL OR STATE OFFICE USE 2 2007 MAY Approved by
Conditions of approval, if any, are attached. Approval of this notice does not warrant or Title Jugroup. certify that the applicant holds legal or equitable title to those rights in the subject lease WESLEY W INGRAM Office which would entitle the applicant to conduct operations thereon. PETROLEUM ENGINEER

any department or agency of the United

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

PRECISION PRESSURE DATA, INC.

TEMPERATURE SURVEY REPORT

Compony	BASS ENTERP	RISES Lease	POKER LAKE UNIT	Well #	168
		County _	EDDY	State	NEW MEXICO
	3/30/07		17:17		BLAKE
		Top of Cement	3730		
		Total Depth	7451		
		Zero @	GL		
		Plug Down @	3/29/07 @ 07:48		
		Casing Size	5 1/2		
		Hole Size	7 7/8		
		Sacks of Cement	790		
		Ran By	J. Z. BLOCKER		-
		Calculated By	D. WEST		

TEMPERATURE SURVEY REPORT

