	State of New Me	ex1co	Form C-103
Office District I	Energy, Minerals and Natu	ural Resources	May 27, 2004
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION		30-015-35530
District III	1220 South St. Francis Dr.		5. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 8'	7505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	,		o. State on & das Lease No.
87505	TOEG AND REPORTS ON WELL	7	7 I am Name of Heit Assessment Name
	TCES AND REPORTS ON WELLS DSALS TO DRILL OR TO DEEPEN OR PL		7. Lease Name or Unit Agreement Name White Thorn 26 St Com
	CATION FOR PERMIT" (FORM C-101) FOR	OR SUCH	8. Well Number
PROPOSALS.)	a w v 🖼 o.i	Manny	1
1. Type of Well: Oil Well	Gas Well X Other	2 1/3 E	
2. Name of Operator		10 15 M	9. OGRID Number
Mewbourne Oil Company 3. Address of Operator		Tola W	14744 10. Pool name or Wildcat
PO Box 5270 Hobbs, NM 8824	0	APROUR A	Angel Ranch Atoka-Morrow (gas) 70310
4. Well Location		<u> </u>	Thight Italian I tolk (gas) to 1
	660 fact from the S	line and 1'	700 foot from the E line
	660feet from theS		700feet from theEline
Section 26		Range 27E	NMPM Eddy County
	11. Elevation (Show whether DR 3443' GL	t, RKB, R1, GR, etc.)	
Pit or Below-grade Tank Application			
	vaterDistance from nearest fresh v	votor wall Dista	nee from neerest surface water
-			· · · · · · · · · · · · · · · · · · ·
Pit Liner Thickness: mil			struction Material
12. Check	Appropriate Box to Indicate N	lature of Notice, l	Report or Other Data
NOTICE OF IN	NTENTION TO:	SUBS	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	☐ ALTERING CASING ☐
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRIL	LING OPNS.□ P AND A □
PULL OR ALTER CASING		CASING/CEMENT	
	MOZIN ZZ OOM Z		_
OTHER:	1 1 1 (0) 1	OTHER:	
			give pertinent dates, including estimated date ach wellbore diagram of proposed completion
#/g w/ 1.98 yd. Followed sks Class C with 2% CaC	1 with 200 sks BJ Lite Class C (35:6 12. Mixed @ 14.8 #/g w/ 1.32 yd. I	55:6) with additives. Did not circ cmt. Wo	sks Thixsad H with additives. Mixed @ 14.6 Mixed @ 12.5 #/g w/ 1.98 yd. Tail with 200 DC 18 hrs. Lift pressure @ 132# @ 3 BPM.
A+0.20 05/14/07 +	MODERN IN MATERIAL TO 1 /31177 TOP 411	minimes beintik I	
At 9:30 pm on 05/14/07, t	cested 15 /8 casing to 1250# 101 50	minutes, neta Oix. L	offined out with 12 74 off.
05/20/07TD'ed 12 ¼" hole @ 3240 with additives. Mixed @ sks to pit. WOC 18 hrs.	0'. Ran 3240' 9 %" 40# J55/N80 LT 12.5 /g w/ 1.96 yd. Tail w/400 sks	Γ&C Csg. Cemented Class C with 1% Ca to 2500#. At 7:00 pi	with w/1000 sks BJ Lite Class C (35:65:6) Cl2. Mixed @ 14.8 #/g w/ 1.34 yd. Circ 75 n 05/20/07, tested 9 %" csg to 1500# for 30
05/20/07TD'ed 12 ¼" hole @ 3240 with additives. Mixed @ sks to pit. WOC 18 hrs.	0'. Ran 3240' 9 %" 40# J55/N80 LT 12.5 /g w/ 1.96 yd. Tail w/400 sks Tested BOPE to 5000# and annular	Γ&C Csg. Cemented Class C with 1% Ca to 2500#. At 7:00 pi	with w/1000 sks BJ Lite Class C (35:65:6) Cl2. Mixed @ 14.8 #/g w/ 1.34 yd. Circ 75 n 05/20/07, tested 9 %" csg to 1500# for 30
05/20/07TD'ed 12 1/4" hole @ 3240 with additives. Mixed @ sks to pit. WOC 18 hrs. mins, held OK. Test forms	D'. Ran 3240' 9 5/8" 40# J55/N80 LT 12.5 /g w/ 1.96 yd. Tail w/400 sks Tested BOPE to 5000# and annular ation to 12.0# MWE. Charts and scale above is true and complete to the be	F&C Csg. Cemented Class C with 1% Ca to 2500#. At 7:00 pr hematic attached. D	with w/1000 sks BJ Lite Class C (35:65:6) Cl2. Mixed @ 14.8 #/g w/ 1.34 yd. Circ 75 m 05/20/07, tested 9 %" csg to 1500# for 30 rilled out with 8 3/4" bit. and belief. I further certify that any pit or below-
05/20/07TD'ed 12 1/4" hole @ 3240 with additives. Mixed @ sks to pit. WOC 18 hrs. mins, held OK. Test forms	D'. Ran 3240' 9 %" 40# J55/N80 LT 12.5 /g w/ 1.96 yd. Tail w/400 sks Tested BOPE to 5000# and annular ation to 12.0# MWE. Charts and sc above is true and complete to the best closed according to NMOCD guidelines	F&C Csg. Cemented Class C with 1% Ca to 2500#. At 7:00 pr hematic attached. D	with w/1000 sks BJ Lite Class C (35:65:6) Cl2. Mixed @ 14.8 #/g w/ 1.34 yd. Circ 75 m 05/20/07, tested 9 %" csg to 1500# for 30 rilled out with 8 3/4" bit. and belief. I further certify that any pit or below- r an (attached) alternative OCD-approved plan
o5/20/07TD'ed 12 1/4" hole @ 3240 with additives. Mixed @ sks to pit. WOC 18 hrs. mins, held OK. Test form I hereby certify that the information grade tank has been/will be constructed or SIGNATURE Type or print name Kristi Green	O'. Ran 3240' 9 %" 40# J55/N80 LT 12.5 /g w/ 1.96 yd. Tail w/400 sks Tested BOPE to 5000# and annular ation to 12.0# MWE. Charts and sc above is true and complete to the best closed according to NMOCD guidelines [Cac Csg. Cemented Class C with 1% Cat to 2500#. At 7:00 prohematic attached. Destroy consistency of my knowledge ☐, a general permit ☐ o	with w/1000 sks BJ Lite Class C (35:65:6) Cl2. Mixed @ 14.8 #/g w/ 1.34 yd. Circ 75 n 05/20/07, tested 9 %" csg to 1500# for 30 rilled out with 8 3/4" bit. and belief. I further certify that any pit or below- r an (attached) alternative OCD-approved plan
05/20/07TD'ed 12 1/4" hole @ 3240 with additives. Mixed @ sks to pit. WOC 18 hrs. mins, held OK. Test form I hereby certify that the information grade tank has been/will be constructed or SIGNATURE Type or print name Kristi Green For State Use Only	O'. Ran 3240' 9 %" 40# J55/N80 LT 12.5 /g w/ 1.96 yd. Tail w/400 sks Tested BOPE to 5000# and annular ation to 12.0# MWE. Charts and sc above is true and complete to the best closed according to NMOCD guidelines [Cac Csg. Cemented Class C with 1% Cat to 2500#. At 7:00 prohematic attached. Description of the complex comple	with w/1000 sks BJ Lite Class C (35:65:6) Cl2. Mixed @ 14.8 #/g w/ 1.34 yd. Circ 75 m 05/20/07, tested 9 %" csg to 1500# for 30 rilled out with 8 ¾" bit. and belief. I further certify that any pit or below- r an (attached) alternative OCD-approved plan