

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30 - 015 - 00847
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Empire Abo Unit "M"
8. Well Number 007
9. OGRID Number 00778
10. Pool name or Wildcat Empire Abo

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
BP America Production Company

3. Address of Operator
P. O. Box 1089 Eunice, New Mexico 88231

4. Well Location
Unit Letter B : 986 feet from the North line and 1645 feet from the East line
Section 9 Township 18S Range 27E NMPM County Eddy

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3521' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

When well is hot oiled, fluid bubbles up around wellhead. Checked 4 1/2" x 8 5/8" annulus for pressure - 750 psi. Bleeds off immediately, then continues to bubble out riser. When shut in, pressure slowly builds to 750. Started 5/30/07.

1. MIRU PU. Pull rods, pump and tubing.
2. TIH with RBP and packer to test 4 1/2" casing and check for leaks.
3. Repair casing as necessary.
4. Run tubing, pump and rods.

NOTE: During process of checking for leaks, casing tested to 1000 psi and held OK, 6/1/07. Ran Cement Bond Log - indicated TOC at 1918' behind 4 1/2" casing. Appears that some formation between TOC and surface casing shoe at 1490' is communicating to surface. BP proposes to perforate 4 1/2" casing at 1870' and cement 4 1/2" x 8 5/8" annulus from 1870' to surface.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE W. C. Heard TITLE agent for BP America Production Company DATE 6/5/07

Type or print name W. C. Heard E-mail address: bill.heard@bp.com Telephone No. 432 / 688-5257

For State Use Only

APPROVED Jim W. Green TITLE District II Supervisor
Conditions of Approval (if any):

DATE 6/1/07

Empire Abo Unit M-7

Empire Abo Field

API No. 30-015-00847

988' FNL & 1645' FEL

Sec 9 - T18S - R27E

Eddy County, New Mexico

Present Status

Event
Date

RKB 16'
GL 3521'

Spud 9/10/59
Completed 10/3/59

8 5/8", 24#, J-55 @ 1490'
Cmt w/ 700 sx
Cmt circulated

9/10/59

TOC @ 2500' - calc

5504' - 5602'
Acidize w/ 3000 gals 15%

Original Completion 10/3/59

4 1/2", 9.5#, J-55 @ 5670'
Cmt w/ 850 sx
TOC @ 2500' - calc

TD 5670'
PBD 5637'

WCH 2/28/2007

Empire Abo Unit M-7
Empire Abo Field

API No. 30-015-00847

986' FNL & 1645' FEL
Sec 9 - T18S - R27E
Eddy County, New Mexico

Proposed Installation

Event
Date

RKB 16'
GL 3521'

Spud 9/10/59
Completed 10/3/59

8 5/8", 24#, J-55 @ 1490'
Cmt w/ 700 sx
Cmt circulated

9/10/59

TOC @ 2500' - calc

5504' - 5602'
Acidize w/ 3000 gals 15%

Original Completion

10/3/59

4 1/2", 9.5#, J-55 @ 5670'
Cmt w/ 850 sx
TOC @ 2500' - calc

TD 5670'
PBD 5637'

WCH 2/28/2007