District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to facilities, submit to facilities, submit to facilities.

Is nit or helow-grade tan	prade Tank Registration or Closure ik covered by a "general plan"? Yes 🏻	NOT BOX
	t or below-grade tank Closure of a pit or below-	grade tank 🛛 👸
Operator: Yates Petroleum Corporation Telephone: 505-748-4500	e-mail address: mikes@ypenm.com	No D grade tank Registration of the state
Address: 105 South 4th Street, Artesia, NM 88210		(2)
Facility or well name: Lobo AXU Federal 1API#: 30-005-61883 U/L or Qtr/	Qtr <u>I</u> Sec <u>12</u> T <u>9S</u> R <u>27E</u>	
County. <u>Chaves</u> Latitude 33.54452 Longitude 10	4.14133 NAD: 1927 ⊠ 1983 □	
Surface Owner: Federal 🛛 State 🗌 Private 🗌 Indian 🔲		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Work over ⊠ Emergency □	Construction material:	
Lined M Unlined	Double-walled, with leak detection? Yes If no	- 1
Liner type: Synthetic ☑ Thickness 12 mil Clay □		
Pit Volume bbl		
The volume	Less than 50 feet	(20 points) XXXX
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water	Yes	(20 points)
source, or less than 1000 feet from all other water sources.)	No	(0 points) XXXX
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) XXXX
	1000 1001 11010	Сорольную
	Ranking Score (Total Points)	20 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's rela	ationship to other equipment and tanks. (2) Indicate d	lisposal location: (check the onsite box if you are burying
		action taken including remediation start date and end date.
in place) onsite 🔲 offsite 🖾 If offsite, name of facility: Gandy Marley Inc	(3) Attach a general description of remedial	••••••••
in place) onsite offsite offsite, name of facility: Gandy Marley Inc (4) Groundwater encountered: No Yes If yes, show depth below ground		•
(4) Groundwater encountered: No 🗌 Yes 🛄 If yes, show depth below ground	surfaceft, and attach sample results.	.
(4) Groundwater encountered: No Tyes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations	surfaceft. and attach sample results.	
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover	surfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD	approved soil waste facility.
(4) Groundwater encountered: No Tyes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover pit. The excavated area will be backfilled to within 3' of grade. The excavated area	surfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD	approved soil waste facility.
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover	surfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD	approved soil waste facility.
(4) Groundwater encountered: No Tyes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover pit. The excavated area will be backfilled to within 3' of grade. The excavated area	surfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD	approved soil waste facility.
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover if the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division.	surfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD	approved soil waste facility.
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover pit is the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A.	surfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a will be a wil	approved soil waste facility. clean soil and like material A one call and a 48 hour
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover if the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. (Previously submitted 6/6/2006 approved 6/9/2006) I hereby certify that the information above is true and complete to the best of in been/will be constructed or closed according to NMOCD guidelines , a	surfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a will be a wil	approved soil waste facility. clean soil and like material A one call and a 48 hour
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover if the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. (Previously submitted 6/6/2006 approved 6/9/2006) I hereby certify that the information above is true and complete to the best of many contents.	gurfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD as a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using	approved soil waste facility. clean soil and like material A one call and a 48 hour shove-described pit or below-grade tank has approved plan
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover if the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. (Previously submitted 6/6/2006 approved 6/9/2006) I hereby certify that the information above is true and complete to the best of in been/will be constructed or closed according to NMOCD guidelines , a Date: 01/17/2007	gurfaceft. and attach sample results. pit contents will be excavated and hauled to an OCD a will be backfilled to grade using a minimum of 3' of a will be backfilled to grade using a will be backfilled	approved soil waste facility. clean soil and like material A one call and a 48 hour above-described pit or below-grade tank has och-approved plan
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover pit is the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. (Previously submitted 6/6/2006 approved 6/9/2006) I hereby certify that the information above is true and complete to the best of n been/will be constructed or closed according to NMOCD guidelines , a Date: 01/17/2007 Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent Your certification and NMOCD approval of this application/closure does not rendanger public health or the environment. Nor does it relieve the operator of	git contents will be excavated and hauled to an OCD as a will be backfilled to grade using a minimum of 3' of any knowledge and belief. I further certify that the ageneral permit ⊠, or an (attached) alternative October 1 signature Signature Signature elieve the operator of liability should the contents of its responsibility for compliance with any other feder	approved soil waste facility. clean soil and like material A one call and a 48 hour above-described pit or below-grade tank has och-approved plan
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover pit is the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. (Previously submitted 6/6/2006 approved 6/9/2006) I hereby certify that the information above is true and complete to the best of n been/will be constructed or closed according to NMOCD guidelines , a Date: 01/17/2007 Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent Your certification and NMOCD approval of this application/closure does not rendanger public health or the environment. Nor does it relieve the operator of	git contents will be excavated and hauled to an OCD as a will be backfilled to grade using a minimum of 3' of any knowledge and belief. I further certify that the ageneral permit ⊠, or an (attached) alternative October 1 signature Signature Signature elieve the operator of liability should the contents of its responsibility for compliance with any other feder	approved soil waste facility. clean soil and like material A one call and a 48 hour above-described pit or below-grade tank has och-approved plan
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover pit is the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. (Previously submitted 6/6/2006 approved 6/9/2006) I hereby certify that the information above is true and complete to the best of n been/will be constructed or closed according to NMOCD guidelines , a Date: 01/17/2007 Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent Your certification and NMOCD approval of this application/closure does not rendanger public health or the environment. Nor does it relieve the operator of	git contents will be excavated and hauled to an OCD as a will be backfilled to grade using a minimum of 3' of any knowledge and belief. I further certify that the ageneral permit ⊠, or an (attached) alternative October 1 signature Signature Signature elieve the operator of liability should the contents of its responsibility for compliance with any other feder	approved soil waste facility. clean soil and like material. A one call and a 48 hour above-described pit or below-grade tank has a consequence of the consequence o
(4) Groundwater encountered: No Yes If yes, show depth below ground (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure work plan for the workover pit. The workover if the excavated area will be backfilled to within 3' of grade. The excavated area notice will be provided to the Oil Conservation Division. Pit Closure start date: N/A. Final closure date: N/A. (Previously submitted 6/6/2006 approved 6/9/2006) I hereby certify that the information above is true and complete to the best of notice here will be constructed or closed according to NMOCD guidelines, a Date: 01/17/2007 Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent Your certification and NMOCD approval of this application/closure does not not endanger public health or the environment. Nor does it relieve the operator of	git contents will be excavated and hauled to an OCD as a will be backfilled to grade using a minimum of 3' of any knowledge and belief. I further certify that the ageneral permit ⊠, or an (attached) alternative October 1 signature Signature Signature elieve the operator of liability should the contents of its responsibility for compliance with any other feder	approved soil waste facility. clean soil and like material A one call and a 48 hour above-described pit or below-grade tank has och-approved plan

PIT CLOSURE FINAL DATE 2/16/2007