

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised June 10, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-015-00176

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Atoka San Andres Unit

8. Well Number

113

9. OGRID Number

6137

10. Pool name or Wildcat

Atoka San Andres

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other—Water Injection Well

2. Name of Operator

Devon Energy Production Company, LP

3. Address of Operator

20 North Broadway, Suite 1500, Oklahoma City, Oklahoma 73102

4. Well Location

Unit Letter J : 1645' feet from the South line and 2310' feet from the East line

Section 11

Township 18S

Range 26E

Eddy

County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3316' GL; 3322' KB

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Note: The MIT test failed on 5/23/07. Devon has to 8/26/07 to bring this well into compliance per Letter of Violation dated 6/27/07 (LOV# 0216507). Devon respectfully wishes to extend the TA Status of this well to the Fall of 2007, until crops can be harvested, at which time it will be plugged & abandoned.

1. MIRU. POOH w/ 2-3/8" IPC tubing. TIH and dump bail 35' cement on top of existing CIBP at 1,576'.
2. TIH and circulate wellbore with 9.5 ppg salt gelled mud.
3. Spot 25 Sx cement plug at 1,275'. WOC 4 hrs. Tag TOC. Calc. TOC at 1,030'. (8-5/8" casing shoe at 1,225')
4. Spot 60' surface plug.
5. Cut wellhead off 3' below ground level. Set dry hole marker.
6. Clean & restore location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ronnie Slack

TITLE: Engineering Technician

DATE 7/18/07

Type or print name Ronnie Slack

E-mail address: Ronnie.Slack@dmn.com

Telephone No. 405-552-4615

(This space for State use)

APPROVED BY Phil Hawkins

TITLE C.O.

DATE 7/23/07

Conditions of approval, if any:

**Notify OCD 24 hrs. prior
To any work done.**

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: ATOKA SAN ANDRES UNIT #113		Field: ATOKA SAN ANDRES	
Location: 1645' FSL & 2310' FEL; SEC 11-T18S-R26E		County: EDDY	State: NM
Elevation: 3316' GL; 3322' KB		Spud Date: 8/17/56	Compl Date: 9/3/56
API#: 30-015-00176	Prepared by: Ronnie Slack	Date: 7/18/07	Rev:

PROPOSED PLUG & ABANDONMENT

Proposed:

1. Spot 60' surface plug.
2. Cut wellhead off 3' below ground level
3. Set dry hole marker. Clean & restore location.

9.5# mud

11" Hole

8-5/8", 29#, @ 1,225'

Cmt'd w/700 Sx. TOC at surface

Proposed:

1. Spot 25 Sx cement at 1,275'.
2. WOC & Tag TOC. (Calc. TOC at 1,030')

9.5# mud

Proposed:

1. Dump 35' cement on existing CIBP at 1,576'.
2. Circulate wellbore w/9.5# salt gelled mud

CIBP @ 1,576' (3/18/82)

SAN ANDRES

1,654' - 1,672 (4 spf)

7-7/8" Hole

5-1/2", 15#, @ 1,797'

Cmt'd w/350 Sx TOC at surface

1,788' PBDT

1,797' TD

DEVON ENERGY PRODUCTION COMPANY LP


Well Name: ATOKA SAN ANDRES UNIT #113		Field: ATOKA SAN ANDRES	
Location: 1645' FSL & 2310' FEL; SEC 11-T18S-R26E		County: EDDY	State: NM
Elevation: 3316' GL; 3322' KB		Spud Date: 8/17/56	Compl Date: 9/3/56
API#: 30-015-00176	Prepared by: Ronnie Slack	Date: 7/17/07	Rev:

CURRENT WELLBORE SCHEMAT

11" Hole
8-5/8", 29#, @ 1,225'
 Cmt'd w/700 Sx. TOC at surface

SAN ANDRES
1,654' - 1,672 (4 spf)

7-7/8" Hole
5-1/2", 15#, @ 1,797'
 Cmt'd w/350 Sx. TOC at surface



2-3/8", IPC Tubing above CIBP (Tubing depth Unknown)

CIBP @ 1,576' (3/18/82)

1,788' PBTD

1,797' TD