

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, 87410
District IV
1220 S. St. Francis Drive, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

JUL 16 2007

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☐

Month - Year
APR 2007
OCD - ARTESIA, NM

Operator <u>Unit DET.</u> Telephone <u>432-685-9020</u> e-mail address: _____	
Address <u>407 N. Big Spring St. STE 101 Midland TX 79701</u>	
Facility or well name <u>Carlsbad Toles Redcom</u> API # <u>3001534450</u> U/L or Qtr/Qtr <u>I</u> Sec <u>29</u> T <u>22S</u> R <u>28E</u>	
County <u>Eddy</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>	
Surface Owner: Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>	
Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type Synthetic <input type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Below-grade tank Volume _____ bbl Type of fluid _____ Construction material _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	<u>Less than 50 feet</u> (20 points) <u>20</u> 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	<u>Yes</u> (20 points) <u>20</u> No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	<u>Less than 200 feet</u> (20 points) <u>200 feet or more, but less than 1000 feet</u> (10 points) <u>10</u> 1000 feet or more (0 points)
Ranking Score (Total Points) <u>50</u>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☒ If offsite, name of facility CRI. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: SWEATCON plans to close drilling pits on the Carlsbad Toles Redcom 1 AS PER N.M. Oil Conservation Division Rule 50 in the Pit and Below Grade Tank Guidelines. We plan to remove all liquids and drill cuttings. All cuttings will be taken to a N.M. O.C.D. approved site for disposal and backfill with onsite stockpiled soils.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 4-23-07

Printed Name/Title Brad Larson / Agent

Signature Brad Larson

Your certification and NMOCD approval of this application otherwise endanger public health or the environment. Notify OCD 24 hours prior to beginning pit closure.

Notify OCD 24 hours prior to beginning pit closure.

the contents of the pit or tank contaminate ground water or mix with any other federal, state, or local laws and/or

Jim W. Brown

Samples are to be obtained from pit area and analysis submitted to NMOCD prior to back-filling

District II Supervisor

Printed Name/Title _____

Date 4/24/07

Analytical Data for closure Attached

Summary Report

Gary Miller
Highlander Environmental Services
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: July 8, 2007

Work Order: 7062924



Project Location: Eddy County, NM
Project Name: SWEATT/ Toles Fed COM #1
Project Number: 3042

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
128863	North East 2'	soil	2007-06-26	00:00	2007-06-29
128864	North West 2'	soil	2007-06-26	00:00	2007-06-29
128865	Center 5'	soil	2007-06-26	00:00	2007-06-29
128866	South East 8'	soil	2007-06-26	00:00	2007-06-29
128867	South West 2'	soil	2007-06-26	00:00	2007-06-29
128868	Background 5'	soil	2007-06-26	00:00	2007-06-29

Sample: 128863 - North East 2'

Param	Flag	Result	Units	RL
Chloride		209	mg/Kg	2.00

Sample: 128864 - North West 2'

Param	Flag	Result	Units	RL
Chloride		79.7	mg/Kg	2.00

Sample: 128865 - Center 5'

Param	Flag	Result	Units	RL
Chloride		191	mg/Kg	2.00

Sample: 128866 - South East 8'

Param	Flag	Result	Units	RL
Chloride		234	mg/Kg	2.00

Report Date: July 8, 2007
3042

Work Order: 7062924
SWEATT/ Toles Fed COM #1

Page Number: 2 of 2
Eddy County, NM

Sample: 128867 - South West 2'

Param	Flag	Result	Units	RL
Chloride		132	mg/Kg	2.00

Sample: 128868 - Background 5'

Param	Flag	Result	Units	RL
Chloride		105	mg/Kg	2.00

sample

SWEATT (UNIT PETRO.)
Takes Fed Conn #1
30-015-34450
10'

[illegible]

DNR- Did not run at lab.
BGS- Below Ground Surface
BPB- Below Pit Bottom

89
60'
Pit wall in feet

Pit Sample Location Plat

130'

Pit wall in feet 115'

* <u>NW</u>	* <u>NE</u>
32.36054	32.36055
104.10458	104.10425
* <u>Center</u>	
32.36047 104.10435	
Depth of pit in feet <u>10'</u>	

* Indicates Sample Location
(Name by quarter i.e. NW, NE etc)



Draw in North Arrow

* <u>SW</u>	* <u>SE</u>
32.36026	32.36031
104.10462	104.10422

• Wellhead

Well Pad

Client: SWEATT
Well Name: TOKS Feed com #1
API# 30-015-34150