


Submit to Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies

State of New Mexico
Energy, Minerals and Natural Resources

Form C-105
Revised June 10, 2003

District I
1625 N French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505



OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

JUL 30 2007
OCD

WELL API NO. 30-015-35219
5. Indicate Type Of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. LG-6953

WELL COMPLETION OR RECOMPLETION REPORT AND LOG														
1a. Type of Well: OIL WELL ☐ GAS WELL ☒ DRY ☐ OTHER _____					7. Lease Name or Unit Agreement Name OXY Flameskimmer State									
b. Type of Completion: NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER _____														
2. Name of Operator OXY USA WTP Limited Partnership 192463					8. Well No. 1									
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250					9. Pool name or Wildcat Undsg. Empire Morrow, South									
4. Well Location Unit Letter <u>K</u> : <u>1650</u> Feet From The <u>south</u> Line and <u>1880</u> Feet From The <u>west</u> Line Section <u>9</u> Township <u>17S</u> Range <u>29E</u> NMPM <u>Eddy</u> County														
10. Date Spudded 2/12/07		11. Date T.D. Reached 3/18/07		12. Date Compl. (Ready to Prod.) 5/2/07		13. Elevations (DF & RKB, RT, GR, etc.) 3584'		14. Elev. Casinghead						
15. Total Depth 10850'		16. Plug Back T.D. 10813'		17. If Multiple Compl. How Many Zones?		18. Intervals Drilled By X		Rotary Tools Cable Tools						
19. Producing Interval(s), of this completion - Top, Bottom, Name 10566-10584' Morrow								20. Was Directional Survey Made No						
21. Type Electric and Other Logs Run DLL/MLL/ZDL/DSL/CNL/GRL								22. Was Well Cored No						
23. CASING RECORD (Report all strings set in well)														
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED				
13-3/8"		48#		485'		17-1/2"		950sx-Surf-Circ		N/A				
9-5/8"		36#		3020'		12-1/4"		920sx-Surf-Circ		N/A				
5-1/2"		17#		10850'		8-3/4"		1710sx-Surf-Circ		N/A				
24. LINER RECORD										25. TUBING RECORD				
SIZE		TOP		BOTTOM		SACKS CEMENT		SCREEN		SIZE	DEPTH SET	PACKER SET		
										2-3/8"		10513'	10492'	
26. Perforation record (interval, size, and number) 10566-10584' Total 38 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.								
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED						
28. PRODUCTION														
Date First Production 5/2/06			Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing					Well Status (Prod or Shut-in) Prod						
Date of Test 6/25/07		Hours Tested 24		Choke Size 11/64		Prod'n For Test Period		Oil - Bbl. 50		Gas - MCF 2683		Water - Bbl. 1		Gas - Oil Ratio
Flow Tubing Press 1902		Casing Pressure 567		Calculated 24-Hour Rate		Oil - Bbl. 50		Gas - MCF 2683		Water - Bbl. 1		Oil Gravity - API -(Corr) 55.0		
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold										Test Witnessed By R. Pitts				
30. List Attachments C-103, C-104, Deviation Survey, Logs														
31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief														
Signature				Printed Name David Stewart				Title Sr. Reg Analyst				Date 7-26-07		
E-mail address david.stewart@oxy.com														

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn 9858'	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka 10286'	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T. Morrow 10457'	T. Wingate	T.
T. Wolfcamp 7122'		T. Chinle	T.
T. Penn 8428'	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____
 No. 2, from _____ to _____
 No. 3, from _____ to _____
 No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____
 No. 2, from _____ to _____ feet _____
 No. 3, from _____ to _____ feet _____

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	412	412	Halite				
412	2562	2150	Anhyd. Dolom, Sndst				
2562	4016	1454	Dolom, Anhyd				
4016	5278	1262	Dolom, Shale, Chert				
5278	5974	696	Dolom, Shale, Sndst				
5974	7122	1148	Dolom, Lmest				
7122	8428	1306	Lmest, Shale, Sndst				
8428	9858	1430	Shale, Lmest, Chert				
9858	10286	428	Lmest, Chert, Shale				
10286	10457	171	Lmest, Shale, Chert, Sndst				
10457	10665	208	Lmest, Sndst, Chert, Shale				
10665	10809	144	Shale				



McVAY DRILLING COMPANY
P.O. Box 2450
Hobbs, New Mexico 88241
(505) 397-3311
FAX: 39-DRILL

III 30 2007
OCD-ARTESIA

Well Name and Number: Oxy Flameskimmer #1

Location: Sec 9, T17S, R29E, Eddy County, NM

Operator: Oxy

Drilling Contractor: McVay Drilling Company

The undersigned certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

Degrees @ Depth		Degrees @ Depth	
1 1/2	485	3/4	7267
1	972	1/2	7767
1/4	1154	1/2	8265
1/2	2011	1/2	8735
1/4	2513	3/4	9202
1/2	2981	1/4	10183
1	3575	1/4	10679
1/2	3827	1 1/4	10850
1/2	4329		
1/2	4830		
3/4	5268		
3/4	5800		
1	6271		
1/2	6770		

Drilling Contractor: McVay Drilling Company

Subscribed and sworn to before me this 27th day of March, 2007

By: H.H. Cramer Jr.

Tina Fleming

Notary Public
Lea County, New Mexico

My Commission Expires: 8-16-09

