

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-21354
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Yates Fee DT
8. Well Number 1
9. OGRID Number 025575
10. Pool name or Wildcat Eagle Creek S. A.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Yates Petroleum Corporation

3. Address of Operator
105 S. 4th Street, Artesia, NM 88210

AUG 13 2007
OCD-ARTESIA

4. Well Location
Unit Letter E : 2076 feet from the North line and 981 feet from the West line
Section 13 Township 17S Range 25E NMPM Eddy County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3468'GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDON ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug and abandon this well as follows:

1. TOOH with tubing and lay down TAC, S/N, perf sub, mud joint with bull plug and all but 1162' of tubing.
2. Set a 4-1/2" CIBP at 1343' with 35' cement on top.
3. Spot a 100' cement plug (25 sx) across the shoe from 1160'-1260'. Tag plug.
4. Spot a 100' cement plug (25 sx) across the shoe from 290'-390'. Tag plug.
5. Spot a 100' cement plug (25 sx) from 100' to surface. Tag plug.
6. Cut off wellhead and install marker and clean up location as per regulated.

NOTE: Yates Petroleum Corporation will use steel pits and no earth pits

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Tina Huerta TITLE Regulatory Compliance Supervisor DATE August 10, 2007

Type or print name Tina Huerta E-mail address: tinah@ypcnm.com Telephone No. 505-748-1471

For State Use Only

APPROVED BY: Phil Huerta TITLE CO

Conditions of Approval (if any):

DATE Aug 14 07

WELL NAME: Yates Fee DT #1

FIELD: Eagle Creek

LOCATION: 2076' FNL & 981' FWL of Section 13-17S-25E

Eddy Co., NM


GL: 3,468' ZERO: KB: 3,480'

SPUD DATE: 9/13/74 COMPLETION DATE: 10/8/74

COMMENTS: API No.: 30-015-21340

CASING PROGRAM

10-3/4" 32# J55	340'
7" 20# J55	1210'
5-1/2" 14# J55	0-622'
4-1/2" 9.5# J55	622'-1,540'
	1,540'



Before

TOPS

SA 753'

Not to Scale

7/31/07

Moss

PBTD: 1,511'
TD: 1,540'

WELL NAME: Yates Fee DT #1

FIELD: Eagle Creek

LOCATION: 2076' FNL & 981' FWL of Section 13-17S-25E

Eddy Co., NM

GL: 3,468' ZERO: KB: 3,480'

SPUD DATE: 9/13/74 COMPLETION DATE: 10/8/74

COMMENTS: API No.: 30-015-21340

CASING PROGRAM

10-3/4" 32# J55	340'
7" 20# J55	1210'
5-1/2" 14# J55	0-622'
4-1/2" 9.5# J55	622'-1,540'

14-3/4"
Hole

10-3/4" @ 340' w/ 200 sx
(Circ)

100' cement plug (0' - 100') Tag Plug

100' cement plug (290' - 390') Tag Plug

After

9-1/2" Hole

TOPS

SA 753'

6-1/4" Hole

7" @ 1,210' w/475 sx. 1"ed to surface
w/ 125 sx (circ)

100' cement plug (1160' - 1260') Tag Plug

CIBP @ 1263' + 35' cement

SA perms: 1,343-1,450'

5-1/2" to 622' then finished with
4-1/2" from 622'-1,540' w/125 sx
(Circ)

Not to Scale
7/31/07
Moss

PBTD: 1,511'
TD: 1,540'