District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \[\] No \[\]

Type of action: Registration of a pit of	or below-grade tank [Closure of a pit or below-gra	AUG 2 1 2007
Operator: EOG Resources, Inc. Telephone:	432-6863600 e-mail address: Bgrig	
Address: P O Box 2267 Midland, TX 79702		GGD-AITIEON T
Facility or well name: Brazos A 11 Fee #1H API #: 30	0-015-34481 U/L or Qtr/Qtr A	Sec 11 T 16S R 24E
County: Eddy Latitude	Longitude	NAD: 1927 🗌 1983 🔲
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐		
<u>Pit</u>	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.	
Workover ☐ Emergency ☐		
Lined 🛮 Unlined 🗌		
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		
Pit Volume _10300_bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) XXX
	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points) XXX
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points) XXX
	Ranking Score (Total Points)	10 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite offsite If offsite, name of facility_remediation start date and end date. (4) Groundwater encountered: No (5) Attach soil sample results and a diagram of sample locations and excava	Yes If yes, show depth below ground surface	description of remedial action taken including
Additional Comments: Pit is in corner of agriculturial field out of reach of	f pivot system. A solidification closure will be used.	A burial pit will be constructed and lined with a
12mil impervious liner. The drilling pit contents will be mixed with Elke	Environmental Solidification Product at a 20 (mud) to	o 1 (product) ratio to solidify the contents. After
all mixed contents are placed in the burial pit, the contents will be covered	1 with a 20 mil impervious liner with a minimum of 3	ft. overlap on all sides and a minimum of 3 ft.
below ground level. The burial pit will then be covered with clean native soil and doomed to prevent pooling. A final report will be given at the end of the job.		
NMOCD Artesia will be notified 48 hrs before work starts.		
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline		
D 0.01.07		
Date: 8-21-07		
Printed Name/Title Logan Anderson - Agent	Signature	
Your certification and NMOCD approval of this application/closure does retherwise endanger public health or the environment. Nor does it relieve to regulations.		
NOTIFY OCD 24 HOURS PRIOR to peginning closure and 24 HOURS PRIOR	Signed By Mile Benn	Date AUG 2 3 2007
- Latining complex Complex are to be	Signature	Date MUU Z J ZUU/

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

Signature If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.