Submit 3 Copies To Appropriate District	State of New N	Mexico		Form C-103
Office District J	Energy, Minerals and l	Natural Resources		Revised May 08, 2003
1625 N. French Dr., Hobbs, NM 88240 District II			WELL API NO. 30-015-32807	
1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION		5. Indicate Type of Lease		
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Fi	/ ^2'	STATE [FEE X
District IV	Santa Fe, NM	87.505 °C	State Oil & Ga	
1220 S. St. Francis, Santa Fe, NM 87505			00/	
SUNDRY NOTICE	ES AND REPORTS ON WEI	is Socia	7. Lease Name or	Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSAL DIFFERENT RESERVOIR. USE "APPLICAT	LS TO DRILL OR TO DEEPEN ORT TON FOR PERMIT" (FORM C-10)	LUG BACK TO A CO	Righthand Canyo	n "34" Fee Com.
PROPOSALS.) 1. Type of Well:	/	SIN CSIN	& Well Number	
Oil Well Gas Well X	Other	(62)		7
2. Name of Operator	· · · · · · · · · · · · · · · · · · ·	CV50Ser 81 173	9. OGRID Numb	er
Devon Energy	Production Company, L.P.	· · · · · ·		6137
3. Address of Operator 20 N. Broad		ert P. Elliott	10. Pool name or	1
4. Well Location	Operation	ns Engr Advisor	Indian Basin (Up	per Penn) Assoc.
4. Well Location 405-228-8609				
SHL: Unit Letter O : 1176 feet from the south line and 2123 feet from the east line				
l e e e e e e e e e e e e e e e e e e e	980' FSL & 990' FEL		_	
Section 34	Township 21S	Range 24E	NMPMEddy	County New Mexico
	11. Elevation (Show whether DF GL 3918', DF 3934', KB 393			
12 Check Ap	propriate Box to Indicate		Report or Other	Data
NOTICE OF INT			SEQUENT RE	
	PLUG AND ABANDON	REMEDIAL WOR		ALTERING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI	LLING OPNS.	PLUG AND ABANDONMENT
<u> </u>	MULTIPLE COMPLETION	CASING TEST AN CEMENT JOBS	ND 🗆	ADANDONIVILINI
OTHER: 1st remedial cement job for	production casing	OTHER:		
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting and proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.				
NOTE: This is a copy of the report sent to the BLM. Since this is now a Fee lease, we are submitting on an OCD form.				
As per Robert Elliott's conversation with Joe Lara with the BLM today regarding the cement job for the production casing on the Righthand Canyon "34' Fee Com. #7, Devon Energy proposes to top the cement as follows:				
 Punch squeeze holes at 4,250'. Set a cement retainer at 4,200'. Establish circulation to surface up the 7" X 9-5/8" annulus and estimate cement volume using a fluid caliper plus 30% excess. Pump enough 12.5 ppg 35:65 Poz:Class "C" cement to circulate cement to surface. 				
3. If cement is not circulated to surface then a temperature log will be run to find the top of cement, and the BLM will be notified.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE Candace R.	Draham TITLE	Engineering Tech.		DATE 10/03/2003
Type or print name Candace R. Gra	nham X4520	candi.graham@dv	n.com Teleph	one No. (405)235-3611
(This space for State use)	W. Gum	0.4.	•	NOT - A 9000
APPROVED BYConditions of approval, if any:	TITLE	Kutrut	syrvisor	DATE