1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV

St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe

1220 South St. Francis Dr. Santa Fe. NM 87505

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \) SEP 07 2001 OCD-ARTESIA Operator: Mewbourne Oil Company Telephone: 505-393-5905 e-mail address: kgreen@mewbourne.com Address: P. O. Box 5270 Hobbs, NM 88241 Facility or well name: Springfield 29 State Com #1 API #: 30-015-35503 U/L or Qtr/Qtr 1 Sec 29 T 19S R 28E Longitude NAD: 1927 ☐ 1983 🛛 County: Eddy Latitude Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐ Below-grade tank Pit Type: Drilling ☑ Production ☐ Disposal ☐ Volume: _____bbl Type of fluid: _____ Construction material: Double-walled, with leak detection? Yes If not, explain why not. Lined Unlined Liner type: Synthetic
☐ Thickness 12 mil Clay ☐ Pit Volume 24000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) XXX (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) XXX water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) XXX 0 points Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite ⊠ offsite □ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 📋 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: All excess water will be removed. A burial pit will be constructed and lined with a 12mil impervious liner. The drilling pit contents will be mixed with Dry soil to stiffen the contents then placed in the burial pit. The burial pit will be capped with a 20 mil impervious liner with a minimum of 3 ft. overlap on all sides and a minimum of 3 ft. below ground level then backfilled with clean native soil and doomed to prevent pooling. A final report will be given at the end of the job. NMOCD Artesia will be notified 48 hrs before work starts. I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\sigma\), a general permit \(\sigma\), or an (social according to NMOCD guidelines \(\sigma\). Date: 9-5-07 Printed Name/Title Logan Anderson - Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. See Attached Stipulations Gerry Guye Approval: . . 7 2007 Compliance Officer Printed Name/Title Signature

Form C-144

Stipulations for closing Of Pit

Samples are to be obtained from pit area and analysis submitted to NMOCD prior to back filling. Notify NMOCD 24 hours prior to obtaining samples.

If burial trench is to be constructed in the pit area, samples are to be obtained from that area and analyses submitted to NMOCD prior to lining the pit, but after contaminated soils have been excavated from trench area.

Notify NMOCD 24 hours prior to beginning closure.