Submit 3 Copies To Appropriate District Office	State of New Mexico			Form C-103
District I	Energy, Minerals and Natural Resources			May 27, 2004 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II			D.T.WOLON	30-015-35346
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION			5. Indicate Type of Lease
District III 1000 Rio Brazos Rd., Aztec, NM 87410	1220 South St. Francis Dr Santa Fe, NM 87505			STATE 🛛 FEE 🗌
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505	Santa Fe,	, NM 87	/505	6. State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS				7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				Buckshot State Com 8. Well Number 1
1. Type of Well: Oil Well Gas Well Other				
2. Name of Operator				9. OGRID Number
OGX Resources 3. Address of Operator OCT 0 3 2007				217955
3. Address of Operator	, Midland, TX 79701	•••		10. Pool name or Wildcat Salt Draw, Morrow, West (Gas)
	, Midiand, 1A 79701	OCD-	ARTESIA	Sait Diaw, Wolfow, West (Gas)
4. Well Location	02 f (f (1 f) 1	1.	1 12502 - 6	and from the Foot line
	0'feet from the _South_			
Section 31 Town	ship 24S Range 11. Elevation (Show who		NMPM RKR RT CR etc.)	
	11. Elevation (Show whe	emer DR,	KKB, KI, GK, etc.)	3033
Pit or Below-grade Tank Application 🗌 o	r Closure			
Pit typeDepth to Groundwa	aterDistance from near	rest fresh w	ater well Dist	ance from nearest surface water
Pit Liner Thickness: mil	Below-Grade Tank: Volu	ume	bbls; Co	nstruction Material
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF IN	TENTION TO:		SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK	PLUG AND ABANDON		REMEDIAL WORK	
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRI	
PULL OR ALTER CASING	MULTIPLE COMPL		CASING/CEMENT	ΓJOB ⊠ ,
OTHER:			OTHER:	П
13. Describe proposed or comp			pertinent details, and	I give pertinent dates, including estimated date tach wellbore diagram of proposed completion
Production Liner:				
Bottom of liner12,848', top of liner 9	9165'. Fin TIH w/ liner or Pumped 5 bbl fresh water	n 3 ½" DI spacer.	P. Hang liner @ 916 Cemented w/ 435 sx	oe jt., 1 landing collar & 96 jts. 4 ½" csg., 65' Release liner and PU 6'. Set back down c class H cmt. + 0.4% BA-10 + 0.3% CD-32 + 0 oression & TOH w/ 10 stands of DP.

Conditions of Approval (if any):