Submit 3 Copies To Appropriate District	State of N	aw Mayico		Form C-103
Office	State of New Mexico Energy, Minerals and Natural Resources		May 27, 2004	
<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240	Energy, witherars and waterar Resources		WELL API NO.	
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION		30-015-35558	
District III	1220 South St. Francis Dr.		5. Indicate Type of Lease STATE FEE □	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505			& Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	,		o. Blate on	ce Gus Louse 110.
87505 SLINDRY NOT	TICES AND REPORTS ON	WELLS	7 Lesse No	me or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			7. Lease Name of One Agreement Name	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			Kimber State	
1. Type of Well: Oil Well	Gas Well 🛛 Other	OCT 0.9 2007	8. Well Number 1	
2. Name of Operator			OGRID Number	
	GX Resources, LLC	OCD-ARTESIA		217955
3. Address of Operator POB 2064 Midland, TX 79702		10. Pool name or Wildcat Salt Draw; Morrow, West (Gas)		
	7B 2004 Midiand, 1X 797		Sait Draw; N	Morrow, west (Gas)
4. Well Location		1, 1,1000	6 . 6 1	387 . 11
	_660feet from the _North			
Section 7 Tow	ynship 25S Range	28E NMPN whether DR, RKB, RT, GR		County
		wneiner DR, KKB, K1, GR 57'GR	i, eic.)	
Pit or Below-grade Tank Application	or Closure		-	
Pit typeDepth to Grounds	vaterDistance from neare	st fresh water well Dis	tance from neare	st surface water
Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Construction Material				
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF I	NTENTION TO:	SUB	SEQUENT	REPORT OF:
PERFORM REMEDIAL WORK		☐ REMEDIAL WOR		☐ ALTERING CASING ☐
TEMPORARILY ABANDON				
PULL OR ALTER CASING	MULTIPLE COMPL	☐ CASING/CEMEN	T JOB	
OTHER:		☐ OTHER:		П
	pleted operations. (Clearly s		d give pertiner	it dates, including estimated date
				diagram of proposed completion
1 st Intermediate Casing:				
. Intermediate Gusting.				
5-28-2007 RIH w/ 9 5/8" 36# J-5				
Pumped 20 bbl fresh water spacer. Cemented w/ Lead cmt.: 580 sx 50/50 POZ Premium Plus cmt. + 10% Bentonite + 5% Salt + 5 lbs/sk Gilsonite + 0.25 lbs/sk Poly-E-Flake. Yield =2.47, slurry wt. = 11.8. Tail cmt.: 200 sx Premium Plus cmt. + 2% CaCl. Yield =1.35,				
slurry wt. =14.8. Bumped plug – held OK. Circulated 125 sx cement to reserve pit. Tested BOP to 5000 psi for 30 minutes. WOC 13.5				
hrs. total. Reduced hole size to 8 ½		The state of the s		por rer de immercer vi de rere
I hereby certify that the information grade tank has been/will be constructed o	above is true and complete	to the best of my knowledg	e and belief. I	further certify that any pit or below-
SIGNATURE MOSICA		TLEConsultant	or an (andtheu)	DATE10-6-2007
				· —
Type or print name AngelaLight	ner E-mail address: an	gela@rkford.com Tele	ephone No. 43	
For State Use Only	RECORDS ONLY			OCT 1 0 2007

TITLE

_DATE____

APPROVED BY:____Conditions of Approval (if any):